



Power Transmission

Product-Range Industrial Belts



Contents

| | Page |
|---|-------|
| optibelt optibelt S-C plus, optibelt SUPERTX M-5 | 4 |
| optibelt General Introduction | 5 |
| optibelt-SK Wedge Belts to BS 3790 and DIN 7753 Part 1 | 6–8 |
| Wedge Belts USA-Standard RMA/MPTA | 9 |
| optibelt RED POWER Wedge Belts to BS 3790, DIN 7753 Part 1 | 10–11 |
| Wedge Belts USA-Standard RMA/MPTA | 12 |
| optibelt-VB V-Belts to BS 3790 and DIN 2215 | 13–19 |
| optibelt-VB/LC V-Belts light coloured cover fabric | 19 |
| optibelt-LD Light Duty V-belts to USA-Standard RMA/MPTA | 19 |
| optibelt SUPERTX M-5 Moulded Cogged Raw Edge Wedge Belts | 20–23 |
| optibelt SUPERTX M-5 Moulded Cogged Raw Edge V-Belts | 24–25 |
| optibelt SUPER V X Moulded Cogged Raw Edge Variable Speed Belts | 26–33 |
| optibelt-KB Kraftbands with Wedge Belts | 34–36 |
| optibelt RED POWER Kraftbands with Wedge Belts | 37–38 |
| optibelt-KB Kraftbands with Classical V-Belts | 39–40 |
| optibelt-KBX Kraftbands with Moulded Cogged Raw Edge Wedge Belts | 41 |
| optibelt-PKR Endless V-Belts with Patterned Top Surfaces | 42 |
| optibelt-KB Kraftbands with Special Top Surfaces | 43 |
| optibelt-ZR Timing Belts | 44–52 |
| optibelt-ZR D Double Timing Belts | 52–53 |
| optibelt OMEGA Timing Belts Omega A | 54–59 |
| optibelt OMEGA Timing Belts Omega B | 60–66 |
| optibelt-HTD® Double Timing Belts | 67–72 |
| optibelt-HTD® D Double Timing Belts | 73 |
| optibelt-STD Timing Belts | 74–76 |

Contents

| | Page |
|-----------------------|--|
| optibelt-ZR | Ended Timing Belts made of Chloroprene 77 |
| optibelt-HTD® | Ended Timing Belts made of Chloroprene 77 |
| optibelt-ZRM | Polyurethane Timing Belts, metric 78–90 |
| optibelt-ZRM D | Polyurethane Double Timing Belts, metric 91–94 |
| optibelt-ZRP | Polyurethane Timing Belts 95–98 |
| optibelt-ZRL | Open Ended or Joined Endless Polyurethane Timing Belts 99–102 |
| optibelt-CP | Clamping Plates for Open Ended Polyurethane Timing Belts 103–104 |
| optibelt-RB | Ribbed Belts 105–107 |
| optibelt-DK | Double V-Belts 108–109 |
| optibelt-KK | Polyurethane V-Belting 110 V-Belting with Special Top Surfaces 110 V-Belting with Profiled Carrying Surfaces 110 |
| optibelt-RR | Polyurethane Round Section Belting 110 Splicing Tools 111 |
| optimat-OE | Open Ended V-Belting DIN 2216, Punched 112 |
| optimat-DK | Open Ended Double V-Belting, Punched 112 |
| optimat-FK | Open Ended Conveyor Belting, Punched 113 |
| optimat-PKR | Open Ended V-Belting DIN 2216 with Special Top Surfaces 114 |
| optibelt-LB | Link Belting 114 |
| optibelt-RF | Rubber Covered Flat Belting Type B 50 115 |
| optibelt-CF | Cable Cord Flat Belting 116 |
| optimax-HF | High Capacity Flat Belts 117–118 |
| optibelt-WR | Polyurethane Wide Angle Belts (60°) 119–120 |
| optibelt | Technical Information 121–122 |
| optibelt | Pulleys 123 |
| optibelt | Technical Accessories 124 |

optibelt S=C plus
Power Transmission for perfectionists

optibelt SUPER TX M=S
The bearer of performance

Optibelt S=C plus and Optibelt Super TX M=S – two ways to reach one goal.

Two completely different constructions: the one wrapped, individually made, piece by piece vulcanised in rotation with a know-how which has continuously been improved for many years. Raw Edged the other, representing a new generation.

Nevertheless, they have very much in common.

Both belt types are being used in the general machine building industry and both are made for optimum performance of users. They are the champions in their range.

Optibelt S=C plus – Power Transmission for perfectionists

Twenty years of continuous development have made a V-Belt which cannot be more precise. The expression S=C plus has become a synonym for absolute use in matched sets. Machines of every kind are equipped worldwide with Optibelt S=C plus, in every location where specific requirements are demanded.

Why this is so is shown by the following tolerance list.

Optibelt Super TX M=S – the bearer of performance

The Super TX M=S is unrestrictedly usable in matched sets, too. An efficiency of 97 % allows high transmission of power. Like for the S=C plus the highly precise manufacturing process and the matured material technology provide for closest tolerances. The Optibelt Super TX M=S meets all valid standards worldwide for V-Belt sets.

Comparison of tolerance of Optibelt S=C plus versus BS, DIN and RMA/MPTA Standards

| Wedge Belts to BS 3790 and DIN 7753 Part 1 | V-Belt Datum length L_w/L_p (mm) | S=C plus Tolerances (mm) | Acceptable DIN-Tolerances (mm) |
|--|------------------------------------|--------------------------|--------------------------------|
| Section SPZ from 1212 up to 4500 mm L_i | > 1200 ≤ 2000 | ± 2 | ± 1 % 12,5 to 20 mm |
| Section SPA from 1207 up to 4500 mm L_i | > 2000 ≤ 5000 | ± 2 | ± 1 % 20 to 50 mm |
| Section SPB from 1250 up to 10000 mm L_i | > 5000 ≤ 8000 | ± 4 | ± 1 % 50 to 80 mm |
| Section SPC from 2000 up to 10000 mm L_i | > 8000 ≤ 10000 | ± 6 | ± 1 % 80 to 100 mm |

| V-Belts to BS 3790 and DIN 2215 | V-Belt Inside length L_i (mm) | S=C plus Tolerances (mm) | Acceptable DIN-Tolerances (mm) |
|---|---------------------------------|--------------------------|--------------------------------|
| Section Z/10 from 1550 up to 4500 mm L_i | > 1200 ≤ 1600 | ± 2 | + 23/ -11 |
| Section A/13 from 1200 up to 10000 mm L_i | > 1600 ≤ 2000 | ± 2 | + 27/ -13 |
| Section B/17 from 1200 up to 10000 mm L_i | > 2000 ≤ 2500 | ± 2 | + 31/ -16 |
| Section 20 from 1250 up to 10000 mm L_i | > 2500 ≤ 3150 | ± 2 | + 37/ -18 |
| Section C/22 from 1200 up to 10000 mm L_i | > 3150 ≤ 4000 | ± 2 | + 44/ -22 |
| Section 25 from 1400 up to 10000 mm L_i | > 4000 ≤ 5000 | ± 2 | + 52/ -26 |
| Section D/32 from 2000 up to 10000 mm L_i | > 5000 ≤ 6300 | ± 4 | + 63/ -32 |
| Section E/40 from 3000 up to 10000 mm L_i | > 6300 ≤ 8000 | ± 4 | + 77/ -38 |
| | > 8000 ≤ 10000 | ± 6 | + 93/ -46 |

| Wedge Belts to USA-Standard RMA/MPTA | |
|---|--|
| Section 3V/ 9N from 3V 500 up to 3V 1400 Section 5V/15N from 5V 500 up to 5V 3550 Section 8V/25N from 8V 1000 up to 8V 3750 | The extremely positive ratio between standard and Optibelt tolerances is also applicable to these sections. Please take exact data from our technical literature. |

These are your Advantages:

- + Closest tolerances – unrestricted use in matched sets
- + Energy saving operation
- + Reduced vibration
- + Extended maintenance intervals
- + Longer belt life

= optibelt V-Belts

General Introduction

All Optibelt V-Belts are manufactured with carefully chosen raw materials utilising continually updated manufacturing methods.

The modernisation of production processes, large scale laboratory testing, and the careful control of the basic materials will guarantee a consistent quality for every Optibelt power transmission component.

Product function, efficiency and durability are of major importance to Optibelt.

Characteristics

Oil resistant

The oil resistant cover of the belt protects it from contamination by mineral oil/ grease splash. Contamination by animal or vegetable oil or water solvent cutting oil will reduce belt life. In extreme cases the use of special construction XOR is recommended.

Heat resistant

Standard construction Optibelts will operate in ambient temperatures up to +70 °C/ +158 °F.

Higher ambient temperatures will lead to premature ageing and subsequent belt failure. In this case our special construction XHR is recommended.

Cold resistant

Standard construction Optibelt V-Belts will perform satisfactorily in ambient temperatures down to

-40 °C/ -40 °F for wrapped construction and
-30 °C/ -22 °F for raw edge construction.

Under critical conditions practical tests are necessary.

Anti static

In order to comply with product safety requirements the specific Anti Static properties of any V-Belts must be tested to ISO 1813. A test certificate will be issued and a 20% surcharge will be applied.

Anti Static V-Belts should be specified separately to ensure that the correct certification is carried out (EN 10204 „3.1.B“).

Special Constructions

The following are examples of surcharges applicable to special construction.

| | |
|-----------------------------|------|
| Smooth running - LR | 20% |
| Extra oil resistant - XOR | 20% |
| Extra heat resistant - XHR | 20% |
| V-Belts with | |
| Patterned Top Surface - PKR | 200% |

Prices for other constructions on request. Observance of special tolerances will be charged according to actual cost.

Non standard Lengths and Special Constructions for Wrapped V-Belts

In the event that fewer production sets than normal are required for a particular special construction wrapped belt (normal-3 production sets) then the following surcharges apply:

| | |
|-------------------|----------------|
| 2 production sets | 20 % surcharge |
| 1 production set | 40 % surcharge |

Please note that minimum production set quantities may vary for certain special construction belts. If in doubt ask your Optibelt contact.

Multiple Belt Drives

Requirements for drives using sets of belts often demand belt measurement to form the sets. Optibelt S=C plus and Optibelt M=S belts do not require belt measurement or re-measurement to form sets.

Abbreviations

| | |
|-------|------------------|
| L_i | = Inside length |
| L_a | = Outside length |
| L_p | = Pitch length |
| L_d | = Datum length |

Technical Accessories

The following are available at a nominal charge:

Measuring gauges

for approximate length measurement of V-Belts up to 2500 mm.

Tension gauges

for the setting of the correct static tension of V-Belts.

Technical Manuals

For drive design.

Advice and Drive Design

Our Applications Engineers are always available to give advice and to design drives. This service is free of charge

Price

Prices in this list are "Recommended Retail Prices" and are subject all to appropriate taxes. This Price List supersedes all previous editions.

This is applicable to all of our sales companies.

Our "General Conditions of Sale", copies available on request, are applicable to all transactions.

Standard bundle quantities for Optibelt V-Belts

| Section | up to 2300 mm (not coiled) | up to 5000 mm (3 coils = 1 piece) | over 5000 mm (5 coils = 1 piece) |
|-----------------------|-------------------------------|--------------------------------------|-------------------------------------|
| SPZ; XPZ; 3V/9N; 3VX | 25 Pieces | 10 Pieces | — |
| SPA; XPA | 25 Pieces | 10 Pieces | — |
| SPB; XPB; 5V/15N; 5VX | 10 Pieces | 10 Pieces | 5 Pieces |
| SPC; XPC | 10 Pieces | 5 Pieces | 3 Pieces |
| 8V/25N | — | 1 Piece | 1 Piece |
| 5 | 25 Pieces | — | — |
| Y/6 | 25 Pieces | — | — |
| 8 | 25 Pieces | — | — |
| Z/10; ZX/X10 | 25 Pieces | 10 Pieces | — |
| A/13; AX/X13 | 25 Pieces | 10 Pieces | 10 Pieces |
| B/17; BX/X17 | 10 Pieces | 10 Pieces | 5 Pieces |
| 20 | 10 Pieces | 5 Pieces | 3 Pieces |
| C/22; CX/X22 | 10 Pieces | 5 Pieces | 3 Pieces |
| 25 | 10 Pieces | 5 Pieces | 3 Pieces |
| D/32 | 1 Piece | 1 Piece | 1 Piece |
| E/40 | — | 1 Piece | 1 Piece |



SPZ


Section SPZ /3V

| Euro/ each | Datum length ISO (mm) | USA- Standard (inch) | £/ each | Euro/ each | Datum- length ISO (mm) | USA- Standard (inch) | £/ each | Euro/ each | Datum- length ISO (mm) | USA- Standard (inch) | £/ each |
|---------------|--------------------------------|----------------------------|------------|---------------|---------------------------------|----------------------------|------------|---------------|---------------------------------|----------------------------|------------|
| BM =5 pieces | | | | | | | | | | | |
| | 487 | | | | 1187 | | | | 2187 | | |
| | 512 | | | | 1202 | 3V 475 | | | 2240 | | |
| | 562 | | | | 1212 | | | | 2287 | 3V 900 | |
| | 587 | | | | 1237 | | | | BM = 10 pieces | | |
| | 612 | | | | 1250 | | | | | | |
| | 630 | 3V 250 | | | 1262 | 3V 500 | | | 2360 | | |
| | 637 | | | | 1287 | | | | 2500 | | |
| | 662 | | | | 1312 | | | | 2540• | 3V 1000 | |
| | 670 | 3V 265 | | | 1320 | | | | 2650 | | |
| | 687 | | | | 1337 | 3V 530 | | | 2690• | 3V 1060 | |
| | 710 | 3V 280 | | | 1347 | | | | 2800 | | |
| | 722 | | | | 1362 | | | | 2840• | 3V 1120 | |
| | 737 | | | | 1387 | | | | 3000 | 3V 1180 | |
| | 750 | | | | 1400 | | | | 3150 | | |
| | 762 | 3V 300 | | | 1412 | 3V 560 | | | 3350 | 3V 1320 | |
| | 772 | | | | 1437 | | | | 3550 | 3V 1400 | |
| | 787 | | | | 1462 | | | | | | |
| | 800 | 3V 315 | | | 1487 | | | | | | |
| | 812 | | | | 1500 | | | | | | |
| | 825 | | | | 1512 | | | | | | |
| | 837 | | | | 1537 | | | | | | |
| | 850 | 3V 335 | | | 1562 | | | | | | |
| | 862 | | | | 1587 | | | | | | |
| | 875 | | | | 1600 | 3V 630 | | | | | |
| | 887 | | | | 1612 | | | | | | |
| | 900 | 3V 355 | | | 1637 | | | | | | |
| | 912 | | | | 1662 | | | | | | |
| | 925 | | | | 1687 | | | | | | |
| | 937 | | | | 1700 | 3V 670 | | | | | |
| | 950 | 3V 375 | | | 1737 | | | | | | |
| | 962 | | | | 1762 | | | | | | |
| | 987 | | | | 1787 | | | | | | |
| | 1000 | | | | 1800 | 3V 710 | | | | | |
| | 1012 | 3V 400 | | | 1812 | | | | | | |
| | 1024 | | | | 1837 | | | | | | |
| | 1037 | | | | 1862 | | | | | | |
| | 1047 | | | | 1887 | | | | | | |
| | 1060 | | | | 1900 | 3V 750 | | | | | |
| | 1077 | 3V 425 | | | 1937 | | | | | | |
| | 1087 | | | | 1987 | | | | | | |
| | 1112 | | | | 2000 | | | | | | |
| | 1120 | | | | 2037 | | | | | | |
| | 1137 | 3V 450 | | | 2120 | | | | | | |
| | 1162 | | | | 2137 | | | | | | |
| | 1180 | | | | 2150• | 3V 850 | | | | | |

Maximum manufacturing length: 4 500 mm
 Minimum production quantity:
 Over 1800 mm =
 20 pieces for non standard lengths
 60 pieces for certain special constructions
 Belt weight: ≈ 0.074 kg/m

Lengths in **bold print** are in the S=C plus range

Datum length L_d = Pitch length L_w/L_p



SPA


Section SPA

| Euro/ each | Datum length ISO (mm) | £/ each | Euro/ each | Datum length ISO (mm) | £/ each | Euro/ each | Datum length ISO (mm) | £/ each |
|---------------|-----------------------------|------------|---------------|-----------------------------|------------|----------------|-----------------------------|------------|
| BM =5 pieces | | | | | | BM = 10 pieces | | |
| | 732 | | | 1582 | | | 2307 | |
| | 757 | | | 1600 | | | 2332 | |
| | 782 | | | 1607 | | | 2360 | |
| | 800 | | | 1632 | | | 2382 | |
| | 807 | | | 1657 | | | 2432 | |
| | 832 | | | 1682 | | | 2482 | |
| | 850 | | | 1700 | | | 2500 | |
| | 857 | | | 1707 | | | 2532 | |
| | 882 | | | 1732 | | | 2582 | |
| | 900 | | | 1757 | | | 2607 | |
| | 907 | | | 1782 | | | 2632 | |
| | 932 | | | 1800 | | | 2650 | |
| | 950 | | | 1807 | | | 2682 | |
| | 957 | | | 1832 | | | 2732 | |
| | 982 | | | 1857 | | | 2782 | |
| | 1000 | | | 1882 | | | 2800 | |
| | 1007 | | | 1900 | | | 2832 | |
| | 1032 | | | 1907 | | | 2847 | |
| | 1060 | | | 1932 | | | 2882 | |
| | 1082 | | | 1957 | | | 2932 | |
| | 1107 | | | 1982 | | | 2982 | |
| | 1120 | | | 2000 | | | 3000 | |
| | 1132 | | | 2032 | | | 3032 | |
| | 1157 | | | 2057 | | | 3082 | |
| | 1180 | | | 2082 | | | 3150 | |
| | 1207 | | | 2120 | | | 3182 | |
| | 1232 | | | 2132 | | | 3282 | |
| | 1250 | | | 2182 | | | 3350 | |
| | 1257 | | | 2207 | | | 3382 | |
| | 1272 | | | 2232 | | | 3550 | |
| | 1282 | | | 2240 | | | 3750 | |
| | 1307 | | | 2282 | | | 4000 | |
| | 1320 | | | 2300 | | | 4250 | |
| | 1332 | | | | | | 4500 | |
| | 1357 | | | | | | | |
| | 1382 | | | | | | | |
| | 1400 | | | | | | | |
| | 1407 | | | | | | | |
| | 1432 | | | | | | | |
| | 1457 | | | | | | | |
| | 1482 | | | | | | | |
| | 1500 | | | | | | | |
| | 1507 | | | | | | | |
| | 1532 | | | | | | | |
| | 1557 | | | | | | | |

Maximum manufacturing length:4500 mm
 Minimum production quantity:
 Over 1800 mm =
 31 pieces for non standard lengths
 93 pieces for certain special constructions
 Belt weight: ≈ 0.123 kg/m

Lengths in **bold print** are in the S=C plus range.

Datum length L_d = Pitch length L_w/L_p




| Section SPB /5V | | | | Section SPC | | |
|-----------------|-----------------------|---------------------|--------|-------------|-------------------------------|--------|
| Euro/each | Datum length ISO (mm) | USA-Standard (inch) | £/each | Euro/each | Datum length ISO (mm) | £/each |
| | BM = 10 pieces | | | | BM = 10 pieces | |
| | 1250 | | | | 2000 | |
| | 1320 | | | | 2120 | |
| | 1400 | | | | 2240 | |
| | 1500 | | | | | |
| | 1600 | | | | BM =5 pieces | |
| | 1700 | | | | 2360 | |
| | 1800 | | | | 2500 | |
| | 1900 | 5V 750 | | | 2650 | |
| | 2000 | | | | 2800 | |
| | 2020• | 5V 800 | | | 3000 | |
| | 2120 | | | | 3150 | |
| | 2150• | 5V 850 | | | 3350 | |
| | 2240 | | | | 3550 | |
| | 2280• | 5V 900 | | | 3750 | |
| | 2360 | | | | 4000 | |
| | 2400• | 5V 950 | | | 4250 | |
| | 2500 | | | | 4500 | |
| | 2650 | | | | 4750 | |
| | 2680• | 5V 1060 | | | 5000 | |
| | 2800 | | | | | |
| | 2840• | 5V 1120 | | | | |
| | 3000 | | | | BM = pieces | |
| | 3150 | | | | 5300 | |
| | 3250 | | | | 5600 | |
| | 3350 | 5V 1320 | | | 6000 | |
| | 3550 | 5V 1400 | | | 6300 | |
| | 3750 | | | | 6700 | |
| | 3800• | 5V 1500 | | | 7100 | |
| | 4000 | | | | 7500 | |
| | 4050• | 5V 1600 | | | 8000 | |
| | 4250 | | | | 8500 | |
| | 4300• | 5V 1700 | | | 9000 | |
| | 4500 | | | | 9500 | |
| | 4560• | 5V 1800 | | | 10000 | |
| | 4750 | | | | 10600 | |
| | 4820• | 5V 1900 | | | 11200 | |
| | 5000 | | | | 12500 | |
| | BM =5 pieces | | | | | |
| | 5070• | 5V 2000 | | | | |
| | 5300 | | | | | |
| | 5600 | | | | | |
| | 6000 | | | | | |
| | 6300 | | | | | |
| | 6700 | | | | | |
| | 7100 | 5V 2800 | | | | |
| | 7500 | | | | | |
| | 8000 | 5V 3150 | | | | |
| | | | | | Section 19 on request. | |

Maximum manufacturing length: 10 000 mm
 Minimum production quantity:
 Over 1800 mm =
 25 pieces for non standard lengths
 75 pieces for certain special constructions
 Belt weight: ≈ 0.195 kg/m

Maximum manufacturing length: 18 000 mm
 Minimum production quantity:
 Over 1800 mm =
 16 pieces for non standard lengths
 48 pieces for certain special constructions
 Belt weight: ≈ 0.377 kg/m

Lengths in **bold print** are in the S=C plus range. Datum length L_d = Pitch length L_w/L_p



| Section 3V/9N | | | | Section 5V/15N | | | | Section 8V/25N | | | |
|----------------|--------------------|-----------------------|--------|----------------|--------------------|-----------------------|--------|----------------|--------------------|-----------------------|--------|
| Euro/each | Belt Number (inch) | Metric Reference (mm) | £/each | Euro/each | Belt Number (inch) | Metric Reference (mm) | £/each | Euro/each | Belt Number (inch) | Metric Reference (mm) | £/each |
| BM = 5 pieces | | | | BM = 10 pieces | | | | BM = 1 pieces | | | |
| | 3V 250 | 9N 635 | | 5V 530 | 15N 1346 | | | 8V 1000 | 25N 2540 | | |
| | 3V 265 | 9N 673 | | 5V 560 | 15N 1422 | | | 8V 1120 | 25N 2845 | | |
| | 3V 280 | 9N 711 | | 5V 600 | 15N 1524 | | | 8V 1180 | 25N 2997 | | |
| | 3V 300 | 9N 762 | | 5V 630 | 15N 1600 | | | 8V 1250 | 25N 3175 | | |
| | 3V 315 | 9N 800 | | 5V 670 | 15N 1702 | | | 8V 1320 | 25N 3353 | | |
| | 3V 335 | 9N 851 | | 5V 710 | 15N 1803 | | | 8V 1400 | 25N 3556 | | |
| | 3V 355 | 9N 902 | | 5V 750 | 15N 1905 | | | 8V 1500 | 25N 3810 | | |
| | 3V 375 | 9N 952 | | 5V 800 | 15N 2032 | | | 8V 1600 | 25N 4064 | | |
| | 3V 400 | 9N 1016 | | 5V 850 | 15N 2159 | | | 8V 1700 | 25N 4318 | | |
| | 3V 425 | 9N 1079 | | 5V 900 | 15N 2286 | | | 8V 1800 | 25N 4572 | | |
| | 3V 450 | 9N 1143 | | 5V 950 | 15N 2413 | | | 8V 1900 | 25N 4826 | | |
| | 3V 475 | 9N 1206 | | 5V 1000 | 15N 2540 | | | 8V 2000 | 25N 5080 | | |
| | 3V 500 | 9N 1270 | | 5V 1060 | 15N 2692 | | | 8V 2120 | 25N 5385 | | |
| | 3V 530 | 9N 1346 | | 5V 1120 | 15N 2845 | | | 8V 2240 | 25N 5690 | | |
| | 3V 560 | 9N 1422 | | 5V 1180 | 15N 2997 | | | 8V 2360 | 25N 5994 | | |
| | 3V 600 | 9N 1524 | | 5V 1250 | 15N 3175 | | | 8V 2500 | 25N 6350 | | |
| | 3V 630 | 9N 1600 | | 5V 1320 | 15N 3353 | | | 8V 2650 | 25N 6731 | | |
| | 3V 670 | 9N 1702 | | 5V 1400 | 15N 3556 | | | 8V 2800 | 25N 7112 | | |
| | 3V 710 | 9N 1803 | | 5V 1500 | 15N 3810 | | | 8V 3000 | 25N 7620 | | |
| | 3V 750 | 9N 1905 | | 5V 1600 | 15N 4064 | | | 8V 3150 | 25N 8001 | | |
| | 3V 800 | 9N 2032 | | 5V 1700 | 15N 4318 | | | 8V 3350 | 25N 8509 | | |
| | 3V 850 | 9N 2159 | | 5V 1800 | 15N 4572 | | | 8V 3550 | 25N 9017 | | |
| | 3V 900 | 9N 2286 | | 5V 1900 | 15N 4826 | | | 8V 3750 | 25N 9525 | | |
| | | | | | | | | 8V 4000 | 25N 10160 | | |
| | | | | | | | | 8V 4250 | 25N 10795 | | |
| | | | | | | | | 8V 4500 | 25N 11430 | | |
| | | | | | | | | 8V 4750 | 25N 12065 | | |
| | | | | | | | | 8V 5000 | 25N 12700 | | |
| BM = 10 pieces | | | | BM = 5 pieces | | | | | | | |
| | 3V 950 | 9N 2413 | | 5V 2000 | 15N 5080 | | | | | | |
| | 3V 1000 | 9N 2540 | | 5V 2120 | 15N 5385 | | | | | | |
| | 3V 1060 | 9N 2692 | | 5V 2240 | 15N 5690 | | | | | | |
| | 3V 1120 | 9N 2845 | | 5V 2360 | 15N 5994 | | | | | | |
| | 3V 1180 | 9N 2997 | | 5V 2500 | 15N 6350 | | | | | | |
| | 3V 1250 | 9N 3175 | | 5V 2650 | 15N 6731 | | | | | | |
| | 3V 1320 | 9N 3353 | | 5V 2800 | 15N 7112 | | | | | | |
| | 3V 1400 | 9N 3556 | | 5V 3000 | 15N 7620 | | | | | | |
| | | | | 5V 3150 | 15N 8001 | | | | | | |
| | | | | 5V 3350 | 15N 8509 | | | | | | |
| | | | | 5V 3550 | 15N 9017 | | | | | | |


| | | |
|--|---|--|
| Maximum manufacturing length: 4 500 mm Minimum production quantity: Over 1800 mm = 20 pieces for non standard lengths 60 pieces for certain special constructions Belt weight: ≈ 0.074 kg/m | Maximum manufacturing length: 10 000 mm Minimum production quantity: Over 1800 mm L _a = 2050 mm L _a 25 pieces for non standard lengths 75 pieces for certain special constructions Over 2050 mm L _a = 23 pieces for non standard lengths 69 pieces for certain special constructions Belt weight: ≈ 0.195 kg/m | Maximum standard manufacturing length: 18000 mm L _a Above 18 000 up to 19 000 mm on request Over 2540 mm L _a = 11 pieces for non standard lengths 33 pieces for certain special constructions Belt weight: ≈ 0.575 kg/m |
|--|---|--|

| | |
|--|--|
| Belt number explanation The belt number incorporates the belt section identification and the belt length in inches x 10. | Section 3V/9N = top width 3/8"/9 mm 5V/15N = top width 5/8"/16 mm 8V/25N = top width 1"/25,4 mm Length e. G. $750 = \frac{750 \cdot 25,4}{10} = 1905$ mm effective outside length |
|--|--|

Lengths in **bold print** are in the S=C plus range.




SPZ



SPA


| Section SPZ | | | | | | Section SPA | | | | | |
|--|--------------------------------|------------|----------------|--------------------------------|------------|---|--------------------------------|------------|----------------|--------------------------------|------------|
| Euro/ each | Datum length ISO (mm) | £/ each | Euro/ each | Datum length ISO (mm) | £/ each | Euro/ each | Datum length ISO (mm) | £/ each | Euro/ each | Datum length ISO (mm) | £/ each |
| BM =5 pieces | | | BM = 10 pieces | | | BM =5 pieces | | | BM = 10 pieces | | |
| 1202 | | | 2360 | | | 1207 | | | | 2132 | |
| 1212 | | | 2500 | | | 1232 | | | | 2182 | |
| 1237 | | | 2650 | | | 1250 | | | | 2207 | |
| 1250 | | | 2800 | | | 1257 | | | | 2232 | |
| 1262 | | | 3000 | | | 1282 | | | | 2240 | |
| 1287 | | | 3150 | | | 1307 | | | | 2282 | |
| 1312 | | | 3350 | | | 1320 | | | | 2300 | |
| 1320 | | | 3550 | | | 1332 | | | | | |
| 1337 | | | | | | 1357 | | | | | |
| 1362 | | | | | | 1382 | | | | | |
| 1387 | | | | | | 1400 | | | | | |
| 1400 | | | | | | 1407 | | | | | |
| 1412 | | | | | | 1432 | | | | | |
| 1437 | | | | | | 1457 | | | | | |
| 1462 | | | | | | 1482 | | | | | |
| 1487 | | | | | | 1500 | | | | | |
| 1500 | | | | | | 1507 | | | | | |
| 1512 | | | | | | 1532 | | | | | |
| 1537 | | | | | | 1557 | | | | | |
| 1562 | | | | | | 1582 | | | | | |
| 1587 | | | | | | 1600 | | | | | |
| 1600 | | | | | | 1607 | | | | | |
| 1612 | | | | | | 1632 | | | | | |
| 1637 | | | | | | 1657 | | | | | |
| 1662 | | | | | | 1682 | | | | | |
| 1687 | | | | | | 1700 | | | | | |
| 1700 | | | | | | 1707 | | | | | |
| 1737 | | | | | | 1732 | | | | | |
| 1762 | | | | | | 1757 | | | | | |
| 1787 | | | | | | 1782 | | | | | |
| 1800 | | | | | | 1800 | | | | | |
| 1837 | | | | | | 1807 | | | | | |
| 1862 | | | | | | 1832 | | | | | |
| 1887 | | | | | | 1857 | | | | | |
| 1900 | | | | | | 1882 | | | | | |
| 1937 | | | | | | 1900 | | | | | |
| 1987 | | | | | | 1907 | | | | | |
| 2000 | | | | | | 1932 | | | | | |
| 2037 | | | | | | 1957 | | | | | |
| 2120 | | | | | | 1982 | | | | | |
| 2137 | | | | | | 2000 | | | | | |
| 2187 | | | | | | 2032 | | | | | |
| 2240 | | | | | | 2057 | | | | | |
| 2287 | | | | | | 2082 | | | | | |
| | | | | | | 2120 | | | | | |
| Maximum manufacturing length: 4 000 mm Minimum production quantity: Over 1800 mm = 120 pieces for non standard lengths Belt weight: = 0.074 kg/m | | | | | | Maximum manufacturing length: 4 000 mm Minimum production quantity: Over 1800 mm = 95 pieces for non standard lengths Belt weight: = 0.123 kg/m | | | | | |
| Lengths in bold print are in the S=C plus range. | | | | | | Datum length L_d = Pitch length L_w/L_p | | | | | |



| Section SPB | | | Section SPC | | |
|--|-----------------------------|--------|---|-----------------------------|--------|
| Euro/each | Datum length ISO (mm) | £/each | Euro/each | Datum length ISO (mm) | £/each |
| | BM = 10 pieces | | | BM = 10 pieces | |
| | 1250 | | | 2000 | |
| | 1320 | | | 2120 | |
| | 1400 | | | 2240 | |
| | 1500 | | | | |
| | 1600 | | | BM = 5 pieces | |
| | 1700 | | | 2360 | |
| | 1800 | | | 2500 | |
| | 1900 | | | 2650 | |
| | 2000 | | | 2800 | |
| | 2120 | | | 3000 | |
| | 2240 | | | 3150 | |
| | 2360 | | | 3350 | |
| | 2500 | | | 3550 | |
| | 2650 | | | 3750 | |
| | 2800 | | | 4000 | |
| | 3000 | | | 4250 | |
| | 3150 | | | 4500 | |
| | 3350 | | | 4750 | |
| | 3550 | | | 5000 | |
| | 3750 | | | | |
| | 4000 | | | BM = pieces | |
| | 4250 | | | 5300 | |
| | 4500 | | | 5600 | |
| | 4750 | | | 6000 | |
| | 5000 | | | 6300 | |
| | | | | 6700 | |
| | BM = 5 pieces | | | 7100 | |
| | 5300 | | | 7500 | |
| | 5600 | | | 8000 | |
| | 6000 | | | | |
| | 6300 | | | | |
| | 6700 | | | | |
| | 7100 | | | | |
| | 7500 | | | | |
| | 8000 | | | | |
| Maximum manufacturing length: 8 000 mm Minimum production quantity: 1250 mm – 2120 mm = 50 pieces for non standard lengths Over 2120 mm = 72 pieces for non standard lengths Belt weight: ≈ 0,195 kg/m | | | Maximum manufacturing length: 8 000 mm Minimum production quantity: Over 2000 mm = 44 pieces for non standard lengths Belt weight: ≈ 0,377 kg/m | | |

Lengths in **bold print** are in the S=C plus range.


Datum length L_d = Pitch length L_w/L_p



| Section 3V/9N | | | | Section 5V/15N | | | | Section 8V/25N | | | |
|----------------|---------------------|----------------------------------|--------|----------------|---------------------|----------------------------------|--------|----------------|---------------------|----------------------------------|--------|
| Euro/each | USA-Standard (inch) | USA-Standard (Outside length mm) | £/each | Euro/each | USA-Standard (inch) | USA-Standard (Outside length mm) | £/each | Euro/each | USA-Standard (inch) | USA-Standard (Outside length mm) | £/each |
| BM = 5 pieces | | | | BM = 10 pieces | | | | BM = 1 pieces | | | |
| | 3V 475 | 9N 1206 | | 5V 530 | 15N 1346 | | | 8V 1000 | 25N 2540 | | |
| | 3V 500 | 9N 1270 | | 5V 560 | 15N 1422 | | | 8V 1120 | 25N 2845 | | |
| | 3V 530 | 9N 1346 | | 5V 600 | 15N 1524 | | | 8V 1180 | 25N 2997 | | |
| | 3V 560 | 9N 1422 | | 5V 630 | 15N 1600 | | | 8V 1250 | 25N 3175 | | |
| | 3V 600 | 9N 1524 | | 5V 670 | 15N 1702 | | | 8V 1320 | 25N 3353 | | |
| | 3V 630 | 9N 1600 | | 5V 710 | 15N 1803 | | | 8V 1400 | 25N 3556 | | |
| | 3V 670 | 9N 1702 | | 5V 750 | 15N 1905 | | | 8V 1500 | 25N 3810 | | |
| | 3V 710 | 9N 1803 | | 5V 800 | 15N 2032 | | | 8V 1600 | 25N 4064 | | |
| | 3V 750 | 9N 1905 | | 5V 850 | 15N 2159 | | | 8V 1700 | 25N 4318 | | |
| | 3V 800 | 9N 2032 | | 5V 900 | 15N 2286 | | | 8V 1800 | 25N 4572 | | |
| | 3V 850 | 9N 2159 | | 5V 950 | 15N 2413 | | | 8V 1900 | 25N 4826 | | |
| | 3V 900 | 9N 2286 | | 5V 1000 | 15N 2540 | | | 8V 2000 | 25N 5080 | | |
| BM = 10 pieces | | | | BM = 5 pieces | | | | | | | |
| | 3V 950 | 9N 2413 | | 5V 1060 | 15N 2692 | | | 8V 2120 | 25N 5385 | | |
| | 3V 1000 | 9N 2540 | | 5V 1120 | 15N 2845 | | | 8V 2240 | 25N 5690 | | |
| | 3V 1060 | 9N 2692 | | 5V 1180 | 15N 2997 | | | 8V 2360 | 25N 5994 | | |
| | 3V 1120 | 9N 2845 | | 5V 1250 | 15N 3175 | | | 8V 2500 | 25N 6350 | | |
| | 3V 1180 | 9N 2997 | | 5V 1320 | 15N 3353 | | | 8V 2650 | 25N 6731 | | |
| | 3V 1250 | 9N 3175 | | 5V 1400 | 15N 3556 | | | 8V 2800 | 25N 7112 | | |
| | 3V 1320 | 9N 3353 | | 5V 1500 | 15N 3810 | | | 8V 3000 | 25N 7620 | | |
| | 3V 1400 | 9N 3556 | | 5V 1600 | 15N 4064 | | | 8V 3150 | 25N 8001 | | |
| | | | | 5V 1700 | 15N 4318 | | | 8V 3350 | 25N 8509 | | |
| | | | | 5V 1800 | 15N 4572 | | | | | | |
| | | | | 5V 1900 | 15N 4826 | | | | | | |

| | | |
|---|---|--|
| <p>Maximum manufacturing length: 4 000 mm L_a Minimum production quantity: 1206 mm L_a – 2032 mm L_a = 80 pieces for non standard lengths Over 2032 mm L_a = 98 pieces for non standard lengths Belt weight: ≈ 0,074 kg/m</p> | <p>Maximum manufacturing length: 8 000 mm L_a Minimum production quantity: 1270 mm L_a – 2032 mm L_a = 50 pieces for non standard lengths Over 2032 mm L_a = 72 pieces for non standard lengths Belt weight: ≈ 0,195 kg/m</p> | <p>Maximum manufacturing length: 8 500 mm L_a Minimum production quantity: Over 2540 mm L_a = 40 pieces for non standard lengths Belt weight: ≈ 0,575 kg/m</p> |
|---|---|--|


Lengths in **bold print** are in the S=C plus range. Datum length L_d = Pitch length L_w/L_p



| Section 5 ▲ | | | | Section Y/6 ▲ | | | | Section 8 | | | |
|------------------------------|-----------------------|--------------------|--------|------------------------------|-----------------------|--------------------|--------|------------------------------|-----------------------|--------------------|--------|
| Euro/each | Datum length ISO (mm) | Inside length (mm) | £/each | Euro/each | Datum length ISO (mm) | Inside length (mm) | £/each | Euro/each | Datum length ISO (mm) | Inside length (mm) | £/each |
| BM = 25 pieces | | | | BM = 25 pieces | | | | BM = 25 pieces | | | |
| | 200 | 190 | | | 295 | 280 | | | 335▲ | 315▲ | |
| | 239 | 229 | | | 315 | 300 | | | 375▲ | 355▲ | |
| | 270 | 260 | | | 350 | 335 | | | 420▲ | 400▲ | |
| | 290 | 280 | | | 415 | 400 | | | 445▲ | 425▲ | |
| | 310 | 300 | | | 440 | 425 | | | 470▲ | 450▲ | |
| | 325 | 315 | | | 465 | 450 | | | 495▲ | 475▲ | |
| | 332 | 322 | | | 515 | 500 | | | 510▲ | 490▲ | |
| | 345 | 335 | | | 555 | 540 | | | 550▲ | 530▲ | |
| | 385 | 375 | | | 615 | 600 | | | 580▲ | 560▲ | |
| | 435 | 425 | | | 865 | 850 | | | 595▲ | 575▲ | |
| | 485 | 475 | | | | | | | 620▲ | 600▲ | |
| | 510 | 500 | | | | | | | 650▲ | 630▲ | |
| | 540 | 530 | | | | | | | 690▲ | 670▲ | |
| | 564 | 554 | | | | | | | 720▲ | 700▲ | |
| | 610 | 600 | | | | | | | 730▲ | 710▲ | |
| | | | | | | | | | 770▲ | 750▲ | |
| | | | | | | | | | 795▲ | 775▲ | |
| | | | | | | | | | 820▲ | 800▲ | |
| | | | | | | | | | 845 | 825 | |
| | | | | | | | | | 870 | 850 | |
| | | | | | | | | | 895 | 875 | |
| | | | | | | | | | 920 | 900 | |
| | | | | | | | | | 970 | 950 | |
| | | | | | | | | | 1020 | 1000 | |
| | | | | | | | | | 1040 | 1020 | |
| | | | | | | | | | 1070 | 1050 | |
| | | | | | | | | | 1095 | 1075 | |
| | | | | | | | | | 1140 | 1120 | |
| | | | | | | | | | 1220 | 1200 | |
| | | | | | | | | | 1270 | 1250 | |
| Belt weight: ≈ 0,018 kg/m | | | | Belt weight: ≈ 0,026 kg/m | | | | Belt weight: ≈ 0,042 kg/m | | | |

▲ Moulded Cogged Raw Edge V-Belts.

Datum length L_d = Pitch length L_w/L_p



Z/10

Section Z/10


| Euro/each | Belt No. | Datum length ISO (mm) | Inside length (mm) | £/each | Euro/each | Belt No. | Datum length ISO (mm) | Inside length (mm) | £/each |
|----------------|----------------------------------|-----------------------|--------------------|--------|-----------|--------------------------------------|-----------------------|--------------------|--------|
| BM = 25 pieces | | | | | | | | | |
| | Z 11 | 312▲ | 290▲ | | | Z 45 | 1172 | 1150 | |
| | Z 12 ¹ / ₂ | 337▲ | 315▲ | | | Z 46 | 1187 | 1165 | |
| | Z 14 | 397▲ | 375▲ | | | Z 46 ¹ / ₂ | 1202 | 1180 | |
| | Z 15 | 422▲ | 400▲ | | | Z 47 | 1216 | 1194 | |
| | Z 16 | 447▲ | 425▲ | | | Z 48 | 1237 | 1215 | |
| | Z 17 | 472▲ | 450▲ | | | Z 48 ¹ / ₂ | 1247 | 1225 | |
| | Z 18 | 497▲ | 475▲ | | | Z 49 | 1272 | 1250 | |
| | Z 19 | 502▲ | 480▲ | | | Z 50 | 1292 | 1270 | |
| | Z 19 ³ / ₄ | 522▲ | 500▲ | | | Z 51 | 1317 | 1295 | |
| | Z 20 | 537▲ | 515▲ | | | Z 52 | 1342 | 1320 | |
| | Z 20 ¹ / ₂ | 547▲ | 525▲ | | | Z 53 | 1368 | 1346 | |
| | Z 21 | 552▲ | 530▲ | | | Z 54 | 1393 | 1371 | |
| | Z 21 ¹ / ₄ | 562▲ | 540▲ | | | Z 55 | 1422 | 1400 | |
| | Z 22 | 582▲ | 560▲ | | | Z 56 | 1444 | 1422 | |
| | Z 23 | 597 | 575 | | | Z 57 | 1472 | 1450 | |
| | Z 24 | 622 | 600 | | | Z 58 | 1497 | 1475 | |
| | Z 25 | 652 | 630 | | | Z 59 | 1522 | 1500 | |
| | Z 26 | 672 | 650 | | | Z 60 | 1546 | 1524 | |
| | Z 27 | 692 | 670 | | | Z 61 | 1572 | 1550 | |
| | Z 27 ¹ / ₂ | 722 | 700 | | | Z 62 | 1597 | 1575 | |
| | Z 28 | 732 | 710 | | | Z 63 | 1622 | 1600 | |
| | Z 28 ¹ / ₂ | 747 | 725 | | | Z 64 | 1648 | 1626 | |
| | Z 29 | 752 | 730 | | | Z 65 | 1673 | 1651 | |
| | Z 29 ¹ / ₂ | 772 | 750 | | | Z 66 | 1697 | 1675 | |
| | Z 30 | 787 | 765 | | | Z 67 | 1722 | 1700 | |
| | Z 31 | 797 | 775 | | | Z 68 | 1747 | 1725 | |
| | Z 31 ¹ / ₂ | 822 | 800 | | | Z 69 | 1772 | 1750 | |
| | Z 32 | 842 | 820 | | | Z 70 | 1797 | 1775 | |
| | Z 33 | 847 | 825 | | | Z 71 | 1822 | 1800 | |
| | Z 33 ¹ / ₂ | 872 | 850 | | | Z 73 | 1872 | 1850 | |
| | Z 34 | 887 | 865 | | | Z 75 | 1922 | 1900 | |
| | Z 35 | 897 | 875 | | | Z 78 | 1997 | 1975 | |
| | Z 36 | 922 | 900 | | | Z 79 | 2022 | 2000 | |
| | Z 37 | 947 | 925 | | | Z 83¹/₂ | 2142 | 2120 | |
| | Z 38 | 972 | 950 | | | Z 88 | 2262 | 2240 | |
| | Z 38 ¹ / ₂ | 997 | 975 | | | BM = 10 pieces | | | |
| | Z 39 | 1022 | 1000 | | | Z 93 | 2382 | 2360 | |
| | Z 40 | 1038 | 1016 | | | Z 98 | 2522 | 2500 | |
| | Z 40 ¹ / ₂ | 1052 | 1030 | | | | | | |
| | Z 41 | 1063 | 1041 | | | | | | |
| | Z 41 ¹ / ₂ | 1072 | 1050 | | | | | | |
| | Z 42 | 1082 | 1060 | | | | | | |
| | Z 43 | 1102 | 1080 | | | | | | |
| | Z 43 ¹ / ₄ | 1122 | 1100 | | | | | | |
| | Z 44 | 1142 | 1120 | | | | | | |

Maximum manufacturing length: 4 500 mm
 Minimum production quantity:
 Over 1800 mm =
 20 pieces for non standard lengths
 60 pieces for certain special constructions
 Belt weight: ≈ 0.064 kg/m

Lengths in **bold print** are in the S=C plus range.

▲ Moulded Cogged Raw Edge V-Belts.

Datum length L_d = Pitch length L_w/L_p



A/13


Section A/13

| Euro/ each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/ each | Euro/ each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/ each | Euro/ each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/ each |
|----------------|----------------------------------|----------------------|--------------------|---------|----------------|----------------------------------|----------------------|--------------------|---------|------------|----------|----------------------|--------------------|---------|
| BM = 25 pieces | | | | | BM = 10 pieces | | | | | | | | | |
| | A 16 | 437 | 407 | | | A 49 | 1280 | 1250 | | | A 91 | 2341 | 2311 | |
| | A 18 | 487 | 457 | | | A 50 | 1300 | 1270 | | | A 92 | 2367 | 2337 | |
| | A 19 | 510 | 480 | | | A 51 | 1330 | 1300 | | | A 93 | 2390 | 2360 | |
| | A 20 | 538 | 508 | | | A 52 | 1350 | 1320 | | | A 94 | 2418 | 2388 | |
| | A 21 | 565 | 535 | | | A 53 | 1380 | 1350 | | | A 95 | 2443 | 2413 | |
| | A 22 | 590 | 560 | | | A 54 | 1405 | 1375 | | | A 96 | 2468 | 2438 | |
| | A 23 | 605 | 575 | | | A 55 | 1430 | 1400 | | | A 97 | 2494 | 2464 | |
| | A 23 ¹ / ₂ | 630 | 600 | | | A 56 | 1452 | 1422 | | | A 98 | 2530 | 2500 | |
| | A 24 | 640 | 610 | | | A 57 | 1480 | 1450 | | | A 100 | 2570 | 2540 | |
| | A 25 | 660 | 630 | | | A 58 | 1505 | 1475 | | | A 102 | 2621 | 2591 | |
| | A 26 | 680 | 650 | | | A 59 | 1530 | 1500 | | | A 104 | 2680 | 2650 | |
| | A 26 ¹ / ₂ | 700 | 670 | | | A 60 | 1555 | 1525 | | | A 105 | 2697 | 2667 | |
| | A 27 | 716 | 686 | | | A 61 | 1580 | 1550 | | | A 107 | 2755 | 2725 | |
| | A 27 ¹ / ₂ | 730 | 700 | | | A 62 | 1605 | 1575 | | | A 108 | 2773 | 2743 | |
| | A 28 | 740 | 710 | | | A 63 | 1630 | 1600 | | | A 110 | 2830 | 2800 | |
| | A 29 | 760 | 730 | | | A 64 | 1655 | 1625 | | | A 112 | 2875 | 2845 | |
| | A 29 ¹ / ₂ | 780 | 750 | | | A 65 | 1680 | 1650 | | | A 114 | 2926 | 2896 | |
| | A 30 | 797 | 767 | | | A 66 | 1706 | 1676 | | | A 116 | 2976 | 2946 | |
| | A 31 | 805 | 775 | | | A 67 | 1730 | 1700 | | | A 118 | 3030 | 3000 | |
| | A 31 ¹ / ₂ | 830 | 800 | | | A 68 | 1755 | 1725 | | | A 120 | 3078 | 3048 | |
| | A 32 | 843 | 813 | | | A 69 | 1780 | 1750 | | | A 124 | 3180 | 3150 | |
| | A 32 ¹ / ₂ | 855 | 825 | | | A 70 | 1805 | 1775 | | | A 128 | 3280 | 3250 | |
| | A 33 | 871 | 841 | | | A 71 | 1830 | 1800 | | | A 132 | 3380 | 3350 | |
| | A 34 | 880 | 850 | | | A 72 | 1855 | 1825 | | | A 136 | 3484 | 3454 | |
| | A 34 ¹ / ₂ | 905 | 875 | | | A 73 | 1884 | 1854 | | | A 140 | 3580 | 3550 | |
| | A 35 | 919 | 889 | | | A 74 | 1910 | 1880 | | | A 144 | 3688 | 3658 | |
| | A 35 ¹ / ₂ | 930 | 900 | | | A 75 | 1930 | 1900 | | | A 148 | 3780 | 3750 | |
| | A 36 | 944 | 914 | | | A 76 | 1960 | 1930 | | | A 158 | 4030 | 4000 | |
| | A 37 | 955 | 925 | | | A 77 | 1986 | 1956 | | | A 167 | 4280 | 4250 | |
| | A 37 ¹ / ₂ | 980 | 950 | | | A 78 | 2010 | 1980 | | | A 187 | 4780 | 4750 | |
| | A 38 | 995 | 965 | | | A 79 | 2030 | 2000 | | | A 197 | 5030 | 5000 | |
| | A 38 ¹ / ₂ | 1005 | 975 | | | A 80 | 2062 | 2032 | | | | | | |
| | A 39 | 1030 | 1000 | | | A 81 | 2090 | 2060 | | | | | | |
| | A 40 | 1046 | 1016 | | | A 82 | 2113 | 2083 | | | | | | |
| | A 40 ¹ / ₂ | 1060 | 1030 | | | A 83 | 2130 | 2100 | | | | | | |
| | A 41 | 1071 | 1041 | | | A 83 ¹ / ₂ | 2150 | 2120 | | | | | | |
| | A 41 ¹ / ₂ | 1080 | 1050 | | | A 84 | 2164 | 2134 | | | | | | |
| | A 42 | 1090 | 1060 | | | A 84 ¹ / ₂ | 2180 | 2150 | | | | | | |
| | A 42 ¹ / ₂ | 1105 | 1075 | | | A 85 | 2190 | 2160 | | | | | | |
| | A 43 | 1130 | 1100 | | | A 86 | 2230 | 2200 | | | | | | |
| | A 43 ¹ / ₂ | 1135 | 1105 | | | A 87 | 2240 | 2210 | | | | | | |
| | A 44 | 1150 | 1120 | | | A 88 | 2270 | 2240 | | | | | | |
| | A 45 | 1173 | 1143 | | | A 89 | 2291 | 2261 | | | | | | |
| | A 45 ¹ / ₂ | 1180 | 1150 | | | A 90 | 2316 | 2286 | | | | | | |
| | A 46 | 1198 | 1168 | | | | | | | | | | | |
| | A 46 ¹ / ₂ | 1210 | 1180 | | | | | | | | | | | |
| | A 47 | 1230 | 1200 | | | | | | | | | | | |
| | A 47 ¹ / ₂ | 1245 | 1215 | | | | | | | | | | | |
| | A 48 | 1250 | 1220 | | | | | | | | | | | |
| | A 48 ¹ / ₂ | 1255 | 1225 | | | | | | | | | | | |

Maximum manufacturing length: 10 000 mm
 Minimum production quantity:
 Over 1800 mm =
 31 pieces for non standard lengths
 93 pieces for certain special constructions
 Belt weight: ≈ 0.109 kg/m

Lengths in **bold print** are in the S=C plus range.

Datum length L_d = Pitch length L_w/L_p



B/17


Section B/17

| Euro/ each | Belt No. | Datum length ISO (mm) | Inside length (mm) | £/ each | Euro/ each | Belt No. | Datum length ISO (mm) | Inside length (mm) | £/ each |
|----------------|---------------------------|-----------------------------|--------------------------|------------|---------------|---------------------|-----------------------------|--------------------------|------------|
| BM = 10 pieces | | | | | | | | | |
| | B 23 | 610 | 570 | | | B 59 | 1540 | 1500 | |
| | B 24 | 655 | 615 | | | B 60 | 1565 | 1525 | |
| | B 25 | 670 | 630 | | | B 61 | 1590 | 1550 | |
| | B 26 | 690 | 650 | | | B 62 | 1615 | 1575 | |
| | B 26 ^{1/2} | 710 | 670 | | | B 63 | 1640 | 1600 | |
| | B 27 | 726 | 686 | | | B 64 | 1665 | 1625 | |
| | B 28 | 750 | 710 | | | B 65 | 1690 | 1650 | |
| | B 29 | 765 | 725 | | | B 66 | 1716 | 1676 | |
| | B 30 | 790 | 750 | | | B 67 | 1740 | 1700 | |
| | B 31 | 815 | 775 | | | B 68 | 1765 | 1725 | |
| | B 32 | 840 | 800 | | | B 69 | 1790 | 1750 | |
| | B 32 ^{1/2} | 865 | 825 | | | B 69 ^{1/2} | 1801 | 1761 | |
| | B 33 | 876 | 836 | | | B 70 | 1815 | 1775 | |
| | B 34 | 890 | 850 | | | B 71 | 1840 | 1800 | |
| | B 34 ^{1/2} | 915 | 875 | | | B 72 | 1869 | 1829 | |
| | B 35 | 929 | 889 | | | B 73 | 1890 | 1850 | |
| | B 36 | 940 | 900 | | | B 74 | 1920 | 1880 | |
| | B 37 | 965 | 925 | | | B 75 | 1940 | 1900 | |
| | B 37 ^{1/2} | 990 | 950 | | | B 76 | 1970 | 1930 | |
| | B 38 | 1005 | 965 | | | B 77 | 1990 | 1950 | |
| | B 38 ^{1/2} | 1015 | 975 | | | B 78 | 2021 | 1981 | |
| | B 39 | 1040 | 1000 | | | B 79 | 2040 | 2000 | |
| | B 40 | 1056 | 1016 | | | B 80 | 2072 | 2032 | |
| | B 40 ^{1/2} | 1070 | 1030 | | | B 81 | 2100 | 2060 | |
| | B 41 | 1080 | 1040 | | | B 82 | 2123 | 2083 | |
| | B 41 ^{1/2} | 1090 | 1050 | | | B 83 | 2140 | 2100 | |
| | B 42 | 1100 | 1060 | | | B 83 ^{1/2} | 2160 | 2120 | |
| | B 42 ^{1/2} | 1115 | 1075 | | | B 84 | 2174 | 2134 | |
| | B 43 | 1130 | 1090 | | | B 85 | 2200 | 2160 | |
| | B 43 ^{1/4} | 1140 | 1100 | | | B 86 | 2240 | 2200 | |
| | B 44 | 1160 | 1120 | | | B 87 | 2250 | 2210 | |
| | B 45 | 1190 | 1150 | | | B 88 | 2280 | 2240 | |
| | B 45 ^{1/2} | 1203 | 1163 | | | B 89 | 2301 | 2261 | |
| | B 46 | 1215 | 1175 | | | B 90 | 2326 | 2286 | |
| | B 46 ^{1/2} | 1220 | 1180 | | | B 91 | 2340 | 2300 | |
| | B 47 | 1240 | 1200 | | | B 92 | 2377 | 2337 | |
| | B 48 | 1255 | 1215 | | | B 93 | 2400 | 2360 | |
| | B 48^{1/2} | 1265 | 1225 | | | B 94 | 2428 | 2388 | |
| | B 49 | 1290 | 1250 | | | B 94 ^{1/2} | 2440 | 2400 | |
| | B 50 | 1315 | 1275 | | | B 95 | 2453 | 2413 | |
| | B 51 | 1340 | 1300 | | | B 96 | 2478 | 2438 | |
| | B 52 | 1360 | 1320 | | | B 96 ^{1/2} | 2490 | 2450 | |
| | B 52^{1/2} | 1375 | 1335 | | | B 97 | 2505 | 2465 | |
| | B 53 | 1390 | 1350 | | | B 98 | 2540 | 2500 | |
| | B 53^{1/2} | 1400 | 1360 | | | B 99 | 2555 | 2515 | |
| | B 54 | 1412 | 1372 | | | B 100 | 2580 | 2540 | |
| | B 55 | 1440 | 1400 | | | B 101 | 2605 | 2565 | |
| | B 56 | 1462 | 1422 | | | B 102 | 2640 | 2600 | |
| | B 57 | 1490 | 1450 | | | B 103 | 2656 | 2616 | |
| | B 58 | 1513 | 1473 | | | B 104 | 2690 | 2650 | |


Maximum manufacturing length: 15 500 mm
 Minimum production quantity:
 Over 1800 mm =
 25 pieces for non standard lengths
 75 pieces for certain special constructions
 Over 2000 mm L_i =
 21 pieces for non standard lengths
 63 pieces for certain special constructions
 Belt weight: ≈ 0,196 kg/m

Lengths in **bold print** are in the S=C plus range.

Datum length L_d = Pitch length L_w/L_p




B/17



20

| Section B/17 | | | | | | | | | | Section 20 | | | |
|--|--------------|----------------------|--------------------|---------|---------------|--------------|----------------------|--------------------|---------|--|----------------------|--------------------|---------|
| Euro/ each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/ each | Euro/ each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/ each | Euro/ each | Dat. length ISO (mm) | Inside length (mm) | £/ each |
| BM = 10 pieces | | | | | BM = 5 pieces | | | | | BM = 10 pieces | | | |
| | B 105 | 2707 | 2667 | | | B 208 | 5340 | 5300 | | | 950 | 900 | |
| | B 106 | 2740 | 2700 | | | B 210 | 5374 | 5334 | | | 1050 | 1000 | |
| | B 107 | 2758 | 2718 | | | B 220 | 5640 | 5600 | | | 1170 | 1120 | |
| | B 108 | 2790 | 2750 | | | B 236 | 6040 | 6000 | | | 1230 | 1180 | |
| | B 110 | 2840 | 2800 | | | B 240 | 6136 | 6096 | | | 1300 | 1250 | |
| | B 112 | 2885 | 2845 | | | B 248 | 6340 | 6300 | | | 1370 | 1320 | |
| | B 114 | 2940 | 2900 | | | B 264 | 6740 | 6700 | | | 1450 | 1400 | |
| | B 115 | 2961 | 2921 | | | B 276 | 7040 | 7000 | | | 1550 | 1500 | |
| | B 116 | 2990 | 2950 | | | B 280 | 7140 | 7100 | | | 1650 | 1600 | |
| | B 118 | 3040 | 3000 | | | | | | | | 1750 | 1700 | |
| | B 120 | 3088 | 3048 | | | | | | | | 1850 | 1800 | |
| | B 122 | 3139 | 3099 | | | | | | | | 1950 | 1900 | |
| | B 124 | 3190 | 3150 | | | | | | | | 2050 | 2000 | |
| | B 126 | 3240 | 3200 | | | | | | | | 2170 | 2120 | |
| | B 128 | 3290 | 3250 | | | | | | | | 2290 | 2240 | |
| | B 130 | 3342 | 3302 | | | | | | | | BM = 5 pieces | | |
| | B 132 | 3390 | 3350 | | | | | | | | 2410 | 2360 | |
| | B 134 | 3444 | 3404 | | | | | | | | 2550 | 2500 | |
| | B 136 | 3490 | 3450 | | | | | | | | 2700 | 2650 | |
| | B 138 | 3545 | 3505 | | | | | | | | 2850 | 2800 | |
| | B 140 | 3590 | 3550 | | | | | | | | 3050 | 3000 | |
| | B 142 | 3640 | 3600 | | | | | | | | 3200 | 3150 | |
| | B 144 | 3698 | 3658 | | | | | | | | 3400 | 3350 | |
| | B 146 | 3740 | 3700 | | | | | | | | 3600 | 3550 | |
| | B 148 | 3790 | 3750 | | | | | | | | 3800 | 3750 | |
| | B 150 | 3850 | 3810 | | | | | | | | 4050 | 4000 | |
| | B 151 | 3890 | 3850 | | | | | | | | 4550 | 4500 | |
| | B 152 | 3901 | 3861 | | | | | | | | 5050 | 5000 | |
| | B 154 | 3952 | 3912 | | | | | | | | BM = 3 pieces | | |
| | B 155 | 3990 | 3950 | | | | | | | | 6050 | 6000 | |
| | B 156 | 4002 | 3962 | | | | | | | | | | |
| | B 158 | 4040 | 4000 | | | | | | | | | | |
| | B 160 | 4104 | 4064 | | | | | | | | | | |
| | B 162 | 4155 | 4115 | | | | | | | | | | |
| | B 165 | 4240 | 4200 | | | | | | | | | | |
| | B 167 | 4290 | 4250 | | | | | | | | | | |
| | B 173 | 4434 | 4394 | | | | | | | | | | |
| | B 175 | 4490 | 4450 | | | | | | | | | | |
| | B 177 | 4540 | 4500 | | | | | | | | | | |
| | B 180 | 4612 | 4572 | | | | | | | | | | |
| | B 187 | 4790 | 4750 | | | | | | | | | | |
| | B 195 | 4993 | 4953 | | | | | | | | | | |
| | B 197 | 5040 | 5000 | | | | | | | | | | |
| Maximum manufacturing length: 15 500 mm Minimum production quantity: Over 1800 mm $L_i = 2000$ mm L_i 25 pieces for non standard lengths 75 pieces for certain special constructions Over 2000 mm $L_i =$ 21 pieces for non standard lengths 63 pieces for certain special constructions Belt weight: $\approx 0,196$ kg/m | | | | | | | | | | Maximum manufacturing length: 10 000 mm Minimum production quantity: Over 1800 mm $L_i = 2000$ mm $L_i =$ 21 pieces for non standard lengths 63 pieces for certain special constructions Over 2000 mm $L_i =$ 18 pieces for non standard lengths 54 pieces for certain special constructions Belt weight: $\approx 0,266$ kg/m | | | |
| Lengths in bold print are in the S=C plus range. | | | | | | | | | | Datum length $L_d =$ Pitch length L_w/L_p | | | |



C/22


Section C/22

| Euro/each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/each | Euro/each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/each | Euro/each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/each |
|---------------------|----------|----------------------|--------------------|--------|---------------------|----------|----------------------|--------------------|--------|---------------|----------|----------------------|--------------------|--------|
| BM = 10 pieces | | | | | BM = 5 pieces | | | | | | | | | |
| C 43 | 1148 | 1090 | | | C 92 | 2395 | 2337 | | | C 173 | 4452 | 4394 | | |
| C 47 | 1258 | 1200 | | | C 93 | 2418 | 2360 | | | C 175 | 4503 | 4445 | | |
| C 48 | 1273 | 1215 | | | C 94 | 2446 | 2388 | | | C 177 | 4558 | 4500 | | |
| C 49 | 1308 | 1250 | | | C 95 | 2471 | 2413 | | | C 180 | 4630 | 4572 | | |
| C 51 | 1353 | 1295 | | | C 96 | 2496 | 2438 | | | C 187 | 4808 | 4750 | | |
| C 52 | 1378 | 1320 | | | C 96 ^{1/2} | 2508 | 2450 | | | C 190 | 4884 | 4826 | | |
| C 53 | 1408 | 1350 | | | C 97 | 2522 | 2464 | | | C 195 | 5011 | 4953 | | |
| C 54 | 1433 | 1375 | | | C 98 | 2558 | 2500 | | | C 197 | 5058 | 5000 | | |
| C 55 | 1458 | 1400 | | | C 99 | 2583 | 2525 | | | BM = 3 pieces | | | | |
| C 56 | 1483 | 1425 | | | C 100 | 2598 | 2540 | | | C 208 | 5358 | 5300 | | |
| C 57 | 1508 | 1450 | | | C 101 | 2618 | 2560 | | | C 210 | 5392 | 5334 | | |
| C 58 | 1533 | 1475 | | | C 102 | 2649 | 2591 | | | C 220 | 5658 | 5600 | | |
| C 59 | 1558 | 1500 | | | C 104 | 2700 | 2642 | | | C 225 | 5773 | 5715 | | |
| C 60 | 1582 | 1524 | | | C 105 | 2725 | 2667 | | | C 236 | 6058 | 6000 | | |
| C 61 | 1608 | 1550 | | | C 106 | 2750 | 2692 | | | C 240 | 6154 | 6096 | | |
| C 62 | 1632 | 1574 | | | C 108 | 2808 | 2750 | | | C 248 | 6358 | 6300 | | |
| C 63 | 1658 | 1600 | | | C 110 | 2858 | 2800 | | | C 264 | 6758 | 6700 | | |
| C 65 | 1708 | 1650 | | | C 112 | 2903 | 2845 | | | C 270 | 6916 | 6858 | | |
| C 66 | 1734 | 1676 | | | C 114 | 2954 | 2896 | | | C 280 | 7158 | 7100 | | |
| C 67 | 1758 | 1700 | | | C 115 | 2979 | 2921 | | | C 295 | 7558 | 7500 | | |
| C 68 | 1785 | 1727 | | | C 116 | 3008 | 2950 | | | C 300 | 7678 | 7620 | | |
| C 69 | 1808 | 1750 | | | C 117 | 3023 | 2965 | | | C 315 | 8058 | 8000 | | |
| C 70 | 1836 | 1778 | | | C 118 | 3058 | 3000 | | | | | | | |
| C 71 | 1858 | 1800 | | | C 120 | 3106 | 3048 | | | | | | | |
| C 72 | 1887 | 1829 | | | C 122 | 3157 | 3099 | | | | | | | |
| C 73 | 1912 | 1854 | | | C 124 | 3208 | 3150 | | | | | | | |
| C 74 | 1938 | 1880 | | | C 126 | 3258 | 3200 | | | | | | | |
| C 75 | 1958 | 1900 | | | C 128 | 3308 | 3250 | | | | | | | |
| C 76 | 1988 | 1930 | | | C 130 | 3360 | 3302 | | | | | | | |
| C 77 | 2014 | 1956 | | | C 132 | 3408 | 3350 | | | | | | | |
| C 78 | 2039 | 1981 | | | C 134 | 3462 | 3404 | | | | | | | |
| C 79 | 2058 | 2000 | | | C 136 | 3508 | 3450 | | | | | | | |
| C 80 | 2090 | 2032 | | | C 138 | 3563 | 3505 | | | | | | | |
| C 81 | 2118 | 2060 | | | C 140 | 3608 | 3550 | | | | | | | |
| C 82 | 2141 | 2083 | | | C 142 | 3665 | 3607 | | | | | | | |
| C 83 | 2166 | 2108 | | | C 144 | 3716 | 3658 | | | | | | | |
| C 83 ^{1/2} | 2178 | 2120 | | | C 146 | 3758 | 3700 | | | | | | | |
| C 84 ^{1/2} | 2192 | 2134 | | | C 148 | 3808 | 3750 | | | | | | | |
| C 85 | 2217 | 2159 | | | C 150 | 3868 | 3810 | | | | | | | |
| C 86 | 2242 | 2184 | | | C 158 | 4058 | 4000 | | | | | | | |
| C 87 | 2268 | 2210 | | | C 162 | 4158 | 4100 | | | | | | | |
| C 88 | 2298 | 2240 | | | C 166 | 4274 | 4216 | | | | | | | |
| C 89 | 2319 | 2261 | | | C 167 | 4308 | 4250 | | | | | | | |
| C 90 | 2344 | 2286 | | | C 168 | 4325 | 4267 | | | | | | | |
| | | | | | C 170 | 4376 | 4318 | | | | | | | |

Maximum standard manufacturing length: 18 000 mm
 Minimum production quantity:
 Over 1800 mm L_i = 2000 mm L_i
 19 pieces for non standard lengths
 57 pieces for certain special constructions
 Over 2000 mm L_i =
 16 pieces for non standard lengths
 48 pieces for certain special constructions
 Gewicht: ≈ 0,324 kg/m

Lengths in **bold print** are in the S=C plus range.


Datum length L_d = Pitch length L_w/L_p



| Section 25 | | | | Section D/32 | | | | | Section E/40 | | | | |
|---|----------------------|--------------------|--------|---|----------|----------------------|--------------------|--------|--|----------|----------------------|--------------------|--------|
| Euro/each | Dat. length ISO (mm) | Inside length (mm) | £/each | Euro/each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/each | Euro/each | Belt No. | Dat. length ISO (mm) | Inside length (mm) | £/each |
| BM = 10 pieces 1460 1400 1560 1500 1660 1600 1760 1700 1860 1800 1960 1900 2060 2000 2180 2120 2300 2240 BM = 5 pieces 2420 2360 2560 2500 2710 2650 2760 2700 2860 2800 3060 3000 3210 3150 3410 3350 3610 3550 3810 3750 4060 4000 4310 4250 4560 4500 4810 4750 5060 5000 BM = 3 Stück 5360 5300 5660 5600 6060 6000 6360 6300 6760 6700 7160 7100 7560 7500 8060 8000 8560 8500 9060 9000 | | | | BM = 1 piece D 79 2075 2000 D 98 2575 2500 D 104 2725 2650 D 110 2875 2800 D 118 3075 3000 D 120 3123 3048 D 124 3225 3150 D 128 3326 3251 D 132 3425 3350 D 135 3500 3425 D 136 3529 3454 D 140 3625 3550 D 144 3733 3658 D 148 3825 3750 D 154 4000 3925 D 158 4075 4000 D 162 4190 4115 D 167 4325 4250 D 173 4469 4394 D 177 4575 4500 D 180 4647 4572 D 187 4825 4750 D 195 5028 4953 D 197 5075 5000 D 208 5375 5300 D 210 5409 5334 D 220 5675 5600 D 225 5790 5715 D 236 6075 6000 D 240 6171 6096 D 248 6375 6300 D 264 6775 6700 D 270 6933 6858 D 280 7175 7100 D 295 7575 7500 D 300 7695 7620 D 315 8075 8000 D 330 8457 8382 D 335 8575 8500 D 354 9075 9000 D 374 9575 9500 D 394 10075 10000 D 441 11275 11200 | | | | | BM = 1 piece E 118 3080 3000 E 158 4080 4000 E 197 5080 5000 E 220 5680 5600 E 236 6080 6000 E 248 6380 6300 E 280 7180 7100 E 295 7580 7500 E 315 8080 8000 E 354 9080 9000 E 394 10080 10000 E 441 11280 11200 E 492 12580 12500 (Non Stock Sizes) | | | | |
| Maximum manufacturing length: 19 000 mm L _i Minimum quantities for all sizes: Over 3000 up to 18 000 L _i = 7 pieces for non standard lengths 21 pieces for certain special constructions Over 18 000 mm L _i on request Belt weight: ≈ 0.958 kg/m | | | | | | | | | | | | | |
| optibelt-VB/LC V-Belts with Light Cover Fabric Range | | | | | | | | | | | | | |
| | | | | | | | | | | Section | | Datum length (mm) | |
| | | | | | | | | | | A/13 | | 1900 to 10 000 | |
| | | | | | | | | | | B/17 | | 1900 to 15 500 | |
| | | | | | | | | | | 20 | | 1900 to 10 000 | |
| | | | | | | | | | | C/22 | | 1900 to 18 000 | |
| | | | | | | | | | | 25 | | 1900 to 18 000 | |
| | | | | | | | | | | D/32 | | 2000 to 18 000 | |
| Length range and prices see pages 15 to 19 + 40% surcharge | | | | | | | | | | | | | |
| Maximum standard manufacturing length: 18 000 mm L _i Over 1800 mm L _i = 2000 mm L _i = 17 pieces for non standard lengths 51 pieces for certain special constructions Over 2000 mm L _i = 14 pieces for non standard lengths 42 pieces for certain special constructions Belt weight: ≈ 0.420 kg/m | | | | Maximum standard manufacturing length: 18 000 mm Above 18 000 up to 19 000 mm L _i on request Minimum production quantity: Over 2000 mm = 11 pieces for non standard lengths 33 pieces for certain special constructions Belt weight: ≈ 0.668 kg/m | | | | | optibelt-LD Light Duty USA-Standard RMA/MPTA Section: 2L; 3L; 4L; 5L Range and prices on request. | | | | |

Lengths in bold print are in the S=C plus range.

Datum length L_d = Pitch length L_w/L_p




Section XPZ / 3VX

| Euro/each | Datum length ISO (mm) | USA Standard (inch) | £/each | Euro/each | Datum length ISO (mm) | USA Standard (inch) | £/each |
|----------------|-----------------------|---------------------|--------|-----------|-----------------------|---------------------|--------|
| BM = 25 pieces | | | | | | | |
| | 587 | | | | 1387 | | |
| | 612 | | | | 1400 | | |
| | 630 | 3VX 250 | | | 1412 | 3VX 560 | |
| | 637 | | | | 1437 | | |
| | 662 | | | | 1462 | | |
| | 670 | 3VX 265 | | | 1487 | | |
| | 687 | | | | 1500 | | |
| | 710 | 3VX 280 | | | 1512 | | |
| | 737 | | | | 1537 | | |
| | 750 | | | | 1562 | | |
| | 762 | 3VX 300 | | | 1587 | | |
| | 772 | | | | 1600 | 3VX 630 | |
| | 787 | | | | 1612 | | |
| | 800 | 3VX 315 | | | 1662 | | |
| | 812 | | | | 1700 | 3VX 670 | |
| | 825 | | | | 1762 | | |
| | 837 | | | | 1800 | 3VX 710 | |
| | 850 | 3VX 335 | | | 1900 | 3VX 750 | |
| | 862 | | | | 2000 | | |
| | 875 | | | | 2120 | | |
| | 887 | | | | 2150• | 3VX 850 | |
| | 900 | 3VX 355 | | | 2240 | | |
| | 912 | | | | | | |
| | 925 | | | | BM = 10 pieces | | |
| | 937 | | | | 2360 | | |
| | 950 | 3VX 375 | | | 2500 | | |
| | 962 | | | | 2540• | 3VX 1000 | |
| | 987 | | | | 2650 | | |
| | 1000 | | | | 2690• | 3VX 1060 | |
| | 1012 | 3VX 400 | | | 2800 | | |
| | 1037 | | | | 2840• | 3VX 1120 | |
| | 1060 | | | | 3000 | 3VX 1180 | |
| | 1077 | 3VX 425 | | | 3150 | | |
| | 1087 | | | | 3350 | 3VX 1320 | |
| | 1112 | | | | 3550 | 3VX 1400 | |
| | 1120 | | | | | | |
| | 1137 | 3VX 450 | | | | | |
| | 1162 | | | | | | |
| | 1180 | | | | | | |
| | 1187 | | | | | | |
| | 1202 | 3VX 475 | | | | | |
| | 1212 | | | | | | |
| | 1237 | | | | | | |
| | 1250 | | | | | | |
| | 1262 | 3VX 500 | | | | | |
| | 1287 | | | | | | |
| | 1312 | | | | | | |
| | 1320 | | | | | | |
| | 1337 | 3VX 530 | | | | | |
| | 1362 | | | | | | |

Belt weight: = 0,065 kg/m

Optibelt Super TX M=S V-Belts of the same length can be used in matched sets, without the need for re-measuring and matching.




Section XPA


| Euro/each | Datum length ISO (mm) | £/each | Euro/each | Datum length ISO (mm) | £/each |
|-----------|-----------------------|--------|-----------|-----------------------|--------|
| | BM = 25 pieces | | | | |
| | 732 | | | 1800 | |
| | 757 | | | 1882 | |
| | 782 | | | 1900 | |
| | 800 | | | 2000 | |
| | 807 | | | 2120 | |
| | 832 | | | 2240 | |
| | 850 | | | | |
| | 857 | | | BM = 10 pieces | |
| | 882 | | | 2360 | |
| | 900 | | | 2500 | |
| | 907 | | | 2650 | |
| | 932 | | | 2800 | |
| | 950 | | | 3000 | |
| | 957 | | | 3150 | |
| | 982 | | | 3350 | |
| | 1000 | | | 3550 | |
| | 1007 | | | | |
| | 1030 | | | | |
| | 1060 | | | | |
| | 1082 | | | | |
| | 1107 | | | | |
| | 1120 | | | | |
| | 1132 | | | | |
| | 1157 | | | | |
| | 1180 | | | | |
| | 1207 | | | | |
| | 1232 | | | | |
| | 1250 | | | | |
| | 1257 | | | | |
| | 1272 | | | | |
| | 1282 | | | | |
| | 1307 | | | | |
| | 1320 | | | | |
| | 1332 | | | | |
| | 1357 | | | | |
| | 1382 | | | | |
| | 1400 | | | | |
| | 1432 | | | | |
| | 1457 | | | | |
| | 1482 | | | | |
| | 1500 | | | | |
| | 1507 | | | | |
| | 1532 | | | | |
| | 1557 | | | | |
| | 1582 | | | | |
| | 1600 | | | | |
| | 1607 | | | | |
| | 1632 | | | | |
| | 1700 | | | | |
| | 1757 | | | | |

Belt weight: ≈ 0,111 kg/m

Optibelt Super TX M=S V-Belts of the same length can be used in matched sets, without the need for re-measuring and matching.




| Section XPB / 5VX | | | | Section XPC | | |
|---|-----------------------|---------------------|--------|---------------------------|-----------------------|--------|
| Euro/each | Datum Length ISO (mm) | USA Standard (inch) | £/each | Euro/each | Datum Length ISO (mm) | £/each |
| | BM = 10 each | | | | BM = 10 each | |
| | 1250 | | | | 2000 | |
| | 1320 | | | | 2120 | |
| | 1400 | | | | 2240 | |
| | 1500 | | | | | |
| | 1600 | | | | BM = 5 each | |
| | 1700 | | | | 2360 | |
| | 1800 | | | | 2500 | |
| | 1900 | 5VX 750 | | | 2650 | |
| | 2000 | | | | 2800 | |
| | 2020• | 5VX 800 | | | 3000 | |
| | 2120 | | | | 3150 | |
| | 2150• | 5VX 850 | | | 3350 | |
| | 2240 | | | | 3550 | |
| | 2280• | 5VX 900 | | | | |
| | 2360 | | | | | |
| | 2400• | 5VX 950 | | | | |
| | 2500 | | | | | |
| | 2650 | | | | | |
| | 2680• | 5VX 1060 | | | | |
| | 2800 | | | | | |
| | 2840• | 5VX 1120 | | | | |
| | 3000 | | | | | |
| | 3150 | | | | | |
| | 3350 | 5VX 1320 | | | | |
| | 3550 | 5VX 1400 | | | | |
| Belt weight: ≈ 0,183 kg/m | | | | Belt weight: ≈ 0,340 kg/m | | |
| Optibelt Super TX M=S V-Belts of the same length can be used in matched sets, without the need for re-measuring and matching. | | | | | | |




| Section 3VX/9NX | | | | Section 5VX/15NX | | | |
|---------------------------|--------------------|-------------------------------|--------|---------------------------|--------------------|-------------------------------|--------|
| Euro/each | Belt Number (inch) | Effective outside length (mm) | £/each | Euro/each | Belt Number (inch) | Effective outside length (mm) | £/each |
| BM = 25 pieces | | | | BM = 10 pieces | | | |
| | 3VX 250 | 635 | | | 5VX 500 | 1270 | |
| | 3VX 265 | 673 | | | 5VX 530 | 1346 | |
| | 3VX 280 | 711 | | | 5VX 560 | 1422 | |
| | 3VX 300 | 762 | | | 5VX 600 | 1524 | |
| | 3VX 315 | 800 | | | 5VX 630 | 1600 | |
| | 3VX 335 | 851 | | | 5VX 670 | 1702 | |
| | 3VX 355 | 902 | | | 5VX 710 | 1803 | |
| | 3VX 375 | 952 | | | 5VX 750 | 1905 | |
| | 3VX 400 | 1016 | | | 5VX 800 | 2032 | |
| | 3VX 425 | 1079 | | | 5VX 850 | 2159 | |
| | 3VX 450 | 1143 | | | 5VX 900 | 2286 | |
| | 3VX 475 | 1206 | | | 5VX 950 | 2413 | |
| | 3VX 500 | 1270 | | | 5VX 1000 | 2540 | |
| | 3VX 530 | 1346 | | | 5VX 1060 | 2692 | |
| | 3VX 560 | 1422 | | | 5VX 1120 | 2845 | |
| | 3VX 600 | 1524 | | | 5VX 1180 | 2997 | |
| | 3VX 630 | 1600 | | | 5VX 1250 | 3175 | |
| | 3VX 670 | 1702 | | | 5VX 1320 | 3353 | |
| | 3VX 710 | 1803 | | | 5VX 1400 | 3556 | |
| | 3VX 750 | 1905 | | | | | |
| | 3VX 800 | 2032 | | | | | |
| | 3VX 850 | 2159 | | | | | |
| | 3VX 900 | 2286 | | | | | |
| BM = 10 pieces | | | | | | | |
| | 3VX 950 | 2413 | | | | | |
| | 3VX 1000 | 2540 | | | | | |
| | 3VX 1060 | 2692 | | | | | |
| | 3VX 1120 | 2845 | | | | | |
| | 3VX 1180 | 2997 | | | | | |
| | 3VX 1250 | 3175 | | | | | |
| | 3VX 1320 | 3353 | | | | | |
| | 3VX 1400 | 3556 | | | | | |
| Belt weight: ≈ 0,065 kg/m | | | | Belt weight: ≈ 0,183 kg/m | | | |

Optibelt Super TX M=S V-Belts of the same length can be used in matched sets, without the need for re-measuring and matching.




ZX/X10



AX/X13

| Section ZX/X10 | | | | Section AX/X13 | | | | | | | |
|---|----------------------|-----------------------|--------|---|----------------------|-----------------------|--------|----------------|----------|-----------------------|--------|
| Euro/each | Belt No. | Datum length ISO (mm) | £/each | Euro/each | Belt No. | Datum length ISO (mm) | £/each | Euro/each | Belt No. | Datum length ISO (mm) | £/each |
| BM = 25 pieces | | | | BM = 25 pieces | | | | BM = 10 pieces | | | |
| | ZX 23 | 597 | | | AX 23 | 605 | | | AX 93 | 2390 | |
| | ZX 24 | 622 | | | AX 23 ^{1/2} | 630 | | | AX 98 | 2530 | |
| | ZX 25 | 652 | | | AX 24 | 640 | | | AX 104 | 2680• | |
| | ZX 26 | 672 | | | AX 25 | 660 | | | AX 110 | 2830• | |
| | ZX 27 | 692 | | | AX 26 ^{1/2} | 700 | | | AX 118 | 3030• | |
| | ZX 28 | 732 | | | AX 27 | 716 | | | AX 124 | 3180• | |
| | ZX 29 | 752 | | | AX 28 | 740 | | | AX 132 | 3380• | |
| | ZX 29 ^{1/2} | 772 | | | AX 29 | 760 | | | | | |
| | ZX 31 ^{1/2} | 822 | | | AX 30 | 797 | | | | | |
| | ZX 32 | 842 | | | AX 31 | 805 | | | | | |
| | ZX 33 | 847 | | | AX 32 | 843 | | | | | |
| | ZX 33 ^{1/2} | 872 | | | AX 33 | 871 | | | | | |
| | ZX 35 | 897 | | | AX 34 | 880 | | | | | |
| | ZX 36 | 922 | | | AX 35 | 919 | | | | | |
| | ZX 37 | 947 | | | AX 35 ^{1/2} | 930 | | | | | |
| | ZX 38 | 972 | | | AX 36 | 944 | | | | | |
| | ZX 40 | 1038• | | | AX 37 | 955 | | | | | |
| | ZX 42 | 1082• | | | AX 37 ^{1/2} | 980 | | | | | |
| | ZX 46 ^{1/2} | 1202• | | | AX 38 | 995 | | | | | |
| | ZX 52 | 1342• | | | AX 39 | 1030 | | | | | |
| | ZX 55 | 1422• | | | AX 40 | 1046 | | | | | |
| | ZX 59 | 1522• | | | AX 41 ^{1/2} | 1080 | | | | | |
| | | | | | AX 42 | 1090 | | | | | |
| | | | | | AX 43 | 1130 | | | | | |
| | | | | | AX 44 | 1150 | | | | | |
| | | | | | AX 45 ^{1/2} | 1180 | | | | | |
| | | | | | AX 46 | 1198 | | | | | |
| | | | | | AX 47 | 1230 | | | | | |
| | | | | | AX 48 | 1250 | | | | | |
| | | | | | AX 49 | 1280 | | | | | |
| | | | | | AX 50 | 1300 | | | | | |
| | | | | | AX 51 | 1330 | | | | | |
| | | | | | AX 52 | 1350 | | | | | |
| | | | | | AX 53 | 1380 | | | | | |
| | | | | | AX 54 | 1405 | | | | | |
| | | | | | AX 55 | 1430 | | | | | |
| | | | | | AX 56 | 1452 | | | | | |
| | | | | | AX 57 | 1480 | | | | | |
| | | | | | AX 58 | 1505 | | | | | |
| | | | | | AX 59 | 1530 | | | | | |
| | | | | | AX 62 | 1605 | | | | | |
| | | | | | AX 63 | 1630 | | | | | |
| | | | | | AX 67 | 1730 | | | | | |
| | | | | | AX 70 | 1805 | | | | | |
| | | | | | AX 71 | 1830 | | | | | |
| | | | | | AX 75 | 1930 | | | | | |
| | | | | | AX 79 | 2030 | | | | | |
| | | | | | AX 88 | 2270 | | | | | |
| Belt weight: ≈ 0,062 kg/m L _i ≈ L _d - 22 mm | | | | Belt weight: ≈ 0,099 kg/m L _i ≈ L _d - 30 mm | | | | | | | |
| L _i = Inside length Datum length L _d = Pitch length L _w /L _p • Non stock items. | | | | Optibelt Super TX M=S V-Belts of the same length can be used in matched sets, without the need for re-measuring and matching. Further sizes and minimum production quantities for non standard lengths on request. | | | | | | | |



| Section BX/X17 | | | | | | | Section CX/X22 | | | | |
|---|----------------------|-----------------------|--------|-----------|----------|-----------------------|--|----------------|---------------|-----------------------|--------|
| Euro/each | Belt No. | Datum length ISO (mm) | £/each | Euro/each | Belt No. | Datum length ISO (mm) | £/each | Euro/each | Belt No. | Datum length ISO (mm) | £/each |
| BM = 10 pieces | | | | | | | | BM = 10 pieces | | | |
| | BX 23 | 610 | | | BX 79 | 2040 | | | CX 39 | 1058• | |
| | BX 25 | 670 | | | BX 88 | 2280 | | | CX 43 | 1148• | |
| | BX 26 | 690 | | | BX 93 | 2400 | | | CX 49 | 1308• | |
| | BX 28 | 750 | | | BX 98 | 2540 | | | CX 52 | 1378• | |
| | BX 29 | 765 | | | BX 103 | 2656• | | | CX 55 | 1458• | |
| | BX 30 | 790 | | | BX 104 | 2690• | | | CX 59 | 1558• | |
| | BX 31 | 815 | | | BX 110 | 2840• | | | CX 62 | 1632• | |
| | BX 32 | 840 | | | BX 118 | 3040• | | | CX 67 | 1758• | |
| | BX 33 | 876 | | | BX 124 | 3190• | | | CX 68 | 1785• | |
| | BX 34 | 890 | | | BX 132 | 3390• | | | CX 71 | 1858• | |
| | BX 34 ^{1/2} | 915 | | | | | | | CX 75 | 1958• | |
| | BX 35 | 929 | | | | | | | CX 79 | 2058• | |
| | BX 36 | 940 | | | | | | | CX 81 | 2118• | |
| | BX 37 | 965 | | | | | | | CX 85 | 2217• | |
| | BX 38 | 1005 | | | | | | | CX 88 | 2298• | |
| | BX 39 | 1040 | | | | | | | BM = 5 pieces | | |
| | BX 40 | 1056 | | | | | | | CX 90 | 2344• | |
| | BX 41 | 1080 | | | | | | | CX 93 | 2418• | |
| | BX 42 | 1100 | | | | | | | CX 96 | 2496• | |
| | BX 43 | 1130 | | | | | | | CX 98 | 2558• | |
| | BX 44 | 1160 | | | | | | | CX 110 | 2858• | |
| | BX 45 | 1190 | | | | | | | CX 118 | 3058• | |
| | BX 45 ^{1/2} | 1203 | | | | | | | CX 124 | 3208• | |
| | BX 46 | 1215 | | | | | | | CX 132 | 3408• | |
| | BX 46 ^{1/2} | 1220 | | | | | | | | | |
| | BX 47 | 1240 | | | | | | | | | |
| | BX 48 | 1255 | | | | | | | | | |
| | BX 49 | 1290 | | | | | | | | | |
| | BX 50 | 1315 | | | | | | | | | |
| | BX 51 | 1340 | | | | | | | | | |
| | BX 52 | 1360 | | | | | | | | | |
| | BX 53 | 1390 | | | | | | | | | |
| | BX 54 | 1412 | | | | | | | | | |
| | BX 55 | 1440 | | | | | | | | | |
| | BX 57 | 1490 | | | | | | | | | |
| | BX 58 | 1513 | | | | | | | | | |
| | BX 59 | 1540 | | | | | | | | | |
| | BX 61 | 1590 | | | | | | | | | |
| | BX 62 | 1615 | | | | | | | | | |
| | BX 63 | 1640 | | | | | | | | | |
| | BX 67 | 1740 | | | | | | | | | |
| | BX 69 | 1790 | | | | | | | | | |
| | BX 71 | 1840 | | | | | | | | | |
| | BX 73 | 1890 | | | | | | | | | |
| | BX 75 | 1940 | | | | | | | | | |
| Belt weight: ≈ 0,165 kg/m L _i = L _d - 40 mm | | | | | | | Belt weight: ≈ 0,276 kg/m L _i = L _d - 58 mm | | | | |
| L _i = Inside length Datum length L _d = Pitch length L _w /L _p • Non stock items. | | | | | | | Optibelt Super TX M=S V-Belts of the same length can be used in matched sets, without the need for re-measuring and matching. Further sizes and minimum production quantities for non standard lengths on request. | | | | |




Manufacturing data

| | |
|---|------------------------------------|
| Belt length | up to 5000 mm L_i |
| Belt top width | up to 100 mm |
| Belt height | 5 up to 25 mm |
| 24° Angle for sections | 13 x 5; 17 x 5 |
| 30° Angle for sections | 52 x 16; 55 x 16; 65 x 20; 70 x 18 |
| 27° Angle for all other sections except range to USA-Standard RMA/MPTA. Variable Speed Belts with angles of 22° to 42° can be made on request, but minimum quantities are obligatory. | |


Tolerances

| | |
|------------------|--|
| Length tolerance | $\pm 1\%$ of nominal belt length |
| Angle tolerance | $\pm 1,5^\circ$ of nominal angle |
| High tolerance | ≤ 8 mm = $\pm 0,8$ mm > 8 up to 20 mm = $\pm 1,0$ mm > 20 mm = $\pm 1,5$ mm |
| Width tolerance | $\pm 0,75$ mm |



| Euro/each | Section (mm) | Inside length (mm) | ISO Designation (Pitch length) | £/each |
|-----------|--------------|--------------------|--------------------------------|--------|
| | 13 x 5 | 468 | | |
| | 13 x 5 | 500 | | |
| | 17 x 5 | 426 | W 16 450 | |
| | 17 x 5 | 476 | W 16 500 | |
| | 17 x 5 | 536 | W 16 560 | |
| | 17 x 5 | 570 | W 16 600 | |
| | 17 x 5 | 606 | W 16 630 | |
| | 17 x 5 | 776 | W 16 800 | |
| | 21 x 6 | 530 | W 20 560 | |
| | 21 x 6 | 600 | W 20 630 | |
| | 21 x 6 | 610 | W 20 640 | |
| | 21 x 6 | 675 | W 20 710 | |
| | 21 x 6 | 770 | W 20 800 | |
| | 21 x 6 | 870 | W 20 900 | |
| | 21 x 6 | 970 | W 20 1000 | |
| | 21 x 6 | 1220 | W 20 1250 | |
| | 22 x 8 | 485 | | |
| | 22 x 8 | 525 | | |
| | 22 x 8 | 565 | | |
| | 22 x 8 | 650 | | |
| | 22 x 8 | 700 | | |
| | 22 x 8 | 750 | | |
| | 22 x 8 | 800 | | |
| | 22 x 8 | 850 | | |
| | 22 x 8 | 900 | | |
| | 22 x 8 | 950 | | |
| | 22 x 8 | 1000 | | |
| | 22 x 8 | 1060 | | |
| | 22 x 8 | 1185 | | |
| | 26 x 8 | 655 | W 25 690 | |
| | 26 x 8 | 672 | W 25 710 | |
| | 26 x 8 | 710 | W 25 750 | |
| | 26 x 8 | 750 | W 25 790 | |
| | 26 x 8 | 762 | W 25 800 | |
| | 26 x 8 | 800 | W 25 840 | |
| | 26 x 8 | 862 | W 25 900 | |
| | 26 x 8 | 962 | W 25 1000 | |
| | 26 x 8 | 1082 | W 25 1120 | |


| Euro/each | Section (mm) | Inside length (mm) | ISO Designation (Pitch length) | £/each |
|-----------|--------------|--------------------|--------------------------------|--------|
| | 28 x 8 | 600 | | |
| | 28 x 8 | 650 | | |
| | 28 x 8 | 700 | | |
| | 28 x 8 | 750 | | |
| | 28 x 8 | 800 | | |
| | 28 x 8 | 850 | | |
| | 28 x 8 | 900 | | |
| | 28 x 8 | 950 | | |
| | 28 x 8 | 1000 | | |
| | 28 x 8 | 1060 | | |
| | 28 x 8 | 1120 | | |
| | 28 x 8 | 1180 | | |
| | 28 x 8 | 1250 | | |
| | 28 x 8 | 1320 | | |
| | 28 x 8 | 1400 | | |
| | 28 x 8 | 1450 | | |
| | 28 x 8 | 1500 | | |
| | 30 x 10 | 650 | | |
| | 30 x 10 | 665 | | |
| | 30 x 10 | 700 | | |
| | 30 x 10 | 800 | | |
| | 30 x 10 | 850 | | |
| | 30 x 10 | 875 | | |
| | 30 x 10 | 900 | | |
| | 30 x 10 | 950 | | |
| | 30 x 10 | 1000 | | |
| | 30 x 10 | 1035 | | |
| | 30 x 10 | 1050 | | |
| | 30 x 10 | 1120 | | |
| | 30 x 10 | 1200 | | |
| | 30 x 10 | 1320 | | |
| | 30 x 10 | 1340 | | |
| | 30 x 10 | 1500 | | |
| | 30 x 10 | 1600 | | |
| | 32 x 10 | 750 | W31.5 800 | |
| | 32 x 10 | 790 | W31.5 840 | |
| | 32 x 10 | 820 | W31.5 870 | |
| | 32 x 10 | 850 | W31.5 900 | |
| | 32 x 10 | 900 | W31.5 950 | |
| | 32 x 10 | 950 | W31.5 1000 | |
| | 32 x 10 | 1000 | W31.5 1050 | |
| | 32 x 10 | 1073 | W31.5 1120 | |
| | 32 x 10 | 1120 | W31.5 1170 | |
| | 32 x 10 | 1180 | W31.5 1230 | |
| | 32 x 10 | 1200 | W31.5 1250 | |
| | 32 x 10 | 1353 | W31.5 1400 | |



| Euro/each | Section (mm) | Inside length (mm) | ISO Designation (Pitch length) | £/each |
|-----------|--------------|--------------------|--------------------------------|--------|
| | 37 x 10 | 660 | | |
| | 37 x 10 | 800 | | |
| | 37 x 10 | 850 | | |
| | 37 x 10 | 900 | | |
| | 37 x 10 | 950 | | |
| | 37 x 10 | 1000 | | |
| | 37 x 10 | 1020 | | |
| | 37 x 10 | 1060 | | |
| | 37 x 10 | 1120 | | |
| | 37 x 10 | 1180 | | |
| | 37 x 10 | 1250 | | |
| | 37 x 10 | 1320 | | |
| | 37 x 10 | 1400 | | |
| | 37 x 10 | 1500 | | |
| | 37 x 10 | 1600 | | |
| | 37 x 10 | 1700 | | |
| | 37 x 10 | 1800 | | |
| | 41 x 13 | 925 | W 40 990 | |
| | 41 x 13 | 1000 | W 40 1060 | |
| | 41 x 13 | 1040 | W 40 1100 | |
| | 41 x 13 | 1060 | W 40 1120 | |
| | 41 x 13 | 1120 | W 40 1180 | |
| | 41 x 13 | 1180 | W 40 1240 | |
| | 41 x 13 | 1190 | W 40 1250 | |
| | 41 x 13 | 1250 | W 40 1310 | |
| | 41 x 13 | 1340 | W 40 1400 | |
| | 41 x 13 | 1440 | W 40 1500 | |
| | 41 x 13 | 1600 | W 40 1660 | |
| | 41 x 13 | 1740 | W 40 1800 | |
| | 41 x 13 | 1940 | W 40 2000 | |
| | 47 x 13 | 1000 | | |
| | 47 x 13 | 1060 | | |
| | 47 x 13 | 1120 | | |
| | 47 x 13 | 1180 | | |
| | 47 x 13 | 1250 | | |
| | 47 x 13 | 1320 | | |
| | 47 x 13 | 1400 | | |
| | 47 x 13 | 1500 | | |
| | 47 x 13 | 1600 | | |
| | 47 x 13 | 1700 | | |
| | 47 x 13 | 1800 | | |

| Euro/each | Section (mm) | Inside length (mm) | ISO Designation (Pitch length) | £/each |
|-----------|--------------|--------------------|--------------------------------|--------|
| | 52 x 16 | 1180 | W 50 1250 | |
| | 52 x 16 | 1250 | W 50 1320 | |
| | 52 x 16 | 1325 | W 50 1400 | |
| | 52 x 16 | 1400 | W 50 1480 | |
| | 52 x 16 | 1525 | W 50 1600 | |
| | 52 x 16 | 1600 | W 50 1680 | |
| | 52 x 16 | 1725 | W 50 1800 | |
| | 52 x 16 | 1925 | W 50 2000 | |
| | 52 x 16 | 2165 | W 50 2240 | |
| | 52 x 16 | 2240 | W 50 2320 | |
| | 55 x 16 | 1400 | | |
| | 55 x 16 | 1500 | | |
| | 55 x 16 | 1600 | | |
| | 55 x 16 | 1700 | | |
| | 55 x 16 | 1800 | | |
| | 65 x 20 | 1706 | W 63 1800 | |
| | 65 x 20 | 1906 | W 63 2000 | |
| | 70 x 18 | 1600 | | |
| | 70 x 18 | 1700 | | |
| | 70 x 18 | 1800 | | |
| | 70 x 18 | 1900 | | |
| | 70 x 18 | 2000 | | |
| | 70 x 18 | 2240 | | |
| | 70 x 18 | 2500 | | |

optibelt SUPER V^X Moulded Cogged Raw Edge Variable Speed Belts
to USA-Standard RMA/MPTA



| Euro/ each | RMA/MPTA- Designation | £/ each | Euro/ each | RMA/MPTA- Designation | £/ each | Euro/ each | RMA/MPTA- Designation | £/ each | Euro/ each | RMA/MPTA- Designation | £/ each |
|---------------|--------------------------|------------|---------------|--------------------------|------------|---------------|--------------------------|------------|---------------|--------------------------|------------|
| | 1422 V 235 | | | 2322 V 329 | | | 3226 V 392 | | | 4436 V 525 | |
| | 1422 V 240 | | | 2322 V 347 | | | 3226 V 400 | | | 4436 V 551 | |
| | 1422 V 270 | | | 2322 V 364 | | | 3226 V 433 | | | 4436 V 561 | |
| | 1422 V 290 | | | 2322 V 396 | | | 3226 V 450 | | | 4436 V 576 | |
| | 1422 V 300 | | | 2322 V 421 | | | 3226 V 505 | | | 4436 V 646 | |
| | 1422 V 330 | | | 2322 V 434 | | | 3226 V 545 | | | 4436 V 750 | |
| | 1422 V 340 | | | 2322 V 441 | | | 3226 V 585 | | | | |
| | 1422 V 360 | | | 2322 V 461 | | | 3226 V 603 | | | | |
| | 1422 V 400 | | | 2322 V 481 | | | 3226 V 650 | | | | |
| | 1422 V 420 | | | 2322 V 486 | | | 3226 V 663 | | | | |
| | 1422 V 440 | | | 2322 V 521 | | | 3226 V 723 | | | | |
| | 1422 V 460 | | | 2322 V 541 | | | 3226 V 783 | | | | |
| | 1422 V 470 | | | 2322 V 601 | | | 3226 V 843 | | | | |
| | 1422 V 480 | | | 2322 V 661 | | | | | | | |
| | 1422 V 540 | | | 2322 V 681 | | | 3230 V 419 | | | | |
| | 1422 V 600 | | | 2322 V 701 | | | 3230 V 528 | | | | |
| | 1422 V 660 | | | 2322 V 801 | | | 3230 V 560 | | | | |
| | | | | | | | 3230 V 585 | | | | |
| | 1430 V 215 | | | 2426 V 353 | | | 3230 V 600 | | | | |
| | | | | 2426 V 363 | | | 3230 V 630 | | | | |
| | 1922 V 277 | | | | | | 3230 V 670 | | | | |
| | 1922 V 282 | | | 2530 V 500 | | | 3230 V 710 | | | | |
| | 1922 V 298 | | | 2530 V 530 | | | 3230 V 723 | | | | |
| | 1922 V 321 | | | 2530 V 560 | | | 3230 V 750 | | | | |
| | 1922 V 332 | | | 2530 V 600 | | | 3230 V 800 | | | | |
| | 1922 V 338 | | | 2530 V 630 | | | 3230 V 850 | | | | |
| | 1922 V 363 | | | 2530 V 670 | | | | | | | |
| | 1922 V 381 | | | 2530 V 710 | | | 3432 V 450 | | | | |
| | 1922 V 386 | | | 2530 V 750 | | | 3432 V 456 | | | | |
| | 1922 V 403 | | | 2530 V 790 | | | 3432 V 480 | | | | |
| | 1922 V 426 | | | 2530 V 800 | | | 3432 V 528 | | | | |
| | 1922 V 443 | | | 2530 V 934 | | | 3432 V 534 | | | | |
| | 1922 V 454 | | | 2530 V 990 | | | | | | | |
| | 1922 V 460 | | | | | | 4036 V 541 | | | | |
| | 1922 V 484 | | | 2830 V 337 | | | 4036 V 574 | | | | |
| | 1922 V 526 | | | 2830 V 363 | | | | | | | |
| | 1922 V 544 | | | 2830 V 366 | | | 4430 V 530 | | | | |
| | 1922 V 604 | | | 2830 V 367 | | | 4430 V 548 | | | | |
| | 1922 V 630 | | | 2830 V 393 | | | 4430 V 555 | | | | |
| | 1922 V 646 | | | 2830 V 396 | | | 4430 V 560 | | | | |
| | 1922 V 666 | | | 2830 V 422 | | | 4430 V 570 | | | | |
| | 1922 V 686 | | | | | | 4430 V 578 | | | | |
| | 1922 V 706 | | | 2926 V 471 | | | 4430 V 600 | | | | |
| | 1922 V 721 | | | 2926 V 486 | | | 4430 V 610 | | | | |
| | 1922 V 726 | | | 2926 V 521 | | | 4430 V 630 | | | | |
| | 1922 V 751 | | | 2926 V 546 | | | 4430 V 652 | | | | |
| | 1922 V 756 | | | 2926 V 574 | | | 4430 V 660 | | | | |
| | | | | 2926 V 586 | | | 4430 V 670 | | | | |
| | 1926 V 250 | | | 2926 V 606 | | | 4430 V 690 | | | | |
| | 1926 V 275 | | | 2926 V 616 | | | 4430 V 700 | | | | |
| | 1926 V 290 | | | 2926 V 636 | | | 4430 V 710 | | | | |
| | 1926 V 407 | | | 2926 V 646 | | | 4430 V 730 | | | | |
| | 1926 V 415 | | | 2926 V 666 | | | 4430 V 750 | | | | |
| | 1926 V 427 | | | 2926 V 686 | | | 4430 V 790 | | | | |
| | | | | 2926 V 726 | | | 4430 V 800 | | | | |
| | 2230 V 266 | | | 2926 V 750 | | | 4430 V 850 | | | | |
| | 2230 V 273 | | | 2926 V 776 | | | | | | | |
| | 2230 V 275 | | | 2926 V 786 | | | | | | | |
| | 2230 V 326 | | | | | | | | | | |
| | 2230 V 375 | | | | | | | | | | |

Interpretation
1422 V 235
 14 = top width 14/16"
 22 = Pulley angle degrees
 V = Variable Speed
 235 = Pitch length in 1/10"

Non Stock Items – Minimum quantities on request.

| Belt thickness (mm) | 5, 6, 7 | | | | | | | | 8, 9 | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 10 - 15 | | 16 - 20 | | 21 - 25 | | 26 - 30 | | 10 - 15 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 500 | | | | | | | | | | |
| 600 | | | | | | | | | | |
| 700 | | | | | | | | | | |
| 800 | | | | | | | | | | |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |

| Belt thickness (mm) | 8, 9 | | | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 16 - 20 | | 21 - 25 | | 26 - 30 | | 31 - 35 | | 36 - 40 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 500 | | | | | | | | | | |
| 600 | | | | | | | | | | |
| 700 | | | | | | | | | | |
| 800 | | | | | | | | | | |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |

| Belt thickness (mm) | 8, 9 | | 10, 12 | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 41 - 45 | | 16 - 20 | | 21 - 25 | | 26 - 30 | | 31 - 35 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 600 | | | | | | | | | | |
| 700 | | | | | | | | | | |
| 800 | | | | | | | | | | |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |

Minimum quantities on request.

optibelt SUPER V_X Moulded Cogged Raw Edge Variable Speed Belts
(Non Standard Sizes)



| Belt thickness (mm) | 10, 12 | | | | | | | | 13, 14 | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 36 - 40 | | 41 - 45 | | 46 - 50 | | 51 - 55 | | 26 - 30 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 700 | | | | | | | | | | |
| 800 | | | | | | | | | | |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |

| Belt thickness (mm) | 13, 14 | | | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 31 - 35 | | 36 - 40 | | 41 - 45 | | 46 - 50 | | 51 - 55 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 800 | | | | | | | | | | |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |

| Belt thickness (mm) | 15, 16 | | | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 26 - 30 | | 31 - 35 | | 36 - 40 | | 41 - 45 | | 46 - 50 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |

Minimum quantities on request.

optibelt SUPER V_X Moulded Cogged Raw Edge Variable Speed Belts
(Non Standard Sizes)



| Belt thickness (mm) | 15, 16 | | | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 51 - 55 | | 56 - 60 | | 61 - 65 | | 66 - 70 | | 71 - 75 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |

| Belt thickness (mm) | 15, 16 | | | | 18, 20 | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 76 - 80 | | 41 - 45 | | 46 - 50 | | 51 - 55 | | 56 - 60 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |

| Belt thickness (mm) | 18, 20 | | | | | | | | 22, 23 | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 61 - 65 | | 66 - 70 | | 71 - 75 | | 76 - 80 | | 41 - 45 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 900 | | | | | | | | | | |
| 1000 | | | | | | | | | | |
| 1120 | | | | | | | | | | |
| 1250 | | | | | | | | | | |
| 1400 | | | | | | | | | | |
| 1500 | | | | | | | | | | |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |

Minimum quantities on request.

optibelt SUPER V_X Moulded Cogged Raw Edge Variable Speed Belts
(Non Standard Sizes)




| Belt thickness (mm) | 22, 23 | | | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 46 - 50 | | 51 - 55 | | 56 - 60 | | 61 - 65 | | 66 - 70 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |
| 3400 | | | | | | | | | | |

| Belt thickness (mm) | 22, 23 | | | | | | 25 | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 71-75 | | 76-80 | | 81-85 | | 51-55 | | 56-60 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 1600 | | | | | | | | | | |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |
| 3400 | | | | | | | | | | |

| Belt thickness (mm) | 25 | | | | | | | | | |
|---------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|
| Belt width (mm) | 61-65 | | 66-70 | | 71-75 | | 76-80 | | 81-85 | |
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 1700 | | | | | | | | | | |
| 1800 | | | | | | | | | | |
| 2000 | | | | | | | | | | |
| 2240 | | | | | | | | | | |
| 2400 | | | | | | | | | | |
| 2600 | | | | | | | | | | |
| 2800 | | | | | | | | | | |
| 3000 | | | | | | | | | | |
| 3200 | | | | | | | | | | |
| 3400 | | | | | | | | | | |

Minimum quantities on request.



| Section | 3V/9J | 5V/15J | 8V/25J |
|--------------------|-------|--------|--------|
| $b_0 \approx$ (mm) | 9,0 | 15,0 | 25,0 |
| $h \approx$ (mm) | 9,9 | 15,1 | 25,5 |

| Section 3V/9J | | | | Section 5V/15J | | | | Section 8V/25J | | | |
|---------------|--------------------|---------------------|------------|----------------|--------------------|---------------------|------------|----------------|------------------------|---------------------|------------|
| Euro/ per rib | Designation (inch) | Outside length (mm) | £/ per rib | Euro/ per rib | Designation (inch) | Outside length (mm) | £/ per rib | Euro/ per rib | Designation (inch) | Outside length (mm) | £/ per rib |
| | 3V 500 | 9J 1270 | | | 5V 560 | 15J 1422 | | | 8V 1000 | 25J 2540 | |
| | 3V 530 | 9J 1346 | | | 5V 600 | 15J 1524 | | | 8V 1060 | 25J 2692 | |
| | 3V 560 | 9J 1422 | | | 5V 630 | 15J 1600 | | | 8V 1120 | 25J 2845 | |
| | 3V 600 | 9J 1524 | | | 5V 670 | 15J 1702 | | | 8V 1180 | 25J 2997 | |
| | 3V 630 | 9J 1600 | | | 5V 710 | 15J 1803 | | | 8V 1250 | 25J 3175 | |
| | 3V 670 | 9J 1702 | | | 5V 750 | 15J 1905 | | | 8V 1320 | 25J 3353 | |
| | 3V 710 | 9J 1803 | | | 5V 800 | 15J 2032 | | | 8V 1400 | 25J 3556 | |
| | 3V 750 | 9J 1905 | | | 5V 850 | 15J 2159 | | | 8V 1500 | 25J 3810 | |
| | 3V 800 | 9J 2032 | | | 5V 900 | 15J 2286 | | | 8V 1600 | 25J 4064 | |
| | 3V 850 | 9J 2159 | | | 5V 950 | 15J 2413 | | | 8V 1700 | 25J 4318 | |
| | 3V 900 | 9J 2286 | | | 5V 1000 | 15J 2540 | | | 8V 1800 | 25J 4572 | |
| | 3V 950 | 9J 2413 | | | 5V 1060 | 15J 2692 | | | 8V 1800 | 25J 4572 | |
| | 3V 1000 | 9J 2540 | | | 5V 1120 | 15J 2845 | | | 8V 1900 | 25J 4826 | |
| | 3V 1060 | 9J 2692 | | | 5V 1180 | 15J 2997 | | | 8V 2000 | 25J 5080 | |
| | 3V 1120 | 9J 2845 | | | 5V 1250 | 15J 3175 | | | 8V 2120 | 25J 5385 | |
| | 3V 1180 | 9J 2997 | | | 5V 1320 | 15J 3353 | | | 8V 2240 | 25J 5690 | |
| | 3V 1250 | 9J 3175 | | | 5V 1320 | 15J 3353 | | | 8V 2360 | 25J 5994 | |
| | 3V 1320 | 9J 3353 | | | 5V 1400 | 15J 3556 | | | 8V 2500 | 25J 6350 | |
| | 3V 1400 | 9J 3556 | | | 5V 1500 | 15J 3810 | | | 8V 2650 | 25J 6731 | |
| | | | | | 5V 1600 | 15J 4064 | | | 8V 2800 | 25J 7112 | |
| | | | | | 5V 1700 | 15J 4318 | | | 8V 3000 | 25J 7620 | |
| | | | | | 5V 1800 | 15J 4572 | | | 8V 3150 | 25J 8001 | |
| | | | | | 5V 1900 | 15J 4826 | | | 8V 3350 | 25J 8509 | |
| | | | | | 5V 2000 | 15J 5080 | | | 8V 3550 | 25J 9017 | |
| | | | | | 5V 2120 | 15J 5385 | | | 8V 3750 | 25J 9525 | |
| | | | | | 5V 2240 | 15J 5690 | | | 8V 4000 | 25J 10160 | |
| | | | | | 5V 2360 | 15J 5994 | | | 8V 4250 | 25J 10795 | |
| | | | | | 5V 2500 | 15J 6350 | | | 8V 4500 | 25J 11430 | |
| | | | | | 5V 2650 | 15J 6731 | | | 8V 4750 | 25J 12065 | |
| | | | | | 5V 2800 | 15J 7112 | | | | | |
| | | | | | 5V 3000 | 15J 7620 | | | | | |
| | | | | | 5V 3150 | 15J 8001 | | | | | |
| | | | | | 5V 3350 | 15J 8509 | | | | | |
| | | | | | 5V 3550 | 15J 9017 | | | | | |
| | | | | | | | | | Non Stock Items | | |

Kraftbands in these sizes can be supplied with 2 to 5 ribs (no minimum quantities applicable).

Maximum manufacturing length: 4250 mm L_a
Intermediate lengths from 1800 mm L_a

Minimum quantities for non listed sizes:

9 with 5 ribs or
12 with 4 ribs or
16 with 3 ribs or
24 with 2 ribs
or multiples thereof

Belt weight: 1 rib \approx 0.122 kg/m

Minimum order quantities for Aramid constructions on request.

Maximum manufacturing length: 10 000 mm L_a
Intermediate lengths from 1800 mm L_a

Minimum quantities for non listed sizes:

6 with 5 ribs or
7 with 4 ribs or
10 with 3 ribs or
15 with 2 ribs
or multiples thereof

Belt weight: 1 rib \approx 0.252 kg/m

Minimum order quantities for Aramid constructions on request.

Maximum standard manufacturing: 15 000 mm L_a
Above 15 000 up to 18 000 mm on request
Intermediate lengths from 2540 mm L_a


Minimum quantities for all sizes:

2 with 5 ribs or
2 with 4 ribs or
3 with 3 ribs
or multiples thereof

Belt weight: 1 rib \approx 0.693 kg/m

Minimum order quantities for Aramid constructions on request.

Kraftbands with Special Top Surface see page 43.



| Section | SPZ | SPA |
|--------------------|------|------|
| $b_0 \approx$ (mm) | 9,7 | 12,7 |
| $h \approx$ (mm) | 10,5 | 12,5 |

| Section SPZ | | | | | | Section SPA | | | | | |
|------------------------|----------------------|---------------|------------------|----------------------|---------------|------------------------|----------------------|---------------|------------------|----------------------|---------------|
| Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib |
| | 1250 | | | 3150 | | | 1250 | | | 3150 | |
| | 1400 | | | 3350 | | | 1400 | | | 3350 | |
| | 1500 | | | 3550 | | | 1500 | | | 3550 | |
| | 1600 | | | | | | 1600 | | | 3750 | |
| | 1700 | | | | | | 1700 | | | 4000 | |
| | 1800 | | | | | | 1800 | | | 4250 | |
| | 1900 | | | | | | 1900 | | | 4500 | |
| | 2000 | | | | | | 2000 | | | | |
| | 2120 | | | | | | 2120 | | | | |
| | 2240 | | | | | | 2240 | | | | |
| | 2360 | | | | | | 2360 | | | | |
| | 2500 | | | | | | 2500 | | | | |
| | 2650 | | | | | | 2650 | | | | |
| | 2800 | | | | | | 2800 | | | | |
| | 3000 | | | | | | 3000 | | | | |
| Non Stock Items | | | | | | Non Stock Items | | | | | |

Further sizes on request. Intermediate sizes are available on request. Price for 2/3/4/5 ribs = Price shown multiplied x 2/3/4 or 5.

Optibelt Kraftbands in sections SPZ, SPA, SPB and SPC will run in standard pulleys to BS 3790, DIN 2211 and ISO 4183.


Raw edge moulded cogged Kraftbands with XPZ, XPA and XPB belts are available on request.

Maximum manufacturing length: 4500 mm L_d
 Intermediate lengths from 2000 mm L_d
Minimum quantities for all sizes:
 1800 up to \leq 2050 mm | $>$ 2050 mm
 8 pieces with 5 ribs or | 7 pieces with 5 ribs or
 10 pieces with 4 ribs or | 9 pieces with 4 ribs or
 14 pieces with 3 ribs or | 12 pieces with 3 ribs or
 21 pieces with 2 ribs | 18 pieces with 2 ribs
 or multiples thereof
 Belt weight: 1 rib \approx 0,120 kg/m
**Minimum order quantities for
 Aramid constructions on request.**

Maximum manufacturing length: 4500 mm L_d
 Intermediate lengths from 1800 mm L_d
Minimum quantities for all sizes:
 1800 up to \leq 2050 mm | $>$ 2050 mm
 6 pieces with 5 ribs or | 5 pieces with 5 ribs or
 8 pieces with 4 ribs or | 7 pieces with 4 ribs or
 11 pieces with 3 ribs or | 9 pieces with 3 ribs or
 16 pieces with 2 ribs | 14 pieces with 2 ribs
 or multiples thereof
 Belt weight: 1 rib \approx 0,166 kg/m
**Minimum order quantities for
 Aramid constructions on request.**

Datum length $L_d =$ Pitch length L_w/L_p

Kraftbands with Special Top Surface see page 43.



| Section | SPB | SPC |
|--------------------|------|------|
| $b_0 \approx$ (mm) | 16,5 | 22,0 |
| $h \approx$ (mm) | 15,6 | 22,6 |

| Section SPB | | | | | | Section SPC | | | | | |
|------------------------|-------------------|------------|---------------|-------------------|------------|---------------|-------------------|------------|---------------|-------------------|------------|
| Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib |
| | 2000 | | | 4750 | | | 3000 | | | 7100 | |
| | 2120 | | | 5000 | | | 3150 | | | 7500 | |
| | 2240 | | | 5300 | | | 3350 | | | 8000 | |
| | 2360 | | | 5600 | | | 3550 | | | 8500 | |
| | 2500 | | | 6000 | | | 3750 | | | 9000 | |
| | 2650 | | | 6300 | | | 4000 | | | 9500 | |
| | 2800 | | | 6700 | | | 4250 | | | 10000 | |
| | 3000 | | | 7100 | | | 4500 | | | 10600 | |
| | 3150 | | | 7500 | | | 4750 | | | 11200 | |
| | 3350 | | | 8000 | | | 5000 | | | 11800 | |
| | 3550 | | | | | | 5300 | | | 12500 | |
| | 3750 | | | | | | 5600 | | | | |
| | 4000 | | | | | | 6000 | | | | |
| | 4250 | | | | | | 6300 | | | | |
| | 4500 | | | | | | 6700 | | | | |
| Non Stock Items | | | | | | | | | | | |

Further sizes on request. Intermediate sizes are available on request. Price for 2/3/4/5 ribs = Price shown multiplied x 2/3/4 or 5.

Optibelt Kraftbands in sections SPZ, SPA, SPB and SPC will run in standard pulleys to BS 3790, DIN 2211 and ISO 4183.

Raw edge moulded cogged Kraftbands with XPZ, XPA and XPB belts are available on request.

Maximum manufacturing length: 10 000 mm L_d
Intermediate lengths from 2361 L_d

Minimum quantities for non listed sizes:

- 4 pieces with 5 ribs or
- 5 pieces with 4 ribs or
- 7 pieces with 3 ribs or
- 11 pieces with 2 ribs or multiples thereof

Belt weight: 1 rib \approx 0,261 kg/m

Minimum order quantities for Aramid constructions on request.

Maximum manufacturing length: 12 500 mm L_d
Intermediate lengths from 2120 mm L_d

Minimum quantities for all sizes:


- 3 pieces with 5 ribs or
- 4 pieces with 4 ribs or
- 5 pieces with 3 ribs or
- 8 pieces with 2 ribs or multiples thereof

Belt weight: 1 rib \approx 0,555 kg/m

Minimum order quantities for Aramid constructions on request.

Datum length L_d = Pitch length L_w/L_p

Kraftbands with Special Top Surface see page 43.



| Section | 3V/9J | 5V/15J | 8V/25J |
|--------------------|-------|--------|--------|
| $b_o \approx$ (mm) | 9,0 | 15,0 | 25,0 |
| $h \approx$ (mm) | 9,9 | 15,1 | 25,5 |


| Section 3V/9J | | | | Section 5V/15J | | | | Section 8V/25J | | | |
|------------------|-----------------------|---------------------------------------|---------------|------------------|-----------------------|---------------------------------------|---------------|------------------|-----------------------|---------------------------------------|---------------|
| Euro/ per rib | Belt No. (inch) | Belt No. Outside length (mm) | £/ per rib | Euro/ per rib | Belt No. (inch) | Belt No. Outside length (mm) | £/ per rib | Euro/ per rib | Belt No. (inch) | Belt No. Outside length (mm) | £/ per rib |
| | 3V 500 | 9J 1270 | | | 5V 560 | 15J 1422 | | | 8V 1000 | 25J 2540 | |
| | 3V 530 | 9J 1346 | | | 5V 600 | 15J 1524 | | | 8V 1060 | 25J 2692 | |
| | 3V 560 | 9J 1422 | | | 5V 630 | 15J 1600 | | | 8V 1120 | 25J 2845 | |
| | 3V 600 | 9J 1524 | | | 5V 670 | 15J 1702 | | | 8V 1180 | 25J 2997 | |
| | 3V 630 | 9J 1600 | | | 5V 710 | 15J 1803 | | | 8V 1250 | 25J 3175 | |
| | 3V 670 | 9J 1702 | | | 5V 750 | 15J 1905 | | | 8V 1320 | 25J 3353 | |
| | 3V 710 | 9J 1803 | | | 5V 800 | 15J 2032 | | | 8V 1400 | 25J 3556 | |
| | 3V 750 | 9J 1905 | | | 5V 850 | 15J 2159 | | | 8V 1500 | 25J 3810 | |
| | 3V 800 | 9J 2032 | | | 5V 900 | 15J 2286 | | | 8V 1600 | 25J 4064 | |
| | 3V 850 | 9J 2159 | | | 5V 950 | 15J 2413 | | | 8V 1700 | 25J 4318 | |
| | 3V 900 | 9J 2286 | | | 5V 1000 | 15J 2540 | | | 8V 1800 | 25J 4572 | |
| | 3V 950 | 9J 2413 | | | 5V 1060 | 15J 2692 | | | 8V 1900 | 25J 4826 | |
| | 3V 1000 | 9J 2540 | | | 5V 1120 | 15J 2845 | | | 8V 2000 | 25J 5080 | |
| | 3V 1060 | 9J 2692 | | | 5V 1180 | 15J 2997 | | | 8V 2120 | 25J 5385 | |
| | 3V 1120 | 9J 2845 | | | 5V 1250 | 15J 3175 | | | 8V 2240 | 25J 5690 | |
| | 3V 1180 | 9J 2997 | | | 5V 1320 | 15J 3353 | | | 8V 2360 | 25J 5994 | |
| | 3V 1250 | 9J 3175 | | | 5V 1400 | 15J 3556 | | | 8V 2500 | 25J 6350 | |
| | 3V 1320 | 9J 3353 | | | 5V 1500 | 15J 3810 | | | 8V 2650 | 25J 6731 | |
| | 3V 1400 | 9J 3556 | | | 5V 1600 | 15J 4064 | | | 8V 2800 | 25J 7112 | |
| | | | | | 5V 1700 | 15J 4318 | | | 8V 3000 | 25J 7620 | |
| | | | | | 5V 1800 | 15J 4572 | | | 8V 3150 | 25J 8001 | |
| | | | | | 5V 1900 | 15J 4826 | | | 8V 3350 | 25J 8509 | |
| | | | | | 5V 2000 | 15J 5080 | | | | | |
| | | | | | 5V 2120 | 15J 5385 | | | | | |
| | | | | | 5V 2240 | 15J 5690 | | | | | |
| | | | | | 5V 2360 | 15J 5994 | | | | | |
| | | | | | 5V 2500 | 15J 6350 | | | | | |
| | | | | | 5V 2650 | 15J 6731 | | | | | |
| | | | | | 5V 2800 | 15J 7112 | | | | | |
| | | | | | 5V 3000 | 15J 7620 | | | | | |
| | | | | | 5V 3150 | 15J 8001 | | | | | |
| | | | | | | | | | | | |
| Non Stock Items | | | | Non Stock Items | | | | Non Stock Items | | | |
| | | | | | | | | | | | |
| Non Stock Items | | | | Non Stock Items | | | | Non Stock Items | | | |

Further sizes on request. Price for 2/3/4/5 ribs = Price shown multiplied x 2/3/4 or 5.

Maximum manufacturing length: 4000 mm L_a
Intermediate lengths from 1270 mm L_a
Minimum quantities for all sizes:
1270 to 2032 mm L_a
19 pieces with 5 ribs or
24 pieces with 4 ribs or
32 pieces with 3 ribs or
48 pieces with 2 ribs
or multiples thereof
Over 2032 mm L_a
23 pieces with 5 ribs or
29 pieces with 4 ribs or
38 pieces with 3 ribs or
58 pieces with 2 ribs
or multiples thereof
Belt weight:
1 rib = 0,102 kg/m

Maximum manufacturing length: 8000 mm L_a
Intermediate lengths from 1422 mm L_a
Minimum quantities for all sizes:
1270 to 2032 mm L_a
12 pieces with 5 ribs or
15 pieces with 4 ribs or
20 pieces with 3 ribs or
30 pieces with 2 ribs
or multiples thereof
Over 2032 mm L_a
13 pieces with 5 ribs or
16 pieces with 4 ribs or
22 pieces with 3 ribs or
33 pieces with 2 ribs
or multiples thereof
Belt weight:
1 rib = 0,252 kg/m

Maximum manufacturing length:
8 500 mm L_a
Intermediate lengths from 2540 mm L_a
Minimum quantities for all sizes:
8 pieces with 5 ribs or
10 pieces with 4 ribs or
13 pieces with 3 ribs or
20 pieces with 2 ribs
or multiples thereof
Belt weight:
1 rib = 0,693 kg/m



| Section | SPB | SPC |
|--------------------|------|------|
| $b_0 \approx$ (mm) | 16,5 | 22,0 |
| $h \approx$ (mm) | 15,6 | 22,6 |

| Section SPB | | | Section SPC | | |
|------------------|------------------------|---------------|------------------|------------------------|---------------|
| Euro/ per rib | Datum length (mm) | £/ per rib | Euro/ per rib | Datum length (mm) | £/ per rib |
| | 2000 | | | 3000 | |
| | 2120 | | | 3150 | |
| | 2240 | | | 3350 | |
| | 2360 | | | 3550 | |
| | 2500 | | | 3750 | |
| | 2650 | | | 4000 | |
| | 2800 | | | 4250 | |
| | 3000 | | | 4500 | |
| | 3150 | | | 4750 | |
| | 3350 | | | 5000 | |
| | 3550 | | | 5300 | |
| | 3750 | | | 5600 | |
| | 4000 | | | 6000 | |
| | 4250 | | | 6300 | |
| | 4500 | | | 6700 | |
| | 4750 | | | 7100 | |
| | 5000 | | | 7500 | |
| | 5300 | | | 8000 | |
| | 5600 | | | | |
| | 6000 | | | | |
| | 6300 | | | | |
| | 6700 | | | | |
| | 7100 | | | | |
| | 7500 | | | | |
| | 8000 | | | | |
| | Non Stock Items | | | Non Stock Items | |

Optibelt-Kraftbands in sections SPZ, SPA and SPC will run in standard pulleys to BS 3790, DIN 2211 and ISO 4183.


Further sizes on request. Price for 2/3/4/5 ribs = Price shown multiplied x 2/3/4 or 5.

Maximum manufacturing length:
8 000 mm L_d
Intermediate lengths from 2000 mm L_d
Minimum quantities
for all sizes:
12 pieces with 5 ribs or
15 pieces with 4 ribs or
20 pieces with 3 ribs or
30 pieces with 2 ribs
or multiples thereof
Belt weight:
1 rib \approx 0,261 kg/m

Maximum manufacturing length:
8 000 mm L_d
Intermediate lengths from 3000 mm L_d
Minimum quantities
for all sizes:
8 pieces with 5 ribs or
11 pieces with 4 ribs or
14 pieces with 3 ribs or
22 pieces with 2 ribs
or multiples thereof
Belt weight:
1 rib \approx 0,555 kg/m

Datum length L_d = Pitch length L_w/L_p

Further sizes on request.



| Section | A/HA | B/HB |
|--------------------|------|------|
| $b_0 \approx$ (mm) | 13,0 | 17,0 |
| $h \approx$ (mm) | 9,9 | 13,0 |

| Section A/HA | | | | Section B/HB | | | | |
|------------------|----------------------------|------|------------------------------|---------------|----------------------------|------|------------------------------|---------------|
| Euro/ per rib | Section A Inside length | | Section HA Outside length | £/ per rib | Section B Inside length | | Section HB Outside length | £/ per rib |
| | Belt No. | (mm) | | | Belt No. | (mm) | | |
| | 47 | 1200 | 1236 | | 47 | 1200 | 1262 | |
| | 51 | 1300 | 1336 | | 51 | 1300 | 1362 | |
| | 56 | 1422 | 1458 | | 55 | 1400 | 1462 | |
| | 57 | 1450 | 1486 | | 59 | 1500 | 1562 | |
| | 59 | 1500 | 1536 | | 61 | 1550 | 1612 | |
| | 64 | 1625 | 1661 | | 63 | 1600 | 1662 | |
| | 67 | 1700 | 1736 | | 64 | 1625 | 1687 | |
| | 71 | 1800 | 1836 | | 67 | 1700 | 1762 | |
| | 75 | 1900 | 1936 | | 71 | 1800 | 1862 | |
| | 79 | 2000 | 2036 | | 73 | 1850 | 1912 | |
| | 88 | 2240 | 2276 | | 75 | 1900 | 1962 | |
| | 98 | 2500 | 2536 | | 79 | 2000 | 2062 | |
| | 100 | 2540 | 2576 | | 83 | 2100 | 2162 | |
| | 104 | 2650 | 2686 | | 88 | 2240 | 2302 | |
| | 112 | 2845 | 2881 | | 91 | 2300 | 2362 | |
| | 120 | 3048 | 3084 | | 94 ^{1/2} | 2400 | 2462 | |
| | 128 | 3250 | 3286 | | 98 | 2500 | 2562 | |
| | 144 | 3658 | 3694 | | 102 | 2600 | 2662 | |
| | 158 | 4000 | 4036 | | 106 | 2700 | 2762 | |
| | 167 | 4250 | 4286 | | 112 | 2845 | 2907 | |
| | 187 | 4750 | 4786 | | 118 | 3000 | 3062 | |
| | | | | | 120 | 3048 | 3110 | |
| | | | | | 128 | 3250 | 3312 | |
| | | | | | 132 | 3350 | 3412 | |
| | | | | | 140 | 3550 | 3612 | |
| | | | | | 146 | 3700 | 3762 | |
| | | | | | 148 | 3750 | 3812 | |
| | | | | | 158 | 4000 | 4062 | |
| | | | | | 167 | 4250 | 4312 | |
| | | | | | 177 | 4500 | 4562 | |
| | | | | | 187 | 4750 | 4812 | |
| | | | | | 197 | 5000 | 5062 | |
| | | | | | 208 | 5300 | 5362 | |
| | | | | | 220 | 5600 | 5662 | |


Moulded Cogged Raw Edge Kraftbands sections AX/HAX and BX/HBX on request. Price for 2/3/4/5 ribs = Price shown multiplied 2/3/4 or 5.

Further sizes on request.

Maximum manufacturing length: 8 000 mm L_i
 Intermediate lengths from 1800 mm L_i
Minimum quantities for non listed sizes:
 1200 up to 2000 mm L_i
 6 pieces with 5 ribs or
 8 pieces with 4 ribs or
 10 pieces with 3 ribs or
 16 pieces with 2 ribs
 or multiples thereof
 2001 to 8000 mm L_i
 6 pieces with 5 ribs or
 8 pieces with 4 ribs or
 11 pieces with 3 ribs or
 16 pieces with 2 ribs
 or multiples thereof
 Belt weight: 1 rib \approx 0,163 kg/m
**Minimum order quantities for
 Aramid constructions on request.**

Maximum manufacturing length: 10 000 mm L_i
 Intermediate lengths from 1800 mm L_i
Minimum quantities for non listed sizes:
 5 pieces with 5 ribs or
 6 pieces with 4 ribs or
 9 pieces with 3 ribs or
 13 pieces with 2 ribs
 or multiples thereof
 Belt weight: 1 rib \approx 0,266 kg/m
**Minimum order quantities for
 Aramid constructions on request.**

Kraftbands with Special Top Surface see page 43.



| Section | C/HC | D/HD |
|--------------------|------|------|
| $b_0 \approx$ (mm) | 22,0 | 32,0 |
| $h \approx$ (mm) | 16,2 | 22,4 |

| Section C/HC | | | | Section D/HD | | | | |
|------------------|----------------------------|------|--------------------------------------|------------------------|----------------------------|-------|--------------------------------------|---------------|
| Euro/ per rib | Section C Inside length | | Section HC Outside length (mm) | €/ per rib | Section D Inside length | | Section HD Outside length (mm) | €/ per rib |
| | Belt No. | (mm) | | | Belt No. | (mm) | | |
| | 90 | 2286 | 2361 | | 98 | 2500 | 2611 | |
| | 98 | 2500 | 2575 | | 110 | 2800 | 2911 | |
| | 108 | 2750 | 2825 | | 120 | 3048 | 3159 | |
| | 120 | 3048 | 3123 | | 128 | 3250 | 3361 | |
| | 128 | 3250 | 3325 | | 144 | 3658 | 3769 | |
| | 140 | 3550 | 3625 | | 158 | 4000 | 4111 | |
| | 146 | 3700 | 3775 | | 162 | 4115 | 4226 | |
| | 151 | 3850 | 3925 | | 173 | 4394 | 4505 | |
| | 167 | 4250 | 4325 | | 180 | 4572 | 4683 | |
| | 177 | 4500 | 4575 | | 195 | 4953 | 5064 | |
| | 187 | 4750 | 4825 | | 210 | 5334 | 5445 | |
| | 197 | 5000 | 5075 | | 225 | 5715 | 5826 | |
| | 208 | 5300 | 5375 | | 240 | 6096 | 6207 | |
| | 220 | 5600 | 5675 | | 255 | 6477 | 6588 | |
| | 236 | 6000 | 6075 | | 270 | 6858 | 6969 | |
| | 248 | 6300 | 6375 | | 285 | 7239 | 7350 | |
| | | | | | 300 | 7620 | 7731 | |
| | | | | | 315 | 8000 | 8111 | |
| | | | | | 330 | 8382 | 8493 | |
| | | | | | 345 | 8763 | 8874 | |
| | | | | | 360 | 9144 | 9255 | |
| | | | | | 390 | 9906 | 10017 | |
| | | | | | 420 | 10668 | 10779 | |
| | | | | | 450 | 11430 | 11541 | |
| | | | | | 480 | 12200 | 12311 | |
| | | | | | 540 | 13716 | 13827 | |
| | | | | | 600 | 15240 | 15351 | |
| | | | | | 660 | 16764 | 16875 | |
| | | | | | 700 | 17780 | 17891 | |
| | | | | Non Stock Items | | | | |

Price for 2/3/4/5 ribs = Price shown multiplied 2/3/4 or 5.

Further sizes on request.

Maximum manufacturing length: 12 000 mm L_i
Intermediate lengths from 2286 mm L_i

Minimum quantities for non listed sizes:

2050 to 10 000 mm L_i
4 pieces with 5 ribs or
5 pieces with 4 ribs or
6 pieces with 3 ribs or
10 pieces with 2 ribs
or multiples thereof

10 001 to 12 000 mm L_i
3 pieces with 5 ribs or
4 pieces with 4 ribs or
5 pieces with 3 ribs or
8 pieces with 2 ribs
or multiples thereof

Belt weight: 1 rib \approx 0,447 kg/m

**Minimum order quantities for
Aramid constructions on request.**


Maximum manufacturing length: 12 200 mm L_i
Intermediate lengths from 2500 mm L_i

Minimum quantities for non listed sizes:

2 pieces with 5 ribs or
2 pieces with 4 ribs or
3 pieces with 3 ribs or
5 pieces with 2 ribs
or multiples thereof

Belt weight: 1 rib \approx 0,798 kg/m

**Minimum order quantities for
Aramid constructions on request.**




| Section | 3VX/9JX | 5VX/15JX |
|--------------------|---------|----------|
| $b_o \approx$ (mm) | 9,0 | 15,0 |
| $h \approx$ (mm) | 9,9 | 15,1 |

| Section 3VX/9JX | | | | Section 5VX/15JX | | | |
|------------------------|--------------------|------------------------------|-----------|------------------------|--------------------|------------------------------|-----------|
| Euro per rib | Belt Number (inch) | Belt No. Outside length (mm) | £ per rib | Euro per rib | Belt Number (inch) | Belt No. Outside length (mm) | £ per rib |
| | 3VX 500 | 9JX 1270 | | | 5VX 500 | 15JX 1270 | |
| | 3VX 530 | 9JX 1346 | | | 5VX 530 | 15JX 1346 | |
| | 3VX 560 | 9JX 1422 | | | 5VX 560 | 15JX 1422 | |
| | 3VX 600 | 9JX 1524 | | | 5VX 600 | 15JX 1524 | |
| | 3VX 630 | 9JX 1600 | | | 5VX 630 | 15JX 1600 | |
| | 3VX 670 | 9JX 1702 | | | 5VX 670 | 15JX 1702 | |
| | 3VX 710 | 9JX 1803 | | | 5VX 710 | 15JX 1803 | |
| | 3VX 750 | 9JX 1905 | | | 5VX 750 | 15JX 1905 | |
| | 3VX 800 | 9JX 2032 | | | 5VX 800 | 15JX 2032 | |
| | 3VX 850 | 9JX 2159 | | | 5VX 850 | 15JX 2159 | |
| | 3VX 900 | 9JX 2286 | | | 5VX 900 | 15JX 2286 | |
| | 3VX 950 | 9JX 2413 | | | 5VX 950 | 15JX 2413 | |
| | 3VX 1000 | 9JX 2540 | | | 5VX 1000 | 15JX 2540 | |
| | 3VX 1060 | 9JX 2692 | | | 5VX 1060 | 15JX 2692 | |
| | 3VX 1120 | 9JX 2845 | | | 5VX 1120 | 15JX 2845 | |
| | 3VX 1180 | 9JX 2997 | | | 5VX 1180 | 15JX 2997 | |
| | 3VX 1250 | 9JX 3175 | | | 5VX 1250 | 15JX 3175 | |
| | 3VX 1320 | 9JX 3353 | | | 5VX 1320 | 15JX 3353 | |
| | 3VX 1400 | 9JX 3556 | | | 5VX 1400 | 15JX 3556 | |
| Non Stock Items | | | | Non Stock Items | | | |

Further sizes on request. Price for 2/3/4/5 ribs = Price shown multiplied 2/3/4 or 5.

| | |
|--|--|
| <p>Minimum quantities for all sizes on request:</p> <p>Belt weight: 1 rib \approx 0,117 kg/m</p> | <p>Minimum quantities for all sizes on request:</p> <p>Belt weight: 1 rib \approx 0,241 kg/m</p> |
|--|--|



| Patterns | Height of patterns | | Pitch (mm) | Width of groove (mm) |
|----------|--------------------|-----------|------------|----------------------|
| | Standard (mm) | max. (mm) | | |
| PKR 0 | 3 | 5 | — | — |
| PKR 1 | 3 | 5 | 10 | — |
| PKR 2 | 3 | 5 | — | — |
| PKR 5 | 5 | — | 13 | — |

| Quality/Colour | Temperature resistance (°C) | Hardness (Shore A) | Oil resistant | Staining |
|----------------|-----------------------------|--------------------|---------------|----------|
| SBR-NR/light | - 40 up to + 70 | ≈ 55/65* | no | no |
| CR/black | - 25 up to + 100 | ≈ 65 | limited | yes |

* ≈ 55 for surface above normal section height
 ≈ 65 for surface within surface height

SBR = Styrene-Butadiene Rubber
 NR = Natural Rubber
 CR = Chloroprene Rubber

| Patterned top surfaces added to normal belt thickness | | | | Height of patterns 3 or 5 mm above standard height | | | | |
|---|----------------------|--|----------|--|-------|-------|--|--|
| Section | Standard height (mm) | Standard inside length (mm) | Patterns | | | | Minimum quantities for Endless V-Belts Patterned Top Surfaces PKR 0; PKR 1; PKR 2; PKR 5 | |
| | | | PKR 0 | PKR 1 | PKR 2 | PKR 5 | for standard-range (see pages 15 to 19 of this Price List) | for intermediate lengths (lengths not shown in this Price List) or special constructions |
| A/13 | 8,0 | 1200 ≤ 5000 ¹⁾ | ● | ● | ● | — | 18 pcs. | 31 pcs. |
| B/17 | 11,0 | 1200 ≤ 2000 ¹⁾ 2001 ≤ 7100 ¹⁾ | ● | ● | ● | — | 15 pcs. 15 pcs. | 50 pcs. 42 pcs. |
| 20 | 12,5 | 1850 ≤ 2000 ²⁾ 2001 ≤ 8000 ²⁾ | ● | ● | ● | — | 13 pcs. 13 pcs. | 21 pcs. 36 pcs. |
| C/22 | 14,0 | 1850 ≤ 2000 ²⁾ 2001 ≤ 10000 ²⁾ | ● | ● | ● | — | 12 pcs. 12 pcs. | 57 pcs. 48 pcs. |
| 25 | 16,0 | 1850 ≤ 2000 ²⁾ 2001 ≤ 10000 ²⁾ | ● | ● | ● | — | 11 pcs. 11 pcs. | 51 pcs. 42 pcs. |
| D/32 | 20,0 | 2850 ≤ 12500 ²⁾ 2850 ≤ 12500 ²⁾ | ● | ● | ● | — | 9 pcs. 8 pcs. | 22 pcs. 8 pcs. |
| E/40 | 25,0 | — | — | — | — | — | on request | on request |

1) Maximum production length on request.. 2) Maximum production length 21000 mm.
 3) only in CR/black.

| Patterned top surfaces added to normal belt thickness | | | |
|---|----------|-------|--------------------|
| Standard inside length (mm) | Patterns | | Minimum quantities |
| | PKR 0 | PKR 2 | |
| 3550 ≤ 10000 ¹⁾ | ● | ● | 10 |
| 2850 ≤ 21000 ¹⁾ | ● | ● | 10 |
| 3550 ≤ 21000 ¹⁾ | ● | ● | 8 |
| 3550 ≤ 21000 ¹⁾ | ● | ● | 8 |
| 2850 ≤ 21000 ¹⁾ | ● | ● | 8 |
| 2850 ≤ 21000 ¹⁾ | ● | ● | 6 |
| 4 000 ≤ 21 000 ¹⁾ | ● | ● | 5 |


CR/black on request.

Length range/prices: see pages 15 to 19: + 200 % surcharge.
Surcharges for special belt constructions on request.

Section Z/10 on request.

The addition of patterned top surfaces to belts alters the section thickness and the section identification as follows.

Section B/17 – surface within the section thickness = 17 x 11
 Section B/17 – 3 mm surface added to section thickness = 17 x 14
 Section B/17 – 5 mm surface added to section thickness = 17 x 16




| Patterns | Height of patterns | | Pitch (mm) | Width of Groove (mm) |
|----------|--------------------|--------------|------------|----------------------|
| | Standard (mm) | maximal (mm) | | |
| PKR 0 | 3 | 5 | — | — |
| PKR 1 | 3 | 5 | 10 | — |
| PKR 2 | 3 | 5 | — | — |
| PKR 3 | 5 | — | — | 3,7 |

| Quality/Colour | Temperature resistance (°C) | Hardness (Shore A) | Oil resistant | Staining |
|----------------|-----------------------------|--------------------|---------------|----------|
| SBR-NR/light | - 40 up to + 70 | ≈ 55 | no | no |
| CR/black | - 25 up to + 100 | ≈ 65 | limited | yes |

SBR = Styrene-Butadiene Rubber
 NR = Natural Rubber
 CR = Chloroprene Rubber


| Section | Dimensions of the basic belt = Width x Height (mm) | Kraftband height without surface (mm) | Length designation | Length (mm) | Max. production length (mm) | Patterns | | | |
|---------|--|---------------------------------------|--------------------|-----------------------------|-----------------------------|----------|-------|-------|-------|
| | | | | | | PKR 0 | PKR 1 | PKR 2 | PKR 3 |
| 3V/9J | 9 x 8 | 9,9 | 500 ≤ 1400 | 1400 ≤ 3556 L _a | 4250 | ● | ● | ● | — |
| 5V/15J | 15 x 13 | 15,1 | 500 ≤ 3550 | 1400 ≤ 9017 L _a | 10000 | ● | ● | ● | — |
| 8V/25J | 25 x 23 | 25,5 | 1000 ≤ 4750 | 2540 ≤ 12065 L _a | 15000 | ● | ● | ● | — |
| SPB | 16,3 x 13 | 15,6 | — | 2400 ≤ 6000 L _d | 6000 | ● | ● | ● | — |
| A/HA | 13 x 8 | 9,9 | — | 1400 ≤ 5000 L _i | 8000 | ● | ● | ● | — |
| | | | | 2850 ≤ 8000 L _i | on request | — | — | — | ● |
| B/HB | 17 x 11 | 13,0 | — | 1400 ≤ 7 100 L _i | 10000 | ● | ● | ● | — |
| C/HC | 22 x 14 | 16,2 | — | 2050 ≤ 7 100 L _i | 12000 | ● | ● | ● | — |



Type MXL (nominal dimensions – mm)

Type MXL - pitch 2,032 mm


| Belt No. | Pitch length | | Number of teeth | 1/8" width ≈ 3,175 mm Code No. 012 | | 3/16" width ≈ 4,763 mm Code No. 019 | | 1/4" width ≈ 6,35 mm Code No. 025 | |
|-----------|--------------|--------|-----------------|--|--------|---|--------|---|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 360 MXL | 3,60 | 91,44 | 45 | | | | | | |
| 432 MXL• | 4,32 | 109,73 | 54 | | | | | | |
| 440 MXL | 4,40 | 111,76 | 55 | | | | | | |
| 448 MXL• | 4,48 | 113,79 | 56 | | | | | | |
| 456 MXL• | 4,56 | 115,82 | 57 | | | | | | |
| 464 MXL• | 4,64 | 117,86 | 58 | | | | | | |
| 480 MXL | 4,80 | 121,92 | 60 | | | | | | |
| 488 MXL• | 4,88 | 123,95 | 61 | | | | | | |
| 536 MXL• | 5,36 | 136,14 | 67 | | | | | | |
| 544 MXL• | 5,44 | 138,18 | 68 | | | | | | |
| 560 MXL• | 5,60 | 142,24 | 70 | | | | | | |
| 568 MXL• | 5,68 | 144,27 | 71 | | | | | | |
| 576 MXL• | 5,76 | 146,30 | 72 | | | | | | |
| 600 MXL• | 6,00 | 152,40 | 75 | | | | | | |
| 608 MXL• | 6,08 | 154,43 | 76 | | | | | | |
| 632 MXL• | 6,32 | 160,53 | 79 | | | | | | |
| 640 MXL | 6,40 | 162,56 | 80 | | | | | | |
| 656 MXL• | 6,56 | 166,62 | 82 | | | | | | |
| 664 MXL• | 6,64 | 168,66 | 83 | | | | | | |
| 672 MXL• | 6,72 | 170,69 | 84 | | | | | | |
| 680 MXL• | 6,80 | 172,72 | 85 | | | | | | |
| 704 MXL• | 7,04 | 178,82 | 88 | | | | | | |
| 720 MXL• | 7,20 | 182,88 | 90 | | | | | | |
| 736 MXL• | 7,36 | 186,94 | 92 | | | | | | |
| 752 MXL• | 7,52 | 191,01 | 94 | | | | | | |
| 760 MXL• | 7,60 | 193,04 | 95 | | | | | | |
| 776 MXL• | 7,76 | 197,10 | 97 | | | | | | |
| 784 MXL• | 7,84 | 199,14 | 98 | | | | | | |
| 800 MXL• | 8,00 | 203,20 | 100 | | | | | | |
| 808 MXL• | 8,08 | 205,23 | 101 | | | | | | |
| 816 MXL• | 8,16 | 207,26 | 102 | | | | | | |
| 824 MXL• | 8,24 | 209,30 | 103 | | | | | | |
| 840 MXL• | 8,40 | 213,36 | 105 | | | | | | |
| 848 MXL• | 8,48 | 215,39 | 106 | | | | | | |
| 856 MXL• | 8,56 | 217,42 | 107 | | | | | | |
| 864 MXL• | 8,64 | 219,46 | 108 | | | | | | |
| 880 MXL | 8,80 | 223,52 | 110 | | | | | | |
| 896 MXL• | 8,96 | 227,58 | 112 | | | | | | |
| 904 MXL• | 9,04 | 229,62 | 113 | | | | | | |
| 912 MXL• | 9,12 | 231,65 | 114 | | | | | | |
| 920 MXL• | 9,20 | 233,68 | 115 | | | | | | |
| 960 MXL• | 9,60 | 243,84 | 120 | | | | | | |
| 976 MXL• | 9,76 | 247,90 | 122 | | | | | | |
| 984 MXL• | 9,84 | 249,94 | 123 | | | | | | |
| 1000 MXL• | 10,00 | 254,00 | 125 | | | | | | |
| 1008 MXL• | 10,08 | 256,03 | 126 | | | | | | |
| 1040 MXL• | 10,40 | 264,16 | 130 | | | | | | |
| 1056 MXL• | 10,56 | 268,22 | 132 | | | | | | |
| 1072 MXL• | 10,72 | 272,29 | 134 | | | | | | |
| 1080 MXL• | 10,80 | 274,32 | 135 | | | | | | |
| 1112 MXL• | 11,12 | 282,45 | 139 | | | | | | |
| 1120 MXL | 11,20 | 284,48 | 140 | | | | | | |
| 1136 MXL• | 11,36 | 288,54 | 142 | | | | | | |
| 1176 MXL• | 11,76 | 298,70 | 147 | | | | | | |
| 1184 MXL• | 11,84 | 300,74 | 148 | | | | | | |



Type MXL (nominal dimensions – mm)

Type MXL - pitch 2,032 mm


| Belt No. | Pitch length | | Number of teeth | 1/8" width ≈ 3,175 mm Code No. 012 | | 3/16" width ≈ 4,763 mm Code No. 019 | | 1/4" width ≈ 6,35 mm Code No. 025 | |
|-----------|--------------|---------|-----------------|--|--------|---|--------|---|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 1200 MXL• | 12,00 | 304,80 | 150 | | | | | | |
| 1224 MXL• | 12,24 | 310,90 | 153 | | | | | | |
| 1272 MXL• | 12,72 | 323,09 | 159 | | | | | | |
| 1280 MXL• | 12,80 | 325,12 | 160 | | | | | | |
| 1320 MXL• | 13,20 | 335,28 | 165 | | | | | | |
| 1360 MXL• | 13,60 | 345,44 | 170 | | | | | | |
| 1400 MXL | 14,00 | 355,60 | 175 | | | | | | |
| 1440 MXL• | 14,40 | 365,76 | 180 | | | | | | |
| 1472 MXL• | 14,72 | 373,89 | 184 | | | | | | |
| 1520 MXL• | 15,20 | 386,08 | 190 | | | | | | |
| 1560 MXL• | 15,60 | 396,24 | 195 | | | | | | |
| 1600 MXL• | 16,00 | 406,40 | 200 | | | | | | |
| 1768 MXL• | 17,68 | 449,07 | 221 | | | | | | |
| 1800 MXL• | 18,00 | 457,20 | 225 | | | | | | |
| 1888 MXL• | 18,88 | 479,55 | 236 | | | | | | |
| 1984 MXL• | 19,84 | 503,94 | 248 | | | | | | |
| 1992 MXL• | 19,92 | 505,97 | 249 | | | | | | |
| 2008 MXL• | 20,08 | 510,03 | 251 | | | | | | |
| 2048 MXL• | 20,48 | 520,19 | 256 | | | | | | |
| 2144 MXL• | 21,44 | 544,58 | 268 | | | | | | |
| 2240 MXL• | 22,40 | 568,96 | 280 | | | | | | |
| 2280 MXL• | 22,80 | 579,12 | 285 | | | | | | |
| 2384 MXL• | 23,84 | 605,54 | 298 | | | | | | |
| 2480 MXL• | 24,80 | 629,92 | 310 | | | | | | |
| 2520 MXL• | 25,20 | 640,08 | 315 | | | | | | |
| 2680 MXL• | 26,80 | 680,72 | 335 | | | | | | |
| 2776 MXL• | 27,76 | 705,10 | 347 | | | | | | |
| 2824 MXL• | 28,24 | 717,30 | 353 | | | | | | |
| 2880 MXL• | 28,80 | 731,52 | 360 | | | | | | |
| 2920 MXL• | 29,20 | 741,68 | 365 | | | | | | |
| 3200 MXL• | 32,00 | 812,80 | 400 | | | | | | |
| 3472 MXL• | 34,72 | 881,89 | 434 | | | | | | |
| 3624 MXL• | 36,24 | 920,50 | 453 | | | | | | |
| 3704 MXL• | 37,04 | 940,82 | 463 | | | | | | |
| 3984 MXL• | 39,84 | 1011,94 | 498 | | | | | | |
| 4040 MXL• | 40,40 | 1026,16 | 505 | | | | | | |



Type XL (nominal dimensions – mm)

Type XL - pitch 5,08 mm


| Belt No. | Pitch length | | Number of teeth | 1/4" width ≈ 6,35 mm Code No. 025 | | 5/16" width ≈ 7,94 mm Code No. 031 | | 3/8" width ≈ 9,53 mm Code No. 037 | |
|----------|--------------|--------|-----------------|---|--------|--|--------|---|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 60 XL | 6,00 | 152,40 | 30 | | | | | | |
| 70 XL | 7,00 | 177,80 | 35 | | | | | | |
| 80 XL | 8,00 | 203,20 | 40 | | | | | | |
| 86 XL• | 8,60 | 218,44 | 43 | | | | | | |
| 88 XL• | 8,80 | 223,52 | 44 | | | | | | |
| 90 XL | 9,00 | 228,60 | 45 | | | | | | |
| 92 XL• | 9,20 | 233,68 | 46 | | | | | | |
| 94 XL• | 9,40 | 238,76 | 47 | | | | | | |
| 96 XL• | 9,60 | 243,84 | 48 | | | | | | |
| 100 XL | 10,00 | 254,00 | 50 | | | | | | |
| 102 XL• | 10,20 | 259,08 | 51 | | | | | | |
| 106 XL• | 10,60 | 269,24 | 53 | | | | | | |
| 108 XL• | 10,80 | 274,32 | 54 | | | | | | |
| 110 XL | 11,00 | 279,40 | 55 | | | | | | |
| 112 XL• | 11,20 | 284,48 | 56 | | | | | | |
| 116 XL• | 11,60 | 294,64 | 58 | | | | | | |
| 118 XL• | 11,80 | 299,72 | 59 | | | | | | |
| 120 XL | 12,00 | 304,80 | 60 | | | | | | |
| 124 XL• | 12,40 | 314,96 | 62 | | | | | | |
| 126 XL• | 12,60 | 320,04 | 63 | | | | | | |
| 128 XL• | 12,80 | 325,12 | 64 | | | | | | |
| 130 XL | 13,00 | 330,20 | 65 | | | | | | |
| 134 XL• | 13,40 | 340,36 | 67 | | | | | | |
| 136 XL• | 13,60 | 345,44 | 68 | | | | | | |
| 138 XL• | 13,80 | 350,52 | 69 | | | | | | |
| 140 XL | 14,00 | 355,60 | 70 | | | | | | |
| 148 XL• | 14,80 | 375,92 | 74 | | | | | | |
| 150 XL | 15,00 | 381,00 | 75 | | | | | | |
| 156 XL• | 15,60 | 396,24 | 78 | | | | | | |
| 160 XL | 16,00 | 406,40 | 80 | | | | | | |
| 162 XL• | 16,20 | 411,48 | 81 | | | | | | |
| 168 XL• | 16,80 | 426,72 | 84 | | | | | | |
| 170 XL | 17,00 | 431,80 | 85 | | | | | | |
| 174 XL• | 17,40 | 441,96 | 87 | | | | | | |
| 176 XL• | 17,60 | 447,04 | 88 | | | | | | |
| 178 XL• | 17,80 | 452,12 | 89 | | | | | | |
| 180 XL | 18,00 | 457,20 | 90 | | | | | | |
| 182 XL• | 18,20 | 462,28 | 91 | | | | | | |
| 184 XL• | 18,40 | 467,36 | 92 | | | | | | |
| 188 XL• | 18,80 | 477,52 | 94 | | | | | | |
| 190 XL | 19,00 | 482,60 | 95 | | | | | | |
| 192 XL• | 19,20 | 487,68 | 96 | | | | | | |
| 196 XL• | 19,60 | 497,84 | 98 | | | | | | |
| 200 XL | 20,00 | 508,00 | 100 | | | | | | |
| 210 XL | 21,00 | 533,40 | 105 | | | | | | |
| 220 XL | 22,00 | 558,80 | 110 | | | | | | |
| 230 XL | 23,00 | 584,20 | 115 | | | | | | |
| 240 XL | 24,00 | 609,60 | 120 | | | | | | |
| 244 XL• | 24,40 | 619,76 | 122 | | | | | | |
| 248 XL• | 24,80 | 629,92 | 124 | | | | | | |
| 250 XL | 25,00 | 635,00 | 125 | | | | | | |
| 260 XL | 26,00 | 660,40 | 130 | | | | | | |
| 270 XL | 27,00 | 685,80 | 135 | | | | | | |
| 272 XL• | 27,20 | 690,88 | 136 | | | | | | |
| 274 XL• | 27,40 | 695,96 | 137 | | | | | | |



Type XL (nominal dimensions – mm)

Type XL - pitch 5,08 mm


| Belt No. | Pitch length | | Number of teeth | 1/4" width ≈ 6,35 mm Code No. 025 | | 5/16" width ≈ 7,94 mm Code No. 031 | | 3/8" width ≈ 9,53 mm Code No. 037 | |
|----------|--------------|---------|-----------------|---|--------|--|--------|---|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 280 XL | 28,00 | 711,20 | 140 | | | | | | |
| 286 XL• | 28,60 | 726,44 | 143 | | | | | | |
| 290 XL | 29,00 | 736,60 | 145 | | | | | | |
| 296 XL• | 29,60 | 751,84 | 148 | | | | | | |
| 300 XL | 30,00 | 762,00 | 150 | | | | | | |
| 306 XL• | 30,60 | 777,24 | 153 | | | | | | |
| 310 XL | 31,00 | 787,40 | 155 | | | | | | |
| 316 XL | 31,60 | 802,64 | 158 | | | | | | |
| 322 XL | 32,20 | 817,88 | 161 | | | | | | |
| 330 XL | 33,00 | 838,20 | 165 | | | | | | |
| 340 XL• | 34,00 | 863,60 | 170 | | | | | | |
| 344 XL• | 34,40 | 873,76 | 172 | | | | | | |
| 350 XL• | 35,00 | 889,00 | 175 | | | | | | |
| 380 XL• | 38,00 | 965,20 | 190 | | | | | | |
| 382 XL• | 38,20 | 970,28 | 191 | | | | | | |
| 388 XL• | 38,80 | 985,52 | 194 | | | | | | |
| 390 XL | 39,00 | 990,60 | 195 | | | | | | |
| 392 XL• | 39,20 | 995,68 | 196 | | | | | | |
| 412 XL | 41,20 | 1046,48 | 206 | | | | | | |
| 414 XL• | 41,40 | 1051,56 | 207 | | | | | | |
| 438 XL• | 43,80 | 1112,52 | 219 | | | | | | |
| 460 XL• | 46,00 | 1168,40 | 230 | | | | | | |
| 498 XL• | 49,80 | 1264,92 | 249 | | | | | | |
| 506 XL• | 50,60 | 1285,24 | 253 | | | | | | |
| 514 XL• | 51,40 | 1305,56 | 257 | | | | | | |
| 580 XL• | 58,00 | 1473,20 | 290 | | | | | | |
| 630 XL• | 63,00 | 1600,20 | 315 | | | | | | |



Type L (nominal dimensions – mm)

Type L - pitch 9,525 mm


| Belt No. | Pitch length | | Number of teeth | 1/2" width ≈ 12,7 mm Code No. 050 | | 3/4" width ≈ 19,05 mm Code No. 075 | | 1" width ≈ 25,4 mm Code No. 100 | |
|----------|--------------|---------|-----------------|--|--------|---|--------|--|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 109 L | 10,88 | 276,23 | 29 | | | | | | |
| 124 L | 12,38 | 314,33 | 33 | | | | | | |
| 150 L | 15,00 | 381,00 | 40 | | | | | | |
| 169 L | 16,88 | 428,63 | 45 | | | | | | |
| 187 L | 18,75 | 476,25 | 50 | | | | | | |
| 210 L | 21,00 | 533,40 | 56 | | | | | | |
| 225 L | 22,50 | 571,50 | 60 | | | | | | |
| 236 L | 23,63 | 600,08 | 63 | | | | | | |
| 240 L | 24,00 | 609,60 | 64 | | | | | | |
| 255 L | 25,50 | 647,70 | 68 | | | | | | |
| 270 L | 27,00 | 685,80 | 72 | | | | | | |
| 285 L | 28,50 | 723,90 | 76 | | | | | | |
| 300 L | 30,00 | 762,00 | 80 | | | | | | |
| 322 L | 32,25 | 819,15 | 86 | | | | | | |
| 345 L | 34,50 | 876,30 | 92 | | | | | | |
| 367 L | 36,75 | 933,45 | 98 | | | | | | |
| 390 L | 39,00 | 990,60 | 104 | | | | | | |
| 405 L | 40,50 | 1028,70 | 108 | | | | | | |
| 420 L | 42,00 | 1066,80 | 112 | | | | | | |
| 450 L | 45,00 | 1143,00 | 120 | | | | | | |
| 454 L | 45,38 | 1152,53 | 121 | | | | | | |
| 480 L | 48,00 | 1219,20 | 128 | | | | | | |
| 510 L | 51,00 | 1295,40 | 136 | | | | | | |
| 540 L | 54,00 | 1371,60 | 144 | | | | | | |
| 600 L | 60,00 | 1524,00 | 160 | | | | | | |
| 660 L | 66,00 | 1676,40 | 176 | | | | | | |



Type H (nominal dimensions – mm)

Type H - pitch 12,7 mm


| Belt No. | Pitch length | | Number of teeth | 3/4" width ≈ 19,05 mm Code No. 075 | | 1" width ≈ 25,4 mm Code No. 100 | | 1 1/2" width ≈ 38,1 mm Code No. 150 | |
|----------|--------------|---------|-----------------|--|------------|---------------------------------------|------------|---|------------|
| | (inch) | (mm) | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| 230 H | 23,00 | 584,20 | 46 | | | | | | |
| 240 H | 24,00 | 609,60 | 48 | | | | | | |
| 255 H | 25,50 | 647,70 | 51 | | | | | | |
| 270 H | 27,00 | 685,80 | 54 | | | | | | |
| 280 H | 28,00 | 711,20 | 56 | | | | | | |
| 300 H | 30,00 | 762,00 | 60 | | | | | | |
| 330 H | 33,00 | 838,20 | 66 | | | | | | |
| 335 H | 33,50 | 850,90 | 67 | | | | | | |
| 360 H | 36,00 | 914,40 | 72 | | | | | | |
| 370 H | 37,00 | 939,80 | 74 | | | | | | |
| 390 H | 39,00 | 990,60 | 78 | | | | | | |
| 400 H | 40,00 | 1016,00 | 80 | | | | | | |
| 420 H | 42,00 | 1066,80 | 84 | | | | | | |
| 430 H | 43,00 | 1092,20 | 86 | | | | | | |
| 450 H | 45,00 | 1143,00 | 90 | | | | | | |
| 465 H | 46,50 | 1181,10 | 93 | | | | | | |
| 480 H | 48,00 | 1219,20 | 96 | | | | | | |
| 510 H | 51,00 | 1295,40 | 102 | | | | | | |
| 540 H | 54,00 | 1371,60 | 108 | | | | | | |
| 560 H | 56,00 | 1422,40 | 112 | | | | | | |
| 570 H | 57,00 | 1447,80 | 114 | | | | | | |
| 600 H | 60,00 | 1524,00 | 120 | | | | | | |
| 630 H | 63,00 | 1600,20 | 126 | | | | | | |
| 660 H | 66,00 | 1676,40 | 132 | | | | | | |
| 680 H | 68,00 | 1727,20 | 136 | | | | | | |
| 700 H | 70,00 | 1778,00 | 140 | | | | | | |
| 730 H | 73,00 | 1854,20 | 146 | | | | | | |
| 750 H | 75,00 | 1905,00 | 150 | | | | | | |
| 770 H | 77,00 | 1955,80 | 154 | | | | | | |
| 800 H | 80,00 | 2032,00 | 160 | | | | | | |
| 850 H | 85,00 | 2159,00 | 170 | | | | | | |
| 860 H | 86,00 | 2184,40 | 172 | | | | | | |
| 900 H | 90,00 | 2286,00 | 180 | | | | | | |
| 950 H | 95,00 | 2413,00 | 190 | | | | | | |
| 1000 H | 100,00 | 2540,00 | 200 | | | | | | |
| 1100 H | 110,00 | 2794,00 | 220 | | | | | | |
| 1250 H | 125,00 | 3175,00 | 250 | | | | | | |
| 1400 H | 140,00 | 3556,00 | 280 | | | | | | |
| 1700 H | 170,00 | 4318,00 | 340 | | | | | | |



Type H (nominal dimensions – mm)

Type H - pitch 12,7 mm


| Belt No. | Pitch length | | Number of teeth | 2" width ≈ 50,8 mm Code No. 200 | | 3" width ≈ 76,2 mm Code No. 300 | |
|----------|--------------|---------|-----------------|---------------------------------------|--------|---------------------------------------|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each |
| 230 H | 23,00 | 584,20 | 46 | | | | |
| 240 H | 24,00 | 609,60 | 48 | | | | |
| 255 H | 25,50 | 647,70 | 51 | | | | |
| 270 H | 27,00 | 685,80 | 54 | | | | |
| 280 H | 28,00 | 711,20 | 56 | | | | |
| 300 H | 30,00 | 762,00 | 60 | | | | |
| 330 H | 33,00 | 838,20 | 66 | | | | |
| 335 H | 33,50 | 850,90 | 67 | | | | |
| 360 H | 36,00 | 914,40 | 72 | | | | |
| 370 H | 37,00 | 939,80 | 74 | | | | |
| 390 H | 39,00 | 990,60 | 78 | | | | |
| 400 H | 40,00 | 1016,00 | 80 | | | | |
| 420 H | 42,00 | 1066,80 | 84 | | | | |
| 430 H | 43,00 | 1092,20 | 86 | | | | |
| 450 H | 45,00 | 1143,00 | 90 | | | | |
| 465 H | 46,50 | 1181,10 | 93 | | | | |
| 480 H | 48,00 | 1219,20 | 96 | | | | |
| 510 H | 51,00 | 1295,40 | 102 | | | | |
| 540 H | 54,00 | 1371,60 | 108 | | | | |
| 560 H | 56,00 | 1422,40 | 112 | | | | |
| 570 H | 57,00 | 1447,80 | 114 | | | | |
| 600 H | 60,00 | 1524,00 | 120 | | | | |
| 630 H | 63,00 | 1600,20 | 126 | | | | |
| 660 H | 66,00 | 1676,40 | 132 | | | | |
| 680 H | 68,00 | 1727,20 | 136 | | | | |
| 700 H | 70,00 | 1778,00 | 140 | | | | |
| 730 H | 73,00 | 1854,20 | 146 | | | | |
| 750 H | 75,00 | 1905,00 | 150 | | | | |
| 770 H | 77,00 | 1955,80 | 154 | | | | |
| 800 H | 80,00 | 2032,00 | 160 | | | | |
| 850 H | 85,00 | 2159,00 | 170 | | | | |
| 860 H | 86,00 | 2184,40 | 172 | | | | |
| 900 H | 90,00 | 2286,00 | 180 | | | | |
| 950 H | 95,00 | 2413,00 | 190 | | | | |
| 1000 H | 100,00 | 2540,00 | 200 | | | | |
| 1100 H | 110,00 | 2794,00 | 220 | | | | |
| 1250 H | 125,00 | 3175,00 | 250 | | | | |
| 1400 H | 140,00 | 3556,00 | 280 | | | | |
| 1700 H | 170,00 | 4318,00 | 340 | | | | |



Type XH (nominal dimensions – mm)

Type XH - pitch 22,225 mm

| Belt No. | Pitch length | | Number of teeth | 2" width ≈ 50,8 mm Code No. 200 | | 3" width ≈ 76,2 mm Code No. 300 | | 4" width ≈ 101,6 mm Code No. 400 | | 5" width ≈ 127 mm Code No. 500 | |
|----------|--------------|---------|-----------------|--|------------|--|------------|---|------------|---|------------|
| | (inch) | (mm) | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| 507 XH | 50,75 | 1289,05 | 58 | | | | | | | | |
| 560 XH | 56,00 | 1422,40 | 64 | | | | | | | | |
| 630 XH | 63,00 | 1600,20 | 72 | | | | | | | | |
| 700 XH | 70,00 | 1778,00 | 80 | | | | | | | | |
| 770 XH | 77,00 | 1955,80 | 88 | | | | | | | | |
| 840 XH | 84,00 | 2133,60 | 96 | | | | | | | | |
| 980 XH | 98,00 | 2489,20 | 112 | | | | | | | | |
| 1120 XH | 112,00 | 2844,80 | 128 | | | | | | | | |
| 1260 XH | 126,00 | 3200,40 | 144 | | | | | | | | |
| 1400 XH | 140,00 | 3556,00 | 160 | | | | | | | | |
| 1540 XH | 154,00 | 3911,60 | 176 | | | | | | | | |
| 1750 XH | 175,00 | 4445,00 | 200 | | | | | | | | |



Type XXH (nominal dimensions – mm)

Type XXH - pitch 31,75 mm

| Belt No. | Pitch length | | Number of teeth | 2" width ≈ 50,8 mm Code No. 200 | | 3" width ≈ 76,2 mm Code No. 300 | | 4" width ≈ 101,6 mm Code No. 400 | | 5" width ≈ 127 mm Code No. 500 | |
|----------|--------------|---------|-----------------|---------------------------------------|--------|---------------------------------------|--------|--|--------|--------------------------------------|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 700 XXH | 70,00 | 1778,00 | 56 | | | | | | | | |
| 800 XXH | 80,00 | 2032,00 | 64 | | | | | | | | |
| 900 XXH | 90,00 | 2286,00 | 72 | | | | | | | | |
| 1000 XXH | 100,00 | 2540,00 | 80 | | | | | | | | |
| 1200 XXH | 120,00 | 3048,00 | 96 | | | | | | | | |
| 1400 XXH | 140,00 | 3556,00 | 112 | | | | | | | | |
| 1600 XXH | 160,00 | 4064,00 | 128 | | | | | | | | |
| 1800 XXH | 180,00 | 4572,00 | 144 | | | | | | | | |

When ordering, give belt number (belt length and pitch) and width.


Example: 800 XXH 300

800 = Belt length 80.0"/2032.0 mm

XXH = Type XXH – 31.75 mm pitch

300 = Belt width 3.0"/76.2 mm


optibelt-ZR D Double Timing Belts



Type D-XL (nominal dimensions – mm)

Type D-XL - pitch 5,08 mm

| Belt No. | Pitch length | | Number of teeth | 1/4" width ≈ 6,35 mm Code No. 025 | | 5/16" width ≈ 7,94 mm Code No. 031 | | 3/8" width ≈ 9,53 mm Code No. 037 | |
|----------|--------------|--------|-----------------|---|--------|--|--------|---|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 150 DXL | 15,00 | 381,00 | 75 | | | | | | |
| 160 DXL | 16,00 | 406,40 | 80 | | | | | | |
| 170 DXL | 17,00 | 431,80 | 85 | | | | | | |
| 180 DXL | 18,00 | 457,20 | 90 | | | | | | |
| 190 DXL | 19,00 | 482,60 | 95 | | | | | | |
| 200 DXL | 20,00 | 508,00 | 100 | | | | | | |
| 210 DXL | 21,00 | 533,40 | 105 | | | | | | |
| 220 DXL | 22,00 | 558,80 | 110 | | | | | | |
| 230 DXL | 23,00 | 584,20 | 115 | | | | | | |
| 240 DXL | 24,00 | 609,60 | 120 | | | | | | |
| 250 DXL | 25,00 | 635,00 | 125 | | | | | | |
| 260 DXL | 26,00 | 660,40 | 130 | | | | | | |
| 280 DXL | 28,00 | 711,20 | 140 | | | | | | |
| 300 DXL | 30,00 | 762,00 | 150 | | | | | | |
| 310 DXL | 31,00 | 787,40 | 155 | | | | | | |




Type D-L - pitch 9,525 mm

| Belt No. | Pitch length | | Number of teeth | 1/2" width ≈ 12,7 mm Code No. 050 | | 3/4" width ≈ 19,05 mm Code No. 075 | | 1" width ≈ 25,4 mm Code No. 100 | |
|----------|--------------|---------|-----------------|---|--------|--|--------|---------------------------------------|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 169 DL | 16,88 | 428,63 | 45 | | | | | | |
| 187 DL | 18,75 | 476,25 | 50 | | | | | | |
| 210 DL | 21,00 | 533,40 | 56 | | | | | | |
| 225 DL | 22,50 | 571,50 | 60 | | | | | | |
| 240 DL | 24,00 | 609,60 | 64 | | | | | | |
| 255 DL | 25,50 | 647,70 | 68 | | | | | | |
| 270 DL | 27,00 | 685,80 | 72 | | | | | | |
| 285 DL | 28,50 | 723,90 | 76 | | | | | | |
| 300 DL | 30,00 | 762,00 | 80 | | | | | | |
| 322 DL | 32,25 | 819,15 | 86 | | | | | | |
| 345 DL | 34,50 | 876,30 | 92 | | | | | | |
| 367 DL | 36,75 | 933,45 | 98 | | | | | | |
| 390 DL | 39,00 | 990,60 | 104 | | | | | | |
| 420 DL | 42,00 | 1066,80 | 112 | | | | | | |
| 450 DL | 45,00 | 1143,00 | 120 | | | | | | |
| 480 DL | 48,00 | 1219,20 | 128 | | | | | | |
| 510 DL | 51,00 | 1295,40 | 136 | | | | | | |
| 540 DL | 54,00 | 1371,60 | 144 | | | | | | |
| 600 DL | 60,00 | 1524,00 | 160 | | | | | | |

Type D-H - pitch 12,7 mm


| Belt No. | Pitch length | | Number of teeth | 3/4" width ≈ 19,05 mm Code No. 075 | | 1" width ≈ 25,4 mm Code No. 100 | | 1 1/2" width ≈ 38,1 mm Code No. 150 | | 2" width ≈ 50,8 mm Code No. 200 | | 3" width ≈ 76,2 mm Code No. 300 | |
|----------|--------------|---------|-----------------|--|--------|---------------------------------------|--------|---|--------|---------------------------------------|--------|---------------------------------------|--------|
| | (inch) | (mm) | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 240 DH | 24,00 | 609,60 | 48 | | | | | | | | | | |
| 270 DH | 27,00 | 685,80 | 54 | | | | | | | | | | |
| 300 DH | 30,00 | 762,00 | 60 | | | | | | | | | | |
| 330 DH | 33,00 | 838,20 | 66 | | | | | | | | | | |
| 360 DH | 36,00 | 914,40 | 72 | | | | | | | | | | |
| 390 DH | 39,00 | 990,60 | 78 | | | | | | | | | | |
| 420 DH | 42,00 | 1066,80 | 84 | | | | | | | | | | |
| 450 DH | 45,00 | 1143,00 | 90 | | | | | | | | | | |
| 480 DH | 48,00 | 1219,20 | 96 | | | | | | | | | | |
| 510 DH | 51,00 | 1295,40 | 102 | | | | | | | | | | |
| 540 DH | 54,00 | 1371,60 | 108 | | | | | | | | | | |
| 570 DH | 57,00 | 1447,80 | 114 | | | | | | | | | | |
| 600 DH | 60,00 | 1524,00 | 120 | | | | | | | | | | |
| 630 DH | 63,00 | 1600,20 | 126 | | | | | | | | | | |
| 660 DH | 66,00 | 1676,40 | 132 | | | | | | | | | | |
| 700 DH | 70,00 | 1778,00 | 140 | | | | | | | | | | |
| 750 DH | 75,00 | 1905,00 | 150 | | | | | | | | | | |
| 800 DH | 80,00 | 2032,00 | 160 | | | | | | | | | | |
| 850 DH | 85,00 | 2159,00 | 170 | | | | | | | | | | |
| 900 DH | 90,00 | 2286,00 | 180 | | | | | | | | | | |
| 1000 DH | 100,00 | 2540,00 | 200 | | | | | | | | | | |
| 1100 DH | 110,00 | 2794,00 | 220 | | | | | | | | | | |
| 1250 DH | 125,00 | 3175,00 | 250 | | | | | | | | | | |
| 1400 DH | 140,00 | 3556,00 | 280 | | | | | | | | | | |
| 1700 DH | 170,00 | 4318,00 | 340 | | | | | | | | | | |



Type 3M-A (nominal dimensions mm)


Type 3M-A - pitch 3 mm

| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | |
|------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 111 - 3M-A | 111,00 | 37 | | | | | | |
| 129 - 3M-A | 129,00 | 43 | | | | | | |
| 141 - 3M-A | 141,00 | 47 | | | | | | |
| 144 - 3M-A | 144,00 | 48 | | | | | | |
| 150 - 3M-A | 150,00 | 50 | | | | | | |
| 165 - 3M-A | 165,00 | 55 | | | | | | |
| 168 - 3M-A | 168,00 | 56 | | | | | | |
| 174 - 3M-A | 174,00 | 58 | | | | | | |
| 177 - 3M-A | 177,00 | 59 | | | | | | |
| 180 - 3M-A | 180,00 | 60 | | | | | | |
| 186 - 3M-A | 186,00 | 62 | | | | | | |
| 192 - 3M-A | 192,00 | 64 | | | | | | |
| 195 - 3M-A | 195,00 | 65 | | | | | | |
| 201 - 3M-A | 201,00 | 67 | | | | | | |
| 204 - 3M-A | 204,00 | 68 | | | | | | |
| 207 - 3M-A | 207,00 | 69 | | | | | | |
| 210 - 3M-A | 210,00 | 70 | | | | | | |
| 213 - 3M-A | 213,00 | 71 | | | | | | |
| 225 - 3M-A | 225,00 | 75 | | | | | | |
| 252 - 3M-A | 252,00 | 84 | | | | | | |
| 255 - 3M-A | 255,00 | 85 | | | | | | |
| 267 - 3M-A | 267,00 | 89 | | | | | | |
| 285 - 3M-A | 285,00 | 95 | | | | | | |
| 291 - 3M-A | 291,00 | 97 | | | | | | |
| 300 - 3M-A | 300,00 | 100 | | | | | | |
| 312 - 3M-A | 312,00 | 104 | | | | | | |
| 318 - 3M-A | 318,00 | 106 | | | | | | |
| 330 - 3M-A | 330,00 | 110 | | | | | | |
| 339 - 3M-A | 339,00 | 113 | | | | | | |
| 345 - 3M-A | 345,00 | 115 | | | | | | |
| 357 - 3M-A | 357,00 | 119 | | | | | | |
| 363 - 3M-A | 363,00 | 121 | | | | | | |
| 366 - 3M-A | 366,00 | 122 | | | | | | |
| 384 - 3M-A | 384,00 | 128 | | | | | | |
| 390 - 3M-A | 390,00 | 130 | | | | | | |
| 420 - 3M-A | 420,00 | 140 | | | | | | |
| 447 - 3M-A | 447,00 | 149 | | | | | | |
| 474 - 3M-A | 474,00 | 158 | | | | | | |
| 480 - 3M-A | 480,00 | 160 | | | | | | |
| 486 - 3M-A | 486,00 | 162 | | | | | | |
| 495 - 3M-A | 495,00 | 165 | | | | | | |
| 501 - 3M-A | 501,00 | 167 | | | | | | |
| 513 - 3M-A | 513,00 | 171 | | | | | | |
| 519 - 3M-A | 519,00 | 173 | | | | | | |
| 522 - 3M-A | 522,00 | 174 | | | | | | |
| 525 - 3M-A | 525,00 | 175 | | | | | | |
| 531 - 3M-A | 531,00 | 177 | | | | | | |
| 537 - 3M-A | 537,00 | 179 | | | | | | |
| 558 - 3M-A | 558,00 | 186 | | | | | | |
| 564 - 3M-A | 564,00 | 188 | | | | | | |
| 570 - 3M-A | 570,00 | 190 | | | | | | |
| 597 - 3M-A | 597,00 | 199 | | | | | | |
| 600 - 3M-A | 600,00 | 200 | | | | | | |
| 606 - 3M-A | 606,00 | 202 | | | | | | |
| 615 - 3M-A | 615,00 | 205 | | | | | | |



Type 3M-A (nominal dimensions mm)


| Type 3M-A - pitch 3 mm | | | | | | | | |
|------------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 633 - 3M-A | 633,00 | 211 | | | | | | |
| 669 - 3M-A | 669,00 | 223 | | | | | | |
| 675 - 3M-A | 675,00 | 225 | | | | | | |
| 711 - 3M-A | 711,00 | 237 | | | | | | |
| 738 - 3M-A | 738,00 | 246 | | | | | | |
| 804 - 3M-A | 804,00 | 268 | | | | | | |
| 843 - 3M-A | 843,00 | 281 | | | | | | |
| 882 - 3M-A | 882,00 | 294 | | | | | | |
| 888 - 3M-A | 888,00 | 296 | | | | | | |
| 1062 - 3M-A | 1062,00 | 354 | | | | | | |
| 1569 - 3M-A | 1569,00 | 523 | | | | | | |



Type 5M-A (nominal dimensions mm)


Type 5M-A - pitch 5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | | 25 mm width Code No. 25 | |
|------------|-------------------|-----------------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 180 - 5M-A | 180,00 | 36 | | | | | | |
| 225 - 5M-A | 225,00 | 45 | | | | | | |
| 255 - 5M-A | 255,00 | 51 | | | | | | |
| 265 - 5M-A | 265,00 | 53 | | | | | | |
| 270 - 5M-A | 270,00 | 54 | | | | | | |
| 280 - 5M-A | 280,00 | 56 | | | | | | |
| 295 - 5M-A | 295,00 | 59 | | | | | | |
| 305 - 5M-A | 305,00 | 61 | | | | | | |
| 325 - 5M-A | 325,00 | 65 | | | | | | |
| 330 - 5M-A | 330,00 | 66 | | | | | | |
| 340 - 5M-A | 340,00 | 68 | | | | | | |
| 350 - 5M-A | 350,00 | 70 | | | | | | |
| 360 - 5M-A | 360,00 | 72 | | | | | | |
| 365 - 5M-A | 365,00 | 73 | | | | | | |
| 370 - 5M-A | 370,00 | 74 | | | | | | |
| 375 - 5M-A | 375,00 | 75 | | | | | | |
| 385 - 5M-A | 385,00 | 77 | | | | | | |
| 400 - 5M-A | 400,00 | 80 | | | | | | |
| 415 - 5M-A | 415,00 | 83 | | | | | | |
| 425 - 5M-A | 425,00 | 85 | | | | | | |
| 450 - 5M-A | 450,00 | 90 | | | | | | |
| 475 - 5M-A | 475,00 | 95 | | | | | | |
| 500 - 5M-A | 500,00 | 100 | | | | | | |
| 520 - 5M-A | 520,00 | 104 | | | | | | |
| 525 - 5M-A | 525,00 | 105 | | | | | | |
| 550 - 5M-A | 550,00 | 110 | | | | | | |
| 565 - 5M-A | 565,00 | 113 | | | | | | |
| 575 - 5M-A | 575,00 | 115 | | | | | | |
| 580 - 5M-A | 580,00 | 116 | | | | | | |
| 600 - 5M-A | 600,00 | 120 | | | | | | |
| 610 - 5M-A | 610,00 | 122 | | | | | | |
| 615 - 5M-A | 615,00 | 123 | | | | | | |
| 630 - 5M-A | 630,00 | 126 | | | | | | |
| 635 - 5M-A | 635,00 | 127 | | | | | | |
| 640 - 5M-A | 640,00 | 128 | | | | | | |
| 645 - 5M-A | 645,00 | 129 | | | | | | |
| 665 - 5M-A | 665,00 | 133 | | | | | | |
| 670 - 5M-A | 670,00 | 134 | | | | | | |
| 700 - 5M-A | 700,00 | 140 | | | | | | |
| 710 - 5M-A | 710,00 | 142 | | | | | | |
| 740 - 5M-A | 740,00 | 148 | | | | | | |
| 750 - 5M-A | 750,00 | 150 | | | | | | |
| 755 - 5M-A | 755,00 | 151 | | | | | | |
| 800 - 5M-A | 800,00 | 160 | | | | | | |
| 825 - 5M-A | 825,00 | 165 | | | | | | |
| 835 - 5M-A | 835,00 | 167 | | | | | | |
| 850 - 5M-A | 850,00 | 170 | | | | | | |
| 860 - 5M-A | 860,00 | 172 | | | | | | |
| 890 - 5M-A | 890,00 | 178 | | | | | | |
| 900 - 5M-A | 900,00 | 180 | | | | | | |
| 925 - 5M-A | 925,00 | 185 | | | | | | |
| 935 - 5M-A | 935,00 | 187 | | | | | | |
| 950 - 5M-A | 950,00 | 190 | | | | | | |
| 965 - 5M-A | 965,00 | 193 | | | | | | |
| 980 - 5M-A | 980,00 | 196 | | | | | | |



Type 5M-A (nominal dimensions mm)


| Type 5M-A - pitch 5 mm | | | | | | | | |
|------------------------|-------------------|-----------------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | | 25 mm width Code No. 25 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 1000 - 5M-A | 1000,00 | 200 | | | | | | |
| 1035 - 5M-A | 1035,00 | 207 | | | | | | |
| 1050 - 5M-A | 1050,00 | 210 | | | | | | |
| 1100 - 5M-A | 1100,00 | 220 | | | | | | |
| 1135 - 5M-A | 1135,00 | 227 | | | | | | |
| 1200 - 5M-A | 1200,00 | 240 | | | | | | |
| 1500 - 5M-A | 1500,00 | 300 | | | | | | |
| 1595 - 5M-A | 1595,00 | 319 | | | | | | |
| 1870 - 5M-A | 1870,00 | 374 | | | | | | |
| 2000 - 5M-A | 2000,00 | 400 | | | | | | |
| 2525 - 5M-A | 2525,00 | 505 | | | | | | |



Type 8M-A (nominal dimensions mm)


Type 8M-A - pitch 8 mm

| Belt No. | Pitch length (mm) | Number of teeth | 20 mm width Code No. 20 | | 30 mm width Code No. 30 | | 50 mm width Code No. 50 | | 85 mm width Code No. 85 | |
|-------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 424 - 8M-A | 424,00 | 53 | | | | | | | | |
| 480 - 8M-A | 480,00 | 60 | | | | | | | | |
| 512 - 8M-A | 512,00 | 64 | | | | | | | | |
| 520 - 8M-A | 520,00 | 65 | | | | | | | | |
| 560 - 8M-A | 560,00 | 70 | | | | | | | | |
| 576 - 8M-A | 576,00 | 72 | | | | | | | | |
| 600 - 8M-A | 600,00 | 75 | | | | | | | | |
| 608 - 8M-A | 608,00 | 76 | | | | | | | | |
| 640 - 8M-A | 640,00 | 80 | | | | | | | | |
| 656 - 8M-A | 656,00 | 82 | | | | | | | | |
| 720 - 8M-A | 720,00 | 90 | | | | | | | | |
| 760 - 8M-A | 760,00 | 95 | | | | | | | | |
| 776 - 8M-A | 776,00 | 97 | | | | | | | | |
| 784 - 8M-A | 784,00 | 98 | | | | | | | | |
| 800 - 8M-A | 800,00 | 100 | | | | | | | | |
| 840 - 8M-A | 840,00 | 105 | | | | | | | | |
| 880 - 8M-A | 880,00 | 110 | | | | | | | | |
| 920 - 8M-A | 920,00 | 115 | | | | | | | | |
| 960 - 8M-A | 960,00 | 120 | | | | | | | | |
| 976 - 8M-A | 976,00 | 122 | | | | | | | | |
| 1000 - 8M-A | 1000,00 | 125 | | | | | | | | |
| 1040 - 8M-A | 1040,00 | 130 | | | | | | | | |
| 1080 - 8M-A | 1080,00 | 135 | | | | | | | | |
| 1120 - 8M-A | 1120,00 | 140 | | | | | | | | |
| 1128 - 8M-A | 1128,00 | 141 | | | | | | | | |
| 1160 - 8M-A | 1160,00 | 145 | | | | | | | | |
| 1200 - 8M-A | 1200,00 | 150 | | | | | | | | |
| 1224 - 8M-A | 1224,00 | 153 | | | | | | | | |
| 1256 - 8M-A | 1256,00 | 157 | | | | | | | | |
| 1280 - 8M-A | 1280,00 | 160 | | | | | | | | |
| 1304 - 8M-A | 1304,00 | 163 | | | | | | | | |
| 1328 - 8M-A | 1328,00 | 166 | | | | | | | | |
| 1360 - 8M-A | 1360,00 | 170 | | | | | | | | |
| 1400 - 8M-A | 1400,00 | 175 | | | | | | | | |
| 1424 - 8M-A | 1424,00 | 178 | | | | | | | | |
| 1440 - 8M-A | 1440,00 | 180 | | | | | | | | |
| 1520 - 8M-A | 1520,00 | 190 | | | | | | | | |
| 1552 - 8M-A | 1552,00 | 194 | | | | | | | | |
| 1600 - 8M-A | 1600,00 | 200 | | | | | | | | |
| 1696 - 8M-A | 1696,00 | 212 | | | | | | | | |
| 1760 - 8M-A | 1760,00 | 220 | | | | | | | | |
| 1800 - 8M-A | 1800,00 | 225 | | | | | | | | |
| 1904 - 8M-A | 1904,00 | 238 | | | | | | | | |
| 2000 - 8M-A | 2000,00 | 250 | | | | | | | | |
| 2080 - 8M-A | 2080,00 | 260 | | | | | | | | |
| 2104 - 8M-A | 2104,00 | 263 | | | | | | | | |
| 2240 - 8M-A | 2240,00 | 280 | | | | | | | | |
| 2248 - 8M-A | 2248,00 | 281 | | | | | | | | |
| 2272 - 8M-A | 2272,00 | 284 | | | | | | | | |
| 2400 - 8M-A | 2400,00 | 300 | | | | | | | | |
| 2600 - 8M-A | 2600,00 | 325 | | | | | | | | |
| 2800 - 8M-A | 2800,00 | 350 | | | | | | | | |



Type 14M-A (nominal dimensions mm)


| Type 14M-A - pitch 14 mm | | | | | | | | | | | | |
|--------------------------|-------------------|-----------------|----------------------------|------------|----------------------------|------------|----------------------------|------------|------------------------------|------------|------------------------------|------------|
| Belt No. | Pitch length (mm) | Number of teeth | 40 mm width Code No. 40 | | 55 mm width Code No. 55 | | 85 mm width Code No. 85 | | 115 mm width Code No. 115 | | 170 mm width Code No. 170 | |
| | | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| 966 - 14M-A | 966,00 | 69 | | | | | | | | | | |
| 1092 - 14M-A | 1092,00 | 78 | | | | | | | | | | |
| 1190 - 14M-A | 1190,00 | 85 | | | | | | | | | | |
| 1400 - 14M-A | 1400,00 | 100 | | | | | | | | | | |
| 1610 - 14M-A | 1610,00 | 115 | | | | | | | | | | |
| 1778 - 14M-A | 1778,00 | 127 | | | | | | | | | | |
| 1890 - 14M-A | 1890,00 | 135 | | | | | | | | | | |
| 2100 - 14M-A | 2100,00 | 150 | | | | | | | | | | |
| 2310 - 14M-A | 2310,00 | 165 | | | | | | | | | | |
| 2450 - 14M-A | 2450,00 | 175 | | | | | | | | | | |
| 2590 - 14M-A | 2590,00 | 185 | | | | | | | | | | |
| 2800 - 14M-A | 2800,00 | 200 | | | | | | | | | | |



Type 2M-B (nominal dimensions mm)


Type 2M-B - pitch 2 mm

| Belt No. | Pitch length (mm) | Number of teeth | 3 mm width Code No. 3 | | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | |
|--------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|--------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 90 - 2M-B• | 90,00 | 45 | | | | | | |
| 100 - 2M-B• | 100,00 | 50 | | | | | | |
| 112 - 2M-B• | 112,00 | 56 | | | | | | |
| 120 - 2M-B• | 120,00 | 60 | | | | | | |
| 130 - 2M-B• | 130,00 | 65 | | | | | | |
| 180 - 2M-B• | 180,00 | 90 | | | | | | |
| 184 - 2M-B• | 184,00 | 92 | | | | | | |
| 250 - 2M-B• | 250,00 | 125 | | | | | | |
| 266 - 2M-B• | 266,00 | 133 | | | | | | |
| 274 - 2M-B• | 274,00 | 137 | | | | | | |
| 280 - 2M-B• | 280,00 | 140 | | | | | | |
| 308 - 2M-B• | 308,00 | 154 | | | | | | |
| 310 - 2M-B• | 310,00 | 155 | | | | | | |
| 328 - 2M-B• | 328,00 | 164 | | | | | | |
| 330 - 2M-B• | 330,00 | 165 | | | | | | |
| 340 - 2M-B• | 340,00 | 170 | | | | | | |
| 426 - 2M-B• | 426,00 | 213 | | | | | | |
| 448 - 2M-B• | 448,00 | 224 | | | | | | |
| 558 - 2M-B• | 558,00 | 279 | | | | | | |
| 560 - 2M-B• | 560,00 | 280 | | | | | | |
| 710 - 2M-B• | 710,00 | 355 | | | | | | |
| 984 - 2M-B• | 984,00 | 492 | | | | | | |
| 1066 - 2M-B• | 1066,00 | 533 | | | | | | |
| 1224 - 2M-B• | 1224,00 | 612 | | | | | | |



Type 3M-B (nominal dimensions mm)


| Type 3M-B - pitch 3 mm | | | | | | | | |
|------------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 111 - 3M-B• | 111,00 | 37 | | | | | | |
| 129 - 3M-B• | 129,00 | 43 | | | | | | |
| 141 - 3M-B• | 141,00 | 47 | | | | | | |
| 144 - 3M-B• | 144,00 | 48 | | | | | | |
| 150 - 3M-B• | 150,00 | 50 | | | | | | |
| 165 - 3M-B• | 165,00 | 55 | | | | | | |
| 168 - 3M-B• | 168,00 | 56 | | | | | | |
| 174 - 3M-B• | 174,00 | 58 | | | | | | |
| 177 - 3M-B• | 177,00 | 59 | | | | | | |
| 180 - 3M-B• | 180,00 | 60 | | | | | | |
| 186 - 3M-B• | 186,00 | 62 | | | | | | |
| 192 - 3M-B• | 192,00 | 64 | | | | | | |
| 195 - 3M-B• | 195,00 | 65 | | | | | | |
| 201 - 3M-B• | 201,00 | 67 | | | | | | |
| 204 - 3M-B• | 204,00 | 68 | | | | | | |
| 207 - 3M-B• | 207,00 | 69 | | | | | | |
| 210 - 3M-B• | 210,00 | 70 | | | | | | |
| 213 - 3M-B• | 213,00 | 71 | | | | | | |
| 225 - 3M-B• | 225,00 | 75 | | | | | | |
| 252 - 3M-B• | 252,00 | 84 | | | | | | |
| 255 - 3M-B• | 255,00 | 85 | | | | | | |
| 267 - 3M-B• | 267,00 | 89 | | | | | | |
| 285 - 3M-B• | 285,00 | 95 | | | | | | |
| 291 - 3M-B• | 291,00 | 97 | | | | | | |
| 300 - 3M-B• | 300,00 | 100 | | | | | | |
| 312 - 3M-B• | 312,00 | 104 | | | | | | |
| 318 - 3M-B• | 318,00 | 106 | | | | | | |
| 330 - 3M-B• | 330,00 | 110 | | | | | | |
| 339 - 3M-B• | 339,00 | 113 | | | | | | |
| 345 - 3M-B• | 345,00 | 115 | | | | | | |
| 357 - 3M-B• | 357,00 | 119 | | | | | | |
| 363 - 3M-B• | 363,00 | 121 | | | | | | |
| 366 - 3M-B• | 366,00 | 122 | | | | | | |
| 384 - 3M-B• | 384,00 | 128 | | | | | | |
| 390 - 3M-B• | 390,00 | 130 | | | | | | |
| 420 - 3M-B• | 420,00 | 140 | | | | | | |
| 447 - 3M-B• | 447,00 | 149 | | | | | | |
| 474 - 3M-B• | 474,00 | 158 | | | | | | |
| 480 - 3M-B• | 480,00 | 160 | | | | | | |
| 486 - 3M-B• | 486,00 | 162 | | | | | | |
| 495 - 3M-B• | 495,00 | 165 | | | | | | |
| 501 - 3M-B• | 501,00 | 167 | | | | | | |
| 513 - 3M-B• | 513,00 | 171 | | | | | | |
| 519 - 3M-B• | 519,00 | 173 | | | | | | |
| 522 - 3M-B• | 522,00 | 174 | | | | | | |
| 525 - 3M-B• | 525,00 | 175 | | | | | | |
| 531 - 3M-B• | 531,00 | 177 | | | | | | |
| 537 - 3M-B• | 537,00 | 179 | | | | | | |
| 558 - 3M-B• | 558,00 | 186 | | | | | | |
| 564 - 3M-B• | 564,00 | 188 | | | | | | |
| 570 - 3M-B• | 570,00 | 190 | | | | | | |
| 597 - 3M-B• | 597,00 | 199 | | | | | | |
| 600 - 3M-B• | 600,00 | 200 | | | | | | |
| 606 - 3M-B• | 606,00 | 202 | | | | | | |
| 615 - 3M-B• | 615,00 | 205 | | | | | | |



Type 3M-B (nominal dimensions mm)


Type 3M-B - pitch 3 mm

| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | |
|--------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 633 - 3M-B• | 633,00 | 211 | | | | | | |
| 669 - 3M-B• | 669,00 | 223 | | | | | | |
| 675 - 3M-B• | 675,00 | 225 | | | | | | |
| 711 - 3M-B• | 711,00 | 237 | | | | | | |
| 738 - 3M-B• | 738,00 | 246 | | | | | | |
| 804 - 3M-B• | 804,00 | 268 | | | | | | |
| 843 - 3M-B• | 843,00 | 281 | | | | | | |
| 882 - 3M-B• | 882,00 | 294 | | | | | | |
| 888 - 3M-B• | 888,00 | 296 | | | | | | |
| 1062 - 3M-B• | 1062,00 | 354 | | | | | | |
| 1569 - 3M-B• | 1569,00 | 523 | | | | | | |



Type 5M-B - pitch 5 mm


| Belt No. | Pitch length (mm) | Number of teeth | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | | 25 mm width Code No. 25 | |
|-------------|-------------------|-----------------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 180 - 5M-B• | 180,00 | 36 | | | | | | |
| 225 - 5M-B | 225,00 | 45 | | | | | | |
| 255 - 5M-B• | 255,00 | 51 | | | | | | |
| 265 - 5M-B• | 265,00 | 53 | | | | | | |
| 270 - 5M-B• | 270,00 | 54 | | | | | | |
| 280 - 5M-B• | 280,00 | 56 | | | | | | |
| 295 - 5M-B• | 295,00 | 59 | | | | | | |
| 305 - 5M-B• | 305,00 | 61 | | | | | | |
| 325 - 5M-B | 325,00 | 65 | | | | | | |
| 330 - 5M-B• | 330,00 | 66 | | | | | | |
| 340 - 5M-B• | 340,00 | 68 | | | | | | |
| 350 - 5M-B | 350,00 | 70 | | | | | | |
| 360 - 5M-B• | 360,00 | 72 | | | | | | |
| 365 - 5M-B• | 365,00 | 73 | | | | | | |
| 370 - 5M-B• | 370,00 | 74 | | | | | | |
| 375 - 5M-B | 375,00 | 75 | | | | | | |
| 385 - 5M-B• | 385,00 | 77 | | | | | | |
| 400 - 5M-B | 400,00 | 80 | | | | | | |
| 415 - 5M-B• | 415,00 | 83 | | | | | | |
| 425 - 5M-B | 425,00 | 85 | | | | | | |
| 450 - 5M-B | 450,00 | 90 | | | | | | |
| 475 - 5M-B | 475,00 | 95 | | | | | | |
| 500 - 5M-B | 500,00 | 100 | | | | | | |
| 520 - 5M-B• | 520,00 | 104 | | | | | | |
| 525 - 5M-B | 525,00 | 105 | | | | | | |
| 550 - 5M-B | 550,00 | 110 | | | | | | |
| 565 - 5M-B• | 565,00 | 113 | | | | | | |
| 575 - 5M-B• | 575,00 | 115 | | | | | | |
| 580 - 5M-B• | 580,00 | 116 | | | | | | |
| 600 - 5M-B | 600,00 | 120 | | | | | | |
| 610 - 5M-B• | 610,00 | 122 | | | | | | |
| 615 - 5M-B• | 615,00 | 123 | | | | | | |
| 630 - 5M-B• | 630,00 | 126 | | | | | | |
| 635 - 5M-B• | 635,00 | 127 | | | | | | |
| 640 - 5M-B• | 640,00 | 128 | | | | | | |
| 645 - 5M-B• | 645,00 | 129 | | | | | | |
| 665 - 5M-B• | 665,00 | 133 | | | | | | |
| 670 - 5M-B• | 670,00 | 134 | | | | | | |
| 700 - 5M-B | 700,00 | 140 | | | | | | |
| 710 - 5M-B• | 710,00 | 142 | | | | | | |
| 740 - 5M-B• | 740,00 | 148 | | | | | | |
| 750 - 5M-B• | 750,00 | 150 | | | | | | |
| 755 - 5M-B• | 755,00 | 151 | | | | | | |
| 800 - 5M-B | 800,00 | 160 | | | | | | |
| 825 - 5M-B• | 825,00 | 165 | | | | | | |
| 835 - 5M-B• | 835,00 | 167 | | | | | | |
| 850 - 5M-B | 850,00 | 170 | | | | | | |
| 860 - 5M-B• | 860,00 | 172 | | | | | | |
| 890 - 5M-B• | 890,00 | 178 | | | | | | |
| 900 - 5M-B | 900,00 | 180 | | | | | | |
| 925 - 5M-B• | 925,00 | 185 | | | | | | |
| 935 - 5M-B• | 935,00 | 187 | | | | | | |
| 950 - 5M-B | 950,00 | 190 | | | | | | |
| 965 - 5M-B• | 965,00 | 193 | | | | | | |
| 980 - 5M-B• | 980,00 | 196 | | | | | | |



Type 5M-B (nominal dimensions mm)


Type 5M-B - pitch 5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | | 25 mm width Code No. 25 | |
|--------------|-------------------|-----------------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 1000 - 5M-B | 1000,00 | 200 | | | | | | |
| 1035 - 5M-B• | 1035,00 | 207 | | | | | | |
| 1050 - 5M-B | 1050,00 | 210 | | | | | | |
| 1100 - 5M-B• | 1100,00 | 220 | | | | | | |
| 1135 - 5M-B• | 1135,00 | 227 | | | | | | |
| 1200 - 5M-B• | 1200,00 | 240 | | | | | | |
| 1500 - 5M-B• | 1500,00 | 300 | | | | | | |
| 1595 - 5M-B• | 1595,00 | 319 | | | | | | |
| 1870 - 5M-B• | 1870,00 | 374 | | | | | | |
| 2000 - 5M-B• | 2000,00 | 400 | | | | | | |
| 2525 - 5M-B• | 2525,00 | 505 | | | | | | |



Type 8M-B (nominal dimensions mm)


| Type 8M-B - pitch 8 mm | | | | | | | | | | |
|------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 20 mm width Code No. 20 | | 30 mm width Code No. 30 | | 50 mm width Code No. 50 | | 85 mm width Code No. 85 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 424 - 8M-B | 424,00 | 53 | | | | | | | | |
| 480 - 8M-B | 480,00 | 60 | | | | | | | | |
| 512 - 8M-B | 512,00 | 64 | | | | | | | | |
| 520 - 8M-B | 520,00 | 65 | | | | | | | | |
| 560 - 8M-B | 560,00 | 70 | | | | | | | | |
| 576 - 8M-B | 576,00 | 72 | | | | | | | | |
| 600 - 8M-B | 600,00 | 75 | | | | | | | | |
| 608 - 8M-B | 608,00 | 76 | | | | | | | | |
| 640 - 8M-B | 640,00 | 80 | | | | | | | | |
| 656 - 8M-B | 656,00 | 82 | | | | | | | | |
| 720 - 8M-B | 720,00 | 90 | | | | | | | | |
| 760 - 8M-B | 760,00 | 95 | | | | | | | | |
| 776 - 8M-B | 776,00 | 97 | | | | | | | | |
| 784 - 8M-B | 784,00 | 98 | | | | | | | | |
| 800 - 8M-B | 800,00 | 100 | | | | | | | | |
| 840 - 8M-B | 840,00 | 105 | | | | | | | | |
| 880 - 8M-B | 880,00 | 110 | | | | | | | | |
| 920 - 8M-B | 920,00 | 115 | | | | | | | | |
| 960 - 8M-B | 960,00 | 120 | | | | | | | | |
| 976 - 8M-B | 976,00 | 122 | | | | | | | | |
| 1000 - 8M-B | 1000,00 | 125 | | | | | | | | |
| 1040 - 8M-B | 1040,00 | 130 | | | | | | | | |
| 1080 - 8M-B | 1080,00 | 135 | | | | | | | | |
| 1120 - 8M-B | 1120,00 | 140 | | | | | | | | |
| 1128 - 8M-B | 1128,00 | 141 | | | | | | | | |
| 1160 - 8M-B | 1160,00 | 145 | | | | | | | | |
| 1200 - 8M-B | 1200,00 | 150 | | | | | | | | |
| 1224 - 8M-B | 1224,00 | 153 | | | | | | | | |
| 1256 - 8M-B | 1256,00 | 157 | | | | | | | | |
| 1280 - 8M-B | 1280,00 | 160 | | | | | | | | |
| 1304 - 8M-B | 1304,00 | 163 | | | | | | | | |
| 1328 - 8M-B | 1328,00 | 166 | | | | | | | | |
| 1360 - 8M-B | 1360,00 | 170 | | | | | | | | |
| 1400 - 8M-B | 1400,00 | 175 | | | | | | | | |
| 1424 - 8M-B | 1424,00 | 178 | | | | | | | | |
| 1440 - 8M-B | 1440,00 | 180 | | | | | | | | |
| 1520 - 8M-B | 1520,00 | 190 | | | | | | | | |
| 1552 - 8M-B | 1552,00 | 194 | | | | | | | | |
| 1600 - 8M-B | 1600,00 | 200 | | | | | | | | |
| 1696 - 8M-B | 1696,00 | 212 | | | | | | | | |
| 1760 - 8M-B | 1760,00 | 220 | | | | | | | | |
| 1800 - 8M-B | 1800,00 | 225 | | | | | | | | |
| 1904 - 8M-B | 1904,00 | 238 | | | | | | | | |
| 2000 - 8M-B | 2000,00 | 250 | | | | | | | | |
| 2080 - 8M-B | 2080,00 | 260 | | | | | | | | |
| 2104 - 8M-B | 2104,00 | 263 | | | | | | | | |
| 2240 - 8M-B | 2240,00 | 280 | | | | | | | | |
| 2248 - 8M-B | 2248,00 | 281 | | | | | | | | |
| 2272 - 8M-B | 2272,00 | 284 | | | | | | | | |
| 2400 - 8M-B | 2400,00 | 300 | | | | | | | | |
| 2600 - 8M-B | 2600,00 | 325 | | | | | | | | |
| 2800 - 8M-B | 2800,00 | 350 | | | | | | | | |



Type 14M-B (nominal dimensions mm)


Type 14M-B - pitch 14 mm

| Belt No. | Pitch length (mm) | Number of teeth | 40 mm width Code No. 40 | | 55 mm width Code No. 55 | | 85 mm width Code No. 85 | | 115 mm width Code No. 115 | | 170 mm width Code No. 170 | |
|--------------|-------------------|-----------------|----------------------------|------------|----------------------------|------------|----------------------------|------------|------------------------------|------------|------------------------------|------------|
| | | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| 966 - 14M-B | 966,00 | 69 | | | | | | | | | | |
| 1092 - 14M-B | 1092,00 | 78 | | | | | | | | | | |
| 1190 - 14M-B | 1190,00 | 85 | | | | | | | | | | |
| 1400 - 14M-B | 1400,00 | 100 | | | | | | | | | | |
| 1610 - 14M-B | 1610,00 | 115 | | | | | | | | | | |
| 1778 - 14M-B | 1778,00 | 127 | | | | | | | | | | |
| 1890 - 14M-B | 1890,00 | 135 | | | | | | | | | | |
| 2100 - 14M-B | 2100,00 | 150 | | | | | | | | | | |
| 2310 - 14M-B | 2310,00 | 165 | | | | | | | | | | |
| 2450 - 14M-B | 2450,00 | 175 | | | | | | | | | | |
| 2590 - 14M-B | 2590,00 | 185 | | | | | | | | | | |
| 2800 - 14M-B | 2800,00 | 200 | | | | | | | | | | |



Type 3M (nominal dimensions – mm)


| Type 3M - pitch 3 mm | | | | | | | | |
|----------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 111 - 3M | 111,00 | 37 | | | | | | |
| 117 - 3M | 117,00 | 39 | | | | | | |
| 120 - 3M | 120,00 | 40 | | | | | | |
| 123 - 3M• | 123,00 | 41 | | | | | | |
| 126 - 3M• | 126,00 | 42 | | | | | | |
| 129 - 3M | 129,00 | 43 | | | | | | |
| 141 - 3M• | 141,00 | 47 | | | | | | |
| 144 - 3M | 144,00 | 48 | | | | | | |
| 150 - 3M | 150,00 | 50 | | | | | | |
| 156 - 3M• | 156,00 | 52 | | | | | | |
| 159 - 3M | 159,00 | 53 | | | | | | |
| 165 - 3M• | 165,00 | 55 | | | | | | |
| 168 - 3M | 168,00 | 56 | | | | | | |
| 174 - 3M• | 174,00 | 58 | | | | | | |
| 177 - 3M | 177,00 | 59 | | | | | | |
| 180 - 3M | 180,00 | 60 | | | | | | |
| 183 - 3M• | 183,00 | 61 | | | | | | |
| 186 - 3M• | 186,00 | 62 | | | | | | |
| 192 - 3M• | 192,00 | 64 | | | | | | |
| 195 - 3M | 195,00 | 65 | | | | | | |
| 201 - 3M | 201,00 | 67 | | | | | | |
| 204 - 3M | 204,00 | 68 | | | | | | |
| 210 - 3M | 210,00 | 70 | | | | | | |
| 213 - 3M | 213,00 | 71 | | | | | | |
| 216 - 3M | 216,00 | 72 | | | | | | |
| 225 - 3M | 225,00 | 75 | | | | | | |
| 237 - 3M• | 237,00 | 79 | | | | | | |
| 240 - 3M | 240,00 | 80 | | | | | | |
| 243 - 3M | 243,00 | 81 | | | | | | |
| 246 - 3M | 246,00 | 82 | | | | | | |
| 249 - 3M• | 249,00 | 83 | | | | | | |
| 252 - 3M | 252,00 | 84 | | | | | | |
| 255 - 3M | 255,00 | 85 | | | | | | |
| 267 - 3M | 267,00 | 89 | | | | | | |
| 276 - 3M• | 276,00 | 92 | | | | | | |
| 282 - 3M• | 282,00 | 94 | | | | | | |
| 285 - 3M | 285,00 | 95 | | | | | | |
| 288 - 3M | 288,00 | 96 | | | | | | |
| 291 - 3M• | 291,00 | 97 | | | | | | |
| 294 - 3M• | 294,00 | 98 | | | | | | |
| 300 - 3M | 300,00 | 100 | | | | | | |
| 306 - 3M• | 306,00 | 102 | | | | | | |
| 312 - 3M | 312,00 | 104 | | | | | | |
| 318 - 3M | 318,00 | 106 | | | | | | |
| 330 - 3M | 330,00 | 110 | | | | | | |
| 333 - 3M | 333,00 | 111 | | | | | | |
| 336 - 3M | 336,00 | 112 | | | | | | |
| 339 - 3M | 339,00 | 113 | | | | | | |
| 345 - 3M | 345,00 | 115 | | | | | | |
| 357 - 3M• | 357,00 | 119 | | | | | | |
| 363 - 3M | 363,00 | 121 | | | | | | |
| 384 - 3M | 384,00 | 128 | | | | | | |
| 390 - 3M | 390,00 | 130 | | | | | | |
| 420 - 3M | 420,00 | 140 | | | | | | |
| 447 - 3M | 447,00 | 149 | | | | | | |



Type 3M (nominal dimensions – mm)


Type 3M - pitch 3 mm

| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | |
|-----------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 462 - 3M | 462,00 | 154 | | | | | | |
| 474 - 3M | 474,00 | 158 | | | | | | |
| 477 - 3M• | 477,00 | 159 | | | | | | |
| 480 - 3M | 480,00 | 160 | | | | | | |
| 486 - 3M | 486,00 | 162 | | | | | | |
| 489 - 3M | 489,00 | 163 | | | | | | |
| 495 - 3M | 495,00 | 165 | | | | | | |
| 501 - 3M | 501,00 | 167 | | | | | | |
| 513 - 3M | 513,00 | 171 | | | | | | |
| 522 - 3M | 522,00 | 174 | | | | | | |
| 525 - 3M | 525,00 | 175 | | | | | | |
| 531 - 3M | 531,00 | 177 | | | | | | |
| 537 - 3M | 537,00 | 179 | | | | | | |
| 558 - 3M• | 558,00 | 186 | | | | | | |
| 564 - 3M | 564,00 | 188 | | | | | | |
| 570 - 3M | 570,00 | 190 | | | | | | |
| 582 - 3M | 582,00 | 194 | | | | | | |
| 591 - 3M• | 591,00 | 197 | | | | | | |
| 594 - 3M• | 594,00 | 198 | | | | | | |
| 597 - 3M | 597,00 | 199 | | | | | | |
| 606 - 3M | 606,00 | 202 | | | | | | |
| 612 - 3M• | 612,00 | 204 | | | | | | |
| 633 - 3M | 633,00 | 211 | | | | | | |
| 648 - 3M• | 648,00 | 216 | | | | | | |
| 669 - 3M | 669,00 | 223 | | | | | | |
| 672 - 3M• | 672,00 | 224 | | | | | | |
| 708 - 3M | 708,00 | 236 | | | | | | |
| 711 - 3M | 711,00 | 237 | | | | | | |
| 753 - 3M | 753,00 | 251 | | | | | | |
| 804 - 3M | 804,00 | 268 | | | | | | |
| 843 - 3M | 843,00 | 281 | | | | | | |
| 882 - 3M | 882,00 | 294 | | | | | | |
| 945 - 3M | 945,00 | 315 | | | | | | |
| 960 - 3M | 960,00 | 320 | | | | | | |
| 1041 - 3M | 1041,00 | 347 | | | | | | |
| 1068 - 3M | 1068,00 | 356 | | | | | | |
| 1071 - 3M | 1071,00 | 357 | | | | | | |
| 1125 - 3M | 1125,00 | 375 | | | | | | |
| 1176 - 3M | 1176,00 | 392 | | | | | | |
| 1245 - 3M | 1245,00 | 415 | | | | | | |
| 1263 - 3M | 1263,00 | 421 | | | | | | |
| 1500 - 3M | 1500,00 | 500 | | | | | | |
| 1530 - 3M | 1530,00 | 510 | | | | | | |
| 1569 - 3M | 1569,00 | 523 | | | | | | |
| 1863 - 3M | 1863,00 | 621 | | | | | | |



Type 5M (nominal dimensions – mm)


| Type 5M - pitch 5 mm | | | | | | | | |
|----------------------|-------------------|-----------------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | | 25 mm width Code No. 25 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 120 - 5M | 120,00 | 24 | | | | | | |
| 180 - 5M | 180,00 | 36 | | | | | | |
| 225 - 5M | 225,00 | 45 | | | | | | |
| 255 - 5M | 255,00 | 51 | | | | | | |
| 265 - 5M | 265,00 | 53 | | | | | | |
| 270 - 5M | 270,00 | 54 | | | | | | |
| 280 - 5M | 280,00 | 56 | | | | | | |
| 295 - 5M | 295,00 | 59 | | | | | | |
| 300 - 5M | 300,00 | 60 | | | | | | |
| 305 - 5M | 305,00 | 61 | | | | | | |
| 325 - 5M | 325,00 | 65 | | | | | | |
| 330 - 5M | 330,00 | 66 | | | | | | |
| 340 - 5M | 340,00 | 68 | | | | | | |
| 345 - 5M | 345,00 | 69 | | | | | | |
| 350 - 5M | 350,00 | 70 | | | | | | |
| 360 - 5M | 360,00 | 72 | | | | | | |
| 365 - 5M | 365,00 | 73 | | | | | | |
| 370 - 5M | 370,00 | 74 | | | | | | |
| 375 - 5M | 375,00 | 75 | | | | | | |
| 385 - 5M | 385,00 | 77 | | | | | | |
| 400 - 5M | 400,00 | 80 | | | | | | |
| 425 - 5M | 425,00 | 85 | | | | | | |
| 450 - 5M | 450,00 | 90 | | | | | | |
| 460 - 5M | 460,00 | 92 | | | | | | |
| 475 - 5M | 475,00 | 95 | | | | | | |
| 500 - 5M | 500,00 | 100 | | | | | | |
| 520 - 5M | 520,00 | 104 | | | | | | |
| 525 - 5M | 525,00 | 105 | | | | | | |
| 535 - 5M | 535,00 | 107 | | | | | | |
| 550 - 5M | 550,00 | 110 | | | | | | |
| 565 - 5M | 565,00 | 113 | | | | | | |
| 575 - 5M | 575,00 | 115 | | | | | | |
| 580 - 5M | 580,00 | 116 | | | | | | |
| 600 - 5M | 600,00 | 120 | | | | | | |
| 610 - 5M | 610,00 | 122 | | | | | | |
| 615 - 5M | 615,00 | 123 | | | | | | |
| 620 - 5M | 620,00 | 124 | | | | | | |
| 630 - 5M | 630,00 | 126 | | | | | | |
| 635 - 5M | 635,00 | 127 | | | | | | |
| 640 - 5M | 640,00 | 128 | | | | | | |
| 645 - 5M | 645,00 | 129 | | | | | | |
| 665 - 5M | 665,00 | 133 | | | | | | |
| 670 - 5M | 670,00 | 134 | | | | | | |
| 700 - 5M | 700,00 | 140 | | | | | | |
| 710 - 5M | 710,00 | 142 | | | | | | |
| 740 - 5M | 740,00 | 148 | | | | | | |
| 750 - 5M | 750,00 | 150 | | | | | | |
| 755 - 5M | 755,00 | 151 | | | | | | |
| 800 - 5M | 800,00 | 160 | | | | | | |
| 825 - 5M | 825,00 | 165 | | | | | | |
| 835 - 5M | 835,00 | 167 | | | | | | |
| 860 - 5M | 860,00 | 172 | | | | | | |
| 890 - 5M | 890,00 | 178 | | | | | | |
| 900 - 5M | 900,00 | 180 | | | | | | |
| 925 - 5M | 925,00 | 185 | | | | | | |



Type 5M (nominal dimensions – mm)


Type 5M - pitch 5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 9 mm width Code No. 9 | | 15 mm width Code No. 15 | | 25 mm width Code No. 25 | |
|-----------|-------------------|-----------------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 935 - 5M | 935,00 | 187 | | | | | | |
| 940 - 5M | 940,00 | 188 | | | | | | |
| 950 - 5M | 950,00 | 190 | | | | | | |
| 965 - 5M | 965,00 | 193 | | | | | | |
| 980 - 5M | 980,00 | 196 | | | | | | |
| 1000 - 5M | 1000,00 | 200 | | | | | | |
| 1035 - 5M | 1035,00 | 207 | | | | | | |
| 1050 - 5M | 1050,00 | 210 | | | | | | |
| 1100 - 5M | 1100,00 | 220 | | | | | | |
| 1125 - 5M | 1125,00 | 225 | | | | | | |
| 1135 - 5M | 1135,00 | 227 | | | | | | |
| 1200 - 5M | 1200,00 | 240 | | | | | | |
| 1270 - 5M | 1270,00 | 254 | | | | | | |
| 1420 - 5M | 1420,00 | 284 | | | | | | |
| 1500 - 5M | 1500,00 | 300 | | | | | | |
| 1790 - 5M | 1790,00 | 358 | | | | | | |
| 1800 - 5M | 1800,00 | 360 | | | | | | |
| 1870 - 5M | 1870,00 | 374 | | | | | | |
| 1895 - 5M | 1895,00 | 379 | | | | | | |



Type 8M (nominal dimensions – mm)

| Type 8M - pitch 8 mm | | | | | | | | | | |
|----------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 20 mm width Code No. 20 | | 30 mm width Code No. 30 | | 50 mm width Code No. 50 | | 85 mm width Code No. 85 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 320 - 8M | 320,00 | 40 | | | | | | | | |
| 376 - 8M | 376,00 | 47 | | | | | | | | |
| 424 - 8M | 424,00 | 53 | | | | | | | | |
| 480 - 8M | 480,00 | 60 | | | | | | | | |
| 512 - 8M | 512,00 | 64 | | | | | | | | |
| 560 - 8M | 560,00 | 70 | | | | | | | | |
| 576 - 8M | 576,00 | 72 | | | | | | | | |
| 600 - 8M | 600,00 | 75 | | | | | | | | |
| 608 - 8M | 608,00 | 76 | | | | | | | | |
| 624 - 8M | 624,00 | 78 | | | | | | | | |
| 640 - 8M | 640,00 | 80 | | | | | | | | |
| 656 - 8M | 656,00 | 82 | | | | | | | | |
| 720 - 8M | 720,00 | 90 | | | | | | | | |
| 760 - 8M | 760,00 | 95 | | | | | | | | |
| 776 - 8M | 776,00 | 97 | | | | | | | | |
| 784 - 8M | 784,00 | 98 | | | | | | | | |
| 800 - 8M | 800,00 | 100 | | | | | | | | |
| 880 - 8M | 880,00 | 110 | | | | | | | | |
| 912 - 8M | 912,00 | 114 | | | | | | | | |
| 920 - 8M | 920,00 | 115 | | | | | | | | |
| 960 - 8M | 960,00 | 120 | | | | | | | | |
| 976 - 8M | 976,00 | 122 | | | | | | | | |
| 1000 - 8M | 1000,00 | 125 | | | | | | | | |
| 1040 - 8M | 1040,00 | 130 | | | | | | | | |
| 1064 - 8M | 1064,00 | 133 | | | | | | | | |
| 1080 - 8M | 1080,00 | 135 | | | | | | | | |
| 1120 - 8M | 1120,00 | 140 | | | | | | | | |
| 1128 - 8M | 1128,00 | 141 | | | | | | | | |
| 1160 - 8M | 1160,00 | 145 | | | | | | | | |
| 1200 - 8M | 1200,00 | 150 | | | | | | | | |
| 1216 - 8M | 1216,00 | 152 | | | | | | | | |
| 1224 - 8M | 1224,00 | 153 | | | | | | | | |
| 1256 - 8M | 1256,00 | 157 | | | | | | | | |
| 1264 - 8M | 1264,00 | 158 | | | | | | | | |
| 1280 - 8M | 1280,00 | 160 | | | | | | | | |
| 1304 - 8M | 1304,00 | 163 | | | | | | | | |
| 1328 - 8M | 1328,00 | 166 | | | | | | | | |
| 1360 - 8M | 1360,00 | 170 | | | | | | | | |
| 1424 - 8M | 1424,00 | 178 | | | | | | | | |
| 1432 - 8M | 1432,00 | 179 | | | | | | | | |
| 1440 - 8M | 1440,00 | 180 | | | | | | | | |
| 1520 - 8M | 1520,00 | 190 | | | | | | | | |
| 1600 - 8M | 1600,00 | 200 | | | | | | | | |
| 1696 - 8M | 1696,00 | 212 | | | | | | | | |
| 1760 - 8M | 1760,00 | 220 | | | | | | | | |
| 1800 - 8M | 1800,00 | 225 | | | | | | | | |
| 2000 - 8M | 2000,00 | 250 | | | | | | | | |
| 2080 - 8M | 2080,00 | 260 | | | | | | | | |
| 2240 - 8M | 2240,00 | 280 | | | | | | | | |
| 2248 - 8M | 2248,00 | 281 | | | | | | | | |
| 2272 - 8M | 2272,00 | 284 | | | | | | | | |
| 2400 - 8M | 2400,00 | 300 | | | | | | | | |
| 2600 - 8M | 2600,00 | 325 | | | | | | | | |
| 2800 - 8M | 2800,00 | 350 | | | | | | | | |




Type 14M - pitch 14 mm

| Belt No. | Pitch length (mm) | Number of teeth | 40 mm width Code No. 40 | | 55 mm width Code No. 55 | | 85 mm width Code No. 85 | | 115 mm width Code No. 115 | | 170 mm width Code No. 170 | |
|------------|-------------------|-----------------|----------------------------|------------|----------------------------|------------|----------------------------|------------|------------------------------|------------|------------------------------|------------|
| | | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| 924 - 14M | 924,00 | 66 | | | | | | | | | | |
| 966 - 14M | 966,00 | 69 | | | | | | | | | | |
| 1092 - 14M | 1092,00 | 78 | | | | | | | | | | |
| 1190 - 14M | 1190,00 | 85 | | | | | | | | | | |
| 1400 - 14M | 1400,00 | 100 | | | | | | | | | | |
| 1610 - 14M | 1610,00 | 115 | | | | | | | | | | |
| 1778 - 14M | 1778,00 | 127 | | | | | | | | | | |
| 1890 - 14M | 1890,00 | 135 | | | | | | | | | | |
| 2100 - 14M | 2100,00 | 150 | | | | | | | | | | |
| 2310 - 14M | 2310,00 | 165 | | | | | | | | | | |
| 2450 - 14M | 2450,00 | 175 | | | | | | | | | | |
| 2590 - 14M | 2590,00 | 185 | | | | | | | | | | |
| 2800 - 14M | 2800,00 | 200 | | | | | | | | | | |
| 3150 - 14M | 3150,00 | 225 | | | | | | | | | | |
| 3500 - 14M | 3500,00 | 250 | | | | | | | | | | |
| 3850 - 14M | 3850,00 | 275 | | | | | | | | | | |
| 4004 - 14M | 4004,00 | 286 | | | | | | | | | | |
| 4326 - 14M | 4326,00 | 309 | | | | | | | | | | |
| 4578 - 14M | 4578,00 | 327 | | | | | | | | | | |

Type 20M - pitch 20 mm (Non stock items)

| Belt No. | Pitch length (mm) | Number of teeth | 115 mm width Code No. 115 | | 170 mm width Code No. 170 | | 230 mm width Code No. 230 | | 290 mm width Code No. 290 | | 340 mm width Code No. 340 | |
|------------|-------------------|-----------------|------------------------------|------------|------------------------------|------------|------------------------------|------------|------------------------------|------------|------------------------------|------------|
| | | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| 2000 - 20M | 2000,00 | 100 | | | | | | | | | | |
| 2500 - 20M | 2500,00 | 125 | | | | | | | | | | |
| 3400 - 20M | 3400,00 | 170 | | | | | | | | | | |
| 3800 - 20M | 3800,00 | 190 | | | | | | | | | | |
| 4200 - 20M | 4200,00 | 210 | | | | | | | | | | |
| 4600 - 20M | 4600,00 | 230 | | | | | | | | | | |
| 5000 - 20M | 5000,00 | 250 | | | | | | | | | | |
| 5200 - 20M | 5200,00 | 260 | | | | | | | | | | |
| 5400 - 20M | 5400,00 | 270 | | | | | | | | | | |
| 5600 - 20M | 5600,00 | 280 | | | | | | | | | | |
| 5800 - 20M | 5800,00 | 290 | | | | | | | | | | |
| 6000 - 20M | 6000,00 | 300 | | | | | | | | | | |
| 6200 - 20M | 6200,00 | 310 | | | | | | | | | | |
| 6400 - 20M | 6400,00 | 320 | | | | | | | | | | |
| 6600 - 20M | 6600,00 | 330 | | | | | | | | | | |




| Type | D-5M | D-8M | D-14M |
|------|-------|-------|--------|
| W | 1,143 | 1,372 | 2,794 |
| T | 5,258 | 8,280 | 14,834 |


(nominal dimensions – mm)

| Type D-5M - pitch 5 mm | | | Type D-8M - pitch 8 mm | | | Type D-14M - pitch 14 mm | | |
|------------------------|-------------------|-----------------|------------------------|-------------------|-----------------|--------------------------|-------------------|-----------------|
| Belt No. | Pitch length (mm) | Number of teeth | Belt No. | Pitch length (mm) | Number of teeth | Belt No. | Pitch length (mm) | Number of teeth |
| 425 D-5M* | 425,00 | 85 | 480 D-8M* | 480,00 | 60 | 1610 D-14M* | 1610,00 | 115 |
| 475 D-5M* | 475,00 | 95 | 560 D-8M* | 560,00 | 70 | 1778 D-14M* | 1778,00 | 127 |
| 500 D-5M* | 500,00 | 100 | 600 D-8M* | 600,00 | 75 | 1890 D-14M* | 1890,00 | 135 |
| 600 D-5M* | 600,00 | 120 | 640 D-8M* | 640,00 | 80 | 2100 D-14M* | 2100,00 | 150 |
| 615 D-5M* | 615,00 | 123 | 720 D-8M* | 720,00 | 90 | 2310 D-14M* | 2310,00 | 165 |
| 640 D-5M* | 640,00 | 128 | 800 D-8M* | 800,00 | 100 | 2450 D-14M* | 2450,00 | 175 |
| 670 D-5M* | 670,00 | 134 | 880 D-8M* | 880,00 | 110 | 2590 D-14M* | 2590,00 | 185 |
| 700 D-5M* | 700,00 | 140 | 960 D-8M* | 960,00 | 120 | 2800 D-14M* | 2800,00 | 200 |
| 755 D-5M* | 755,00 | 151 | 1040 D-8M* | 1040,00 | 130 | 3150 D-14M* | 3150,00 | 225 |
| 800 D-5M* | 800,00 | 160 | 1120 D-8M* | 1120,00 | 140 | 3500 D-14M* | 3500,00 | 250 |
| 835 D-5M* | 835,00 | 167 | 1200 D-8M* | 1200,00 | 150 | 3850 D-14M* | 3850,00 | 275 |
| 890 D-5M* | 890,00 | 178 | 1280 D-8M* | 1280,00 | 160 | 4326 D-14M* | 4326,00 | 309 |
| 935 D-5M* | 935,00 | 187 | 1360 D-8M* | 1360,00 | 170 | 4578 D-14M* | 4578,00 | 327 |
| 1100 D-5M* | 1100,00 | 220 | 1440 D-8M* | 1440,00 | 180 | | | |
| 1200 D-5M* | 1200,00 | 240 | 1600 D-8M* | 1600,00 | 200 | | | |
| | | | 1760 D-8M* | 1760,00 | 220 | | | |
| | | | 1800 D-8M* | 1800,00 | 225 | | | |
| | | | 2000 D-8M* | 2000,00 | 250 | | | |
| | | | 2400 D-8M* | 2400,00 | 300 | | | |
| | | | 2600 D-8M* | 2600,00 | 325 | | | |
| | | | 2800 D-8M* | 2800,00 | 350 | | | |
| | | | 3600 D-8M* | 3600,00 | 450 | | | |

* Prices, deliveries, minimum quantities and further sizes on request.




| Type S 3M - pitch 3 mm | | | Type S 5M - pitch 5 mm | | |
|------------------------|-------------------|-----------------|------------------------|-------------------|-----------------|
| Belt No. | Pitch length (mm) | Number of teeth | Belt No. | Pitch length (mm) | Number of teeth |
| S 3M - 120* | 120,00 | 40 | S 5M - 255* | 255,00 | 51 |
| S 3M - 150* | 150,00 | 50 | S 5M - 295* | 295,00 | 59 |
| S 3M - 177* | 177,00 | 59 | S 5M - 325* | 325,00 | 65 |
| S 3M - 201* | 201,00 | 67 | S 5M - 350* | 350,00 | 70 |
| S 3M - 225* | 225,00 | 75 | S 5M - 375* | 375,00 | 75 |
| S 3M - 252* | 252,00 | 84 | S 5M - 400* | 400,00 | 80 |
| S 3M - 264* | 264,00 | 88 | S 5M - 425* | 425,00 | 85 |
| S 3M - 276* | 276,00 | 92 | S 5M - 475* | 475,00 | 95 |
| S 3M - 300* | 300,00 | 100 | S 5M - 500* | 500,00 | 100 |
| S 3M - 339* | 339,00 | 113 | S 5M - 525* | 525,00 | 105 |
| S 3M - 384* | 384,00 | 128 | S 5M - 560* | 560,00 | 112 |
| S 3M - 420* | 420,00 | 140 | S 5M - 575* | 575,00 | 115 |
| S 3M - 459* | 459,00 | 153 | S 5M - 600* | 600,00 | 120 |
| S 3M - 486* | 486,00 | 162 | S 5M - 625* | 625,00 | 125 |
| S 3M - 501* | 501,00 | 167 | S 5M - 650* | 650,00 | 130 |
| S 3M - 537* | 537,00 | 179 | S 5M - 675* | 675,00 | 135 |
| S 3M - 564* | 564,00 | 188 | S 5M - 700* | 700,00 | 140 |
| S 3M - 633* | 633,00 | 211 | S 5M - 750* | 750,00 | 150 |
| | | | S 5M - 800* | 800,00 | 160 |
| | | | S 5M - 850* | 850,00 | 170 |
| | | | S 5M - 900* | 900,00 | 180 |
| | | | S 5M - 950* | 950,00 | 190 |
| | | | S 5M - 1000* | 1000,00 | 200 |
| | | | S 5M - 1050* | 1050,00 | 210 |
| | | | S 5M - 1125* | 1125,00 | 225 |
| | | | S 5M - 1270* | 1270,00 | 254 |
| | | | S 5M - 1350* | 1350,00 | 270 |
| | | | S 5M - 1420* | 1420,00 | 284 |
| | | | S 5M - 1800* | 1800,00 | 360 |
| | | | S 5M - 2000* | 2000,00 | 400 |



Type S 8M (nominal dimensions – mm)

| Type S 8M - pitch 8 mm | | | | | | | | | | |
|------------------------|-------------------|-----------------|-----------------------------|--------|-----------------------------|--------|-----------------------------|--------|-----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 20 mm width Code No. 200 | | 30 mm width Code No. 300 | | 50 mm width Code No. 500 | | 85 mm width Code No. 850 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| S8M - 440 | 440,00 | 55 | | | | | | | | |
| S8M - 480 | 480,00 | 60 | | | | | | | | |
| S8M - 560 | 560,00 | 70 | | | | | | | | |
| S8M - 600 | 600,00 | 75 | | | | | | | | |
| S8M - 632 | 632,00 | 79 | | | | | | | | |
| S8M - 640 | 640,00 | 80 | | | | | | | | |
| S8M - 656 | 656,00 | 82 | | | | | | | | |
| S8M - 688 | 688,00 | 86 | | | | | | | | |
| S8M - 696 | 696,00 | 87 | | | | | | | | |
| S8M - 712 | 712,00 | 89 | | | | | | | | |
| S8M - 720 | 720,00 | 90 | | | | | | | | |
| S8M - 728 | 728,00 | 91 | | | | | | | | |
| S8M - 736 | 736,00 | 92 | | | | | | | | |
| S8M - 760 | 760,00 | 95 | | | | | | | | |
| S8M - 768 | 768,00 | 96 | | | | | | | | |
| S8M - 784 | 784,00 | 98 | | | | | | | | |
| S8M - 792 | 792,00 | 99 | | | | | | | | |
| S8M - 800 | 800,00 | 100 | | | | | | | | |
| S8M - 824 | 824,00 | 103 | | | | | | | | |
| S8M - 848 | 848,00 | 106 | | | | | | | | |
| S8M - 864 | 864,00 | 108 | | | | | | | | |
| S8M - 880 | 880,00 | 110 | | | | | | | | |
| S8M - 896 | 896,00 | 112 | | | | | | | | |
| S8M - 912 | 912,00 | 114 | | | | | | | | |
| S8M - 920 | 920,00 | 115 | | | | | | | | |
| S8M - 944 | 944,00 | 118 | | | | | | | | |
| S8M - 960 | 960,00 | 120 | | | | | | | | |
| S8M - 992 | 992,00 | 124 | | | | | | | | |
| S8M - 1000 | 1000,00 | 125 | | | | | | | | |
| S8M - 1024 | 1024,00 | 128 | | | | | | | | |
| S8M - 1032 | 1032,00 | 129 | | | | | | | | |
| S8M - 1040 | 1040,00 | 130 | | | | | | | | |
| S8M - 1056 | 1056,00 | 132 | | | | | | | | |
| S8M - 1064 | 1064,00 | 133 | | | | | | | | |
| S8M - 1072 | 1072,00 | 134 | | | | | | | | |
| S8M - 1120 | 1120,00 | 140 | | | | | | | | |
| S8M - 1136 | 1136,00 | 142 | | | | | | | | |
| S8M - 1152 | 1152,00 | 144 | | | | | | | | |
| S8M - 1160 | 1160,00 | 145 | | | | | | | | |
| S8M - 1168 | 1168,00 | 146 | | | | | | | | |
| S8M - 1176 | 1176,00 | 147 | | | | | | | | |
| S8M - 1184 | 1184,00 | 148 | | | | | | | | |
| S8M - 1192 | 1192,00 | 149 | | | | | | | | |
| S8M - 1200 | 1200,00 | 150 | | | | | | | | |
| S8M - 1208 | 1208,00 | 151 | | | | | | | | |
| S8M - 1216 | 1216,00 | 152 | | | | | | | | |
| S8M - 1240 | 1240,00 | 155 | | | | | | | | |
| S8M - 1248 | 1248,00 | 156 | | | | | | | | |
| S8M - 1256 | 1256,00 | 157 | | | | | | | | |
| S8M - 1264 | 1264,00 | 158 | | | | | | | | |
| S8M - 1280 | 1280,00 | 160 | | | | | | | | |
| S8M - 1304 | 1304,00 | 163 | | | | | | | | |
| S8M - 1312 | 1312,00 | 164 | | | | | | | | |
| S8M - 1344 | 1344,00 | 168 | | | | | | | | |
| S8M - 1352 | 1352,00 | 169 | | | | | | | | |




Type S 8M - pitch 8 mm

| Belt No. | Pitch length (mm) | Number of teeth | 20 mm width Code No. 200 | | 30 mm width Code No. 300 | | 50 mm width Code No. 500 | | 85 mm width Code No. 850 | |
|------------|-------------------|-----------------|-----------------------------|--------|-----------------------------|--------|-----------------------------|--------|-----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| S8M - 1360 | 1360,00 | 170 | | | | | | | | |
| S8M - 1400 | 1400,00 | 175 | | | | | | | | |
| S8M - 1408 | 1408,00 | 176 | | | | | | | | |
| S8M - 1440 | 1440,00 | 180 | | | | | | | | |
| S8M - 1480 | 1480,00 | 185 | | | | | | | | |
| S8M - 1600 | 1600,00 | 200 | | | | | | | | |
| S8M - 1760 | 1760,00 | 220 | | | | | | | | |
| S8M - 1776 | 1776,00 | 222 | | | | | | | | |
| S8M - 1800 | 1800,00 | 225 | | | | | | | | |
| S8M - 1816 | 1816,00 | 227 | | | | | | | | |
| S8M - 1912 | 1912,00 | 239 | | | | | | | | |
| S8M - 2000 | 2000,00 | 250 | | | | | | | | |
| S8M - 2240 | 2240,00 | 280 | | | | | | | | |
| S8M - 2392 | 2392,00 | 299 | | | | | | | | |
| S8M - 2400 | 2400,00 | 300 | | | | | | | | |
| S8M - 2496 | 2496,00 | 312 | | | | | | | | |
| S8M - 2800 | 2800,00 | 350 | | | | | | | | |
| S8M - 3200 | 3200,00 | 400 | | | | | | | | |

Type S 14M - pitch 14 mm


| Belt No. | Pitch length (mm) | Number of teeth | 40 mm width Code No. 400 | | 55 mm width Code No. 550 | | 85 mm width Code No. 850 | | 115 mm width Code No. 1150 | | 170 mm width Code No. 1700 | |
|-------------|-------------------|-----------------|-----------------------------|--------|-----------------------------|--------|-----------------------------|--------|-------------------------------|--------|-------------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| S14M - 1400 | 1400,00 | 100 | | | | | | | | | | |
| S14M - 1540 | 1540,00 | 110 | | | | | | | | | | |
| S14M - 1610 | 1610,00 | 115 | | | | | | | | | | |
| S14M - 1890 | 1890,00 | 135 | | | | | | | | | | |
| S14M - 2002 | 2002,00 | 143 | | | | | | | | | | |
| S14M - 2100 | 2100,00 | 150 | | | | | | | | | | |
| S14M - 2240 | 2240,00 | 160 | | | | | | | | | | |
| S14M - 2310 | 2310,00 | 165 | | | | | | | | | | |
| S14M - 2450 | 2450,00 | 175 | | | | | | | | | | |
| S14M - 2590 | 2590,00 | 185 | | | | | | | | | | |
| S14M - 2800 | 2800,00 | 200 | | | | | | | | | | |
| S14M - 3150 | 3150,00 | 225 | | | | | | | | | | |
| S14M - 3500 | 3500,00 | 250 | | | | | | | | | | |
| S14M - 3850 | 3850,00 | 275 | | | | | | | | | | |
| S14M - 4004 | 4004,00 | 286 | | | | | | | | | | |
| S14M - 4508 | 4508,00 | 322 | | | | | | | | | | |
| S14M - 5012 | 5012,00 | 358 | | | | | | | | | | |

optibelt-ZR Open Ended Timing Belts made from Chloroprene



| Glass fibre cord | | | | | Steel wire cord | | |
|------------------|-----------------|------------------------|-----------|--------|-------------------|-----------|--------|
| Type | Belt width (mm) | Length of roll (metre) | Euro/roll | £/roll | Type | Euro/roll | £/roll |
| NE - XL 025● | 6,35 | 30 | | | NE - XL 025 - St● | | |
| NE - XL 031● | 7,94 | 30 | | | NE - XL 031 - St● | | |
| NE - XL 037 | 9,53 | 30 | | | NE - XL 037 - St● | | |
| NE - XL 050● | 12,70 | 30 | | | NE - XL 050 - St● | | |
| NE - L 037● | 9,53 | 30 | | | NE - L 037 - St● | | |
| NE - L 050 | 12,70 | 30 | | | NE - L 050 - St● | | |
| NE - L 075 | 19,05 | 30 | | | NE - L 075 - St● | | |
| NE - L 100 | 25,40 | 30 | | | NE - L 100 - St● | | |
| NE - H 050● | 12,70 | 30 | | | NE - H 050 - St● | | |
| NE - H 075 | 19,05 | 30 | | | NE - H 075 - St● | | |
| NE - H 100 | 25,40 | 30 | | | NE - H 100 - St● | | |
| NE - H 150● | 38,10 | 30 | | | NE - H 150 - St● | | |
| NE - H 200● | 50,80 | 30 | | | NE - H 200 - St● | | |

optibelt-HTD® Open Ended Timing Belts made from Chloroprene




| Glass fibre cord | | | | | Steel wire cord | | |
|------------------|-----------------|------------------------|-----------|--------|-------------------|-----------|--------|
| Type | Belt width (mm) | Length of roll (metre) | Euro/roll | £/roll | Type | Euro/roll | £/roll |
| NE - 3M 06● | 6,0 | 30 | | | NE - 3M 06 - St● | | |
| NE - 3M 09● | 9,0 | 30 | | | NE - 3M 09 - St● | | |
| NE - 3M 15● | 15,0 | 30 | | | NE - 3M 15 - St● | | |
| NE - 5M 06 | 6,0 | 30 | | | NE - 5M 06 - St | | |
| NE - 5M 09 | 9,0 | 30 | | | NE - 5M 09 - St | | |
| NE - 5M 15 | 15,0 | 30 | | | NE - 5M 15 - St | | |
| NE - 5M 25 | 25,0 | 30 | | | NE - 5M 25 - St | | |
| NE - 8M 10 | 10,0 | 30 | | | NE - 8M 10 - St | | |
| NE - 8M 15 | 15,0 | 30 | | | NE - 8M 15 - St | | |
| NE - 8M 20 | 20,0 | 30 | | | NE - 8M 20 - St | | |
| NE - 8M 30 | 30,0 | 30 | | | NE - 8M 30 - St | | |
| NE - 8M 50 | 50,0 | 30 | | | NE - 8M 50 - St | | |
| NE - 8M 85 | 85,0 | 30 | | | NE - 8M 85 - St | | |
| NE - 14M 25● | 25,0 | 30 | | | NE - 14M 25 - St● | | |
| NE - 14M 40 | 40,0 | 30 | | | NE - 14M 40 - St | | |
| NE - 14M 55 | 55,0 | 30 | | | NE - 14M 55 - St | | |
| NE - 14M 85 | 85,0 | 30 | | | NE - 14M 85 - St | | |

Further sizes and Open Ended Timing Belts with angular deflection on request.

● Non stock items.

Minimum order quantity: 1 roll.



| Type | t (mm) | h _t (mm) | h _s (mm) | s (mm) | β |
|-------|--------|---------------------|---------------------|--------|-----|
| T 2,5 | 2,5 | 0,70 | 1,30 | 1,50 | 40° |

T 2,5
10 T 2,5 / 120

Pitch length (mm)
Pitch (2,5 mm)
Width (mm)

Construction: Polyurethane with steel tension cord

Type T 2,5 - pitch 2,5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 4 mm width Code No. 4 | | 6 mm width Code No. 6 | | 8 mm width Code No. 8 | | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | |
|------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T2,5/120 | 120,0 | 48 | | | | | | | | | | |
| T2,5/145 | 145,0 | 58 | | | | | | | | | | |
| T2,5/160 | 160,0 | 64 | | | | | | | | | | |
| T2,5/177,5 | 177,5 | 71 | | | | | | | | | | |
| T2,5/200 | 200,0 | 80 | | | | | | | | | | |
| T2,5/230 | 230,0 | 92 | | | | | | | | | | |
| T2,5/245 | 245,0 | 98 | | | | | | | | | | |
| T2,5/265 | 265,0 | 106 | | | | | | | | | | |
| T2,5/285 | 285,0 | 114 | | | | | | | | | | |
| T2,5/290 | 290,0 | 116 | | | | | | | | | | |
| T2,5/305 | 305,0 | 122 | | | | | | | | | | |
| T2,5/317,5 | 317,5 | 127 | | | | | | | | | | |
| T2,5/330 | 330,0 | 132 | | | | | | | | | | |
| T2,5/380 | 380,0 | 152 | | | | | | | | | | |
| T2,5/420 | 420,0 | 168 | | | | | | | | | | |
| T2,5/480 | 480,0 | 192 | | | | | | | | | | |
| T2,5/500 | 500,0 | 200 | | | | | | | | | | |
| T2,5/540 | 540,0 | 216 | | | | | | | | | | |
| T2,5/600 | 600,0 | 240 | | | | | | | | | | |
| T2,5/650 | 650,0 | 260 | | | | | | | | | | |
| T2,5/780 | 780,0 | 312 | | | | | | | | | | |
| T2,5/915 | 915,0 | 366 | | | | | | | | | | |
| T2,5/950 | 950,0 | 380 | | | | | | | | | | |

Price for intermediate widths

Use the price for the next widest standard width.

Example: 11 T 2,5/950

Use price for 12 T 2,5/950 = Euro 16,40

Price for over width belts

Take the price for the widest standard belt and extrapolate.


Example: 20 T 2,5/950

Price is price for 12 T 2,5/950 = Euro 16,40

Price for 20 T 2,5/950 = Euro 16,40 : 12

x 20 = Euro 27,33

Further sizes on request.




| Type | t (mm) | h _t (mm) | h _s (mm) | s (mm) | β |
|------|--------|---------------------|---------------------|--------|-----|
| T 5 | 5,0 | 1,20 | 2,20 | 2,65 | 40° |

T 5
 10 T 5 / 165
 Pitch length (mm)
 Pitch (5 mm)
 Width (mm)

Construction: Polyurethane with steel tension cord


| Type T 5 - pitch 5 mm | | | | | | | | | | |
|-----------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 8 mm width Code No. 8 | | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T5/165 | 165,0 | 33 | | | | | | | | |
| T5/185 | 185,0 | 37 | | | | | | | | |
| T5/200 | 200,0 | 40 | | | | | | | | |
| T5/215 | 215,0 | 43 | | | | | | | | |
| T5/220 | 220,0 | 44 | | | | | | | | |
| T5/225 | 225,0 | 45 | | | | | | | | |
| T5/245 | 245,0 | 49 | | | | | | | | |
| T5/250 | 250,0 | 50 | | | | | | | | |
| T5/255 | 255,0 | 51 | | | | | | | | |
| T5/260 | 260,0 | 52 | | | | | | | | |
| T5/270 | 270,0 | 54 | | | | | | | | |
| T5/275 | 275,0 | 55 | | | | | | | | |
| T5/280 | 280,0 | 56 | | | | | | | | |
| T5/295 | 295,0 | 59 | | | | | | | | |
| T5/300 | 300,0 | 60 | | | | | | | | |
| T5/305 | 305,0 | 61 | | | | | | | | |
| T5/325 | 325,0 | 65 | | | | | | | | |
| T5/330 | 330,0 | 66 | | | | | | | | |
| T5/340 | 340,0 | 68 | | | | | | | | |
| T5/350 | 350,0 | 70 | | | | | | | | |
| T5/355 | 355,0 | 71 | | | | | | | | |
| T5/360 | 360,0 | 72 | | | | | | | | |
| T5/365 | 365,0 | 73 | | | | | | | | |
| T5/375 | 375,0 | 75 | | | | | | | | |
| T5/390 | 390,0 | 78 | | | | | | | | |
| T5/400 | 400,0 | 80 | | | | | | | | |
| T5/410 | 410,0 | 82 | | | | | | | | |
| T5/420 | 420,0 | 84 | | | | | | | | |
| T5/425 | 425,0 | 85 | | | | | | | | |
| T5/440 | 440,0 | 88 | | | | | | | | |
| T5/445 | 445,0 | 89 | | | | | | | | |
| T5/450 | 450,0 | 90 | | | | | | | | |
| T5/455 | 455,0 | 91 | | | | | | | | |
| T5/460 | 460,0 | 92 | | | | | | | | |
| T5/475 | 475,0 | 95 | | | | | | | | |
| T5/480 | 480,0 | 96 | | | | | | | | |
| T5/500 | 500,0 | 100 | | | | | | | | |
| T5/510 | 510,0 | 102 | | | | | | | | |
| T5/525 | 525,0 | 105 | | | | | | | | |
| T5/545 | 545,0 | 109 | | | | | | | | |
| T5/550 | 550,0 | 110 | | | | | | | | |
| T5/560 | 560,0 | 112 | | | | | | | | |
| T5/575 | 575,0 | 115 | | | | | | | | |
| T5/590 | 590,0 | 118 | | | | | | | | |
| T5/600 | 600,0 | 120 | | | | | | | | |
| T5/610 | 610,0 | 122 | | | | | | | | |
| T5/620 | 620,0 | 124 | | | | | | | | |
| T5/625 | 625,0 | 125 | | | | | | | | |
| T5/630 | 630,0 | 126 | | | | | | | | |
| T5/640 | 640,0 | 128 | | | | | | | | |
| T5/650 | 650,0 | 130 | | | | | | | | |
| T5/660 | 660,0 | 132 | | | | | | | | |
| T5/675 | 675,0 | 135 | | | | | | | | |
| T5/690 | 690,0 | 138 | | | | | | | | |
| T5/700 | 700,0 | 140 | | | | | | | | |



Construction: Polyurethane with steel tension cord

Type T 5 - pitch 5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | | 25 mm width Code No. 25 | |
|----------|-------------------|-----------------|----------------------------|--|----------------------------|--|----------------------------|--|
| | | | | | | | | |
| T5/165 | 165,0 | 33 | | | | | | |
| T5/185 | 185,0 | 37 | | | | | | |
| T5/200 | 200,0 | 40 | | | | | | |
| T5/215 | 215,0 | 43 | | | | | | |
| T5/220 | 220,0 | 44 | | | | | | |
| T5/225 | 225,0 | 45 | | | | | | |
| T5/245 | 245,0 | 49 | | | | | | |
| T5/250 | 250,0 | 50 | | | | | | |
| T5/255 | 255,0 | 51 | | | | | | |
| T5/260 | 260,0 | 52 | | | | | | |
| T5/270 | 270,0 | 54 | | | | | | |
| T5/275 | 275,0 | 55 | | | | | | |
| T5/280 | 280,0 | 56 | | | | | | |
| T5/295 | 295,0 | 59 | | | | | | |
| T5/300 | 300,0 | 60 | | | | | | |
| T5/305 | 305,0 | 61 | | | | | | |
| T5/325 | 325,0 | 65 | | | | | | |
| T5/330 | 330,0 | 66 | | | | | | |
| T5/340 | 340,0 | 68 | | | | | | |
| T5/350 | 350,0 | 70 | | | | | | |
| T5/355 | 355,0 | 71 | | | | | | |
| T5/360• | 360,0 | 72 | | | | | | |
| T5/365 | 365,0 | 73 | | | | | | |
| T5/375 | 375,0 | 75 | | | | | | |
| T5/390 | 390,0 | 78 | | | | | | |
| T5/400 | 400,0 | 80 | | | | | | |
| T5/410 | 410,0 | 82 | | | | | | |
| T5/420 | 420,0 | 84 | | | | | | |
| T5/425 | 425,0 | 85 | | | | | | |
| T5/440 | 440,0 | 88 | | | | | | |
| T5/445 | 445,0 | 89 | | | | | | |
| T5/450 | 450,0 | 90 | | | | | | |
| T5/455 | 455,0 | 91 | | | | | | |
| T5/460 | 460,0 | 92 | | | | | | |
| T5/475 | 475,0 | 95 | | | | | | |
| T5/480 | 480,0 | 96 | | | | | | |
| T5/500 | 500,0 | 100 | | | | | | |
| T5/510 | 510,0 | 102 | | | | | | |
| T5/525 | 525,0 | 105 | | | | | | |
| T5/545 | 545,0 | 109 | | | | | | |
| T5/550 | 550,0 | 110 | | | | | | |
| T5/560 | 560,0 | 112 | | | | | | |
| T5/575 | 575,0 | 115 | | | | | | |
| T5/590 | 590,0 | 118 | | | | | | |
| T5/600 | 600,0 | 120 | | | | | | |
| T5/610 | 610,0 | 122 | | | | | | |
| T5/620 | 620,0 | 124 | | | | | | |
| T5/625 | 625,0 | 125 | | | | | | |
| T5/630 | 630,0 | 126 | | | | | | |
| T5/640 | 640,0 | 128 | | | | | | |
| T5/650 | 650,0 | 130 | | | | | | |
| T5/660 | 660,0 | 132 | | | | | | |
| T5/675 | 675,0 | 135 | | | | | | |
| T5/690 | 690,0 | 138 | | | | | | |
| T5/700 | 700,0 | 140 | | | | | | |



T 5
 10 T 5 / 165
 Pitch length (mm)
 Pitch (5 mm)
 Width (mm)

| Type | t (mm) | h _t (mm) | h _s (mm) | s (mm) | β |
|------------|--------|---------------------|---------------------|--------|-----|
| T 5 | 5,0 | 1,20 | 2,20 | 2,65 | 40° |

Construction: Polyurethane with steel tension cord


| Type T 5 - pitch 5 mm | | | | | | | | | | |
|-----------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 8 mm width Code No. 8 | | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T5/ 720 | 720,0 | 144 | | | | | | | | |
| T5/ 725 | 725,0 | 145 | | | | | | | | |
| T5/ 750 | 750,0 | 150 | | | | | | | | |
| T5/ 780 | 780,0 | 156 | | | | | | | | |
| T5/ 800● | 800,0 | 160 | | | | | | | | |
| T5/ 815 | 815,0 | 163 | | | | | | | | |
| T5/ 840 | 840,0 | 168 | | | | | | | | |
| T5/ 850 | 850,0 | 170 | | | | | | | | |
| T5/ 860● | 860,0 | 172 | | | | | | | | |
| T5/ 900 | 900,0 | 180 | | | | | | | | |
| T5/ 940 | 940,0 | 188 | | | | | | | | |
| T5/ 990 | 990,0 | 198 | | | | | | | | |
| T5/1000 | 1000,0 | 200 | | | | | | | | |
| T5/1075 | 1075,0 | 215 | | | | | | | | |
| T5/1100 | 1100,0 | 220 | | | | | | | | |
| T5/1115 | 1115,0 | 223 | | | | | | | | |
| T5/1140 | 1140,0 | 228 | | | | | | | | |
| T5/1215 | 1215,0 | 243 | | | | | | | | |
| T5/1350● | 1350,0 | 270 | | | | | | | | |
| T5/1380 | 1380,0 | 276 | | | | | | | | |
| T5/1440 | 1440,0 | 288 | | | | | | | | |

Price for intermediate widths

Use the price for the next widest standard width

Example: 11 T 5/1440

Use price for 12 T 5/1140 = Euro 23,00



| | | |
|-----|----|-------------------|
| T 5 | 10 | T 5 / 165 |
| | | Pitch length (mm) |
| | | Pitch (5 mm) |
| | | Width (mm) |

| Type | t (mm) | h _t (mm) | h _s (mm) | s (mm) | β |
|------|--------|---------------------|---------------------|--------|-----|
| T 5 | 5,0 | 1,20 | 2,20 | 2,65 | 40° |

Construction: Polyurethane with steel tension cord

Type T 5 - pitch 5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | | 25 mm width Code No. 25 | |
|----------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T5/ 720 | 720,0 | 144 | | | | | | |
| T5/ 725 | 725,0 | 145 | | | | | | |
| T5/ 750 | 750,0 | 150 | | | | | | |
| T5/ 780 | 780,0 | 156 | | | | | | |
| T5/ 800• | 800,0 | 160 | | | | | | |
| T5/ 815 | 815,0 | 163 | | | | | | |
| T5/ 840 | 840,0 | 168 | | | | | | |
| T5/ 850 | 850,0 | 170 | | | | | | |
| T5/ 860• | 860,0 | 172 | | | | | | |
| T5/ 900 | 900,0 | 180 | | | | | | |
| T5/ 940 | 940,0 | 188 | | | | | | |
| T5/ 990 | 990,0 | 198 | | | | | | |
| T5/1000 | 1000,0 | 200 | | | | | | |
| T5/1075 | 1075,0 | 215 | | | | | | |
| T5/1100 | 1100,0 | 220 | | | | | | |
| T5/1115 | 1115,0 | 223 | | | | | | |
| T5/1140 | 1140,0 | 228 | | | | | | |
| T5/1215 | 1215,0 | 243 | | | | | | |
| T5/1350• | 1350,0 | 270 | | | | | | |
| T5/1380 | 1380,0 | 276 | | | | | | |
| T5/1440 | 1440,0 | 288 | | | | | | |

Price for over width belts


Take the price for the widest standard belt and extrapolate

Example: 40 T 5/1440

Price is price for 25 T 5/1440 = Euro 39,30

Price for 40 T 5/1440 = Euro 39,30 : 25 x 40 = Euro 62,88

Further sizes on request. • Non stock items.




| Type | t (mm) | h ₁ (mm) | h _s (mm) | s (mm) | β |
|------|--------|---------------------|---------------------|--------|-----|
| T 10 | 10,0 | 2,50 | 4,50 | 5,30 | 40° |

T 10
 10 T 10 / 260
 Pitch length (mm)
 Pitch (10 mm)
 Width (mm)

Construction: Polyurethane with steel tension cord


| Type T 10 - pitch 10 mm | | | | | | | | | | |
|-------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T10/ 260 | 260,0 | 26 | | | | | | | | |
| T10/ 370 | 370,0 | 37 | | | | | | | | |
| T10/ 400 | 400,0 | 40 | | | | | | | | |
| T10/ 410 | 410,0 | 41 | | | | | | | | |
| T10/ 440 | 440,0 | 44 | | | | | | | | |
| T10/ 450 | 450,0 | 45 | | | | | | | | |
| T10/ 500 | 500,0 | 50 | | | | | | | | |
| T10/ 530 | 530,0 | 53 | | | | | | | | |
| T10/ 550 | 550,0 | 55 | | | | | | | | |
| T10/ 560 | 560,0 | 56 | | | | | | | | |
| T10/ 600 | 600,0 | 60 | | | | | | | | |
| T10/ 610 | 610,0 | 61 | | | | | | | | |
| T10/ 630 | 630,0 | 63 | | | | | | | | |
| T10/ 650 | 650,0 | 65 | | | | | | | | |
| T10/ 660 | 660,0 | 66 | | | | | | | | |
| T10/ 690 | 690,0 | 69 | | | | | | | | |
| T10/ 700 | 700,0 | 70 | | | | | | | | |
| T10/ 720 | 720,0 | 72 | | | | | | | | |
| T10/ 750 | 750,0 | 75 | | | | | | | | |
| T10/ 780 | 780,0 | 78 | | | | | | | | |
| T10/ 800 | 800,0 | 80 | | | | | | | | |
| T10/ 810 | 810,0 | 81 | | | | | | | | |
| T10/ 840 | 840,0 | 84 | | | | | | | | |
| T10/ 850 | 850,0 | 85 | | | | | | | | |
| T10/ 880 | 880,0 | 88 | | | | | | | | |
| T10/ 890 | 890,0 | 89 | | | | | | | | |
| T10/ 900 | 900,0 | 90 | | | | | | | | |
| T10/ 910 | 910,0 | 91 | | | | | | | | |
| T10/ 920 | 920,0 | 92 | | | | | | | | |
| T10/ 950 | 950,0 | 95 | | | | | | | | |
| T10/ 960 | 960,0 | 96 | | | | | | | | |
| T10/ 970 | 970,0 | 97 | | | | | | | | |
| T10/ 980 | 980,0 | 98 | | | | | | | | |
| T10/1000 | 1000,0 | 100 | | | | | | | | |
| T10/1010 | 1010,0 | 101 | | | | | | | | |
| T10/1050 | 1050,0 | 105 | | | | | | | | |
| T10/1080 | 1080,0 | 108 | | | | | | | | |
| T10/1100 | 1100,0 | 110 | | | | | | | | |
| T10/1110 | 1110,0 | 111 | | | | | | | | |
| T10/1140 | 1140,0 | 114 | | | | | | | | |
| T10/1150 | 1150,0 | 115 | | | | | | | | |
| T10/1200 | 1200,0 | 120 | | | | | | | | |
| T10/1210 | 1210,0 | 121 | | | | | | | | |
| T10/1240 | 1240,0 | 124 | | | | | | | | |
| T10/1250 | 1250,0 | 125 | | | | | | | | |
| T10/1300 | 1300,0 | 130 | | | | | | | | |
| T10/1320 | 1320,0 | 132 | | | | | | | | |
| T10/1350 | 1350,0 | 135 | | | | | | | | |
| T10/1390 | 1390,0 | 139 | | | | | | | | |
| T10/1400 | 1400,0 | 140 | | | | | | | | |
| T10/1420 | 1420,0 | 142 | | | | | | | | |
| T10/1440 | 1440,0 | 144 | | | | | | | | |
| T10/1450 | 1450,0 | 145 | | | | | | | | |
| T10/1460 | 1460,0 | 146 | | | | | | | | |
| T10/1500 | 1500,0 | 150 | | | | | | | | |



Construction: Polyurethane with steel tension cord

Type T 10 - pitch 10 mm

| Belt No. | Pitch length (mm) | Number of teeth | 25 mm width Code No. 25 | | 32 mm width Code No. 32 | | 50 mm width Code No. 50 | |
|----------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T10/ 260 | 260,0 | 26 | | | | | | |
| T10/ 370 | 370,0 | 37 | | | | | | |
| T10/ 400 | 400,0 | 40 | | | | | | |
| T10/ 410 | 410,0 | 41 | | | | | | |
| T10/ 440 | 440,0 | 44 | | | | | | |
| T10/ 450 | 450,0 | 45 | | | | | | |
| T10/ 500 | 500,0 | 50 | | | | | | |
| T10/ 530 | 530,0 | 53 | | | | | | |
| T10/ 550 | 550,0 | 55 | | | | | | |
| T10/ 560 | 560,0 | 56 | | | | | | |
| T10/ 600 | 600,0 | 60 | | | | | | |
| T10/ 610 | 610,0 | 61 | | | | | | |
| T10/ 630 | 630,0 | 63 | | | | | | |
| T10/ 650 | 650,0 | 65 | | | | | | |
| T10/ 660 | 660,0 | 66 | | | | | | |
| T10/ 690 | 690,0 | 69 | | | | | | |
| T10/ 700 | 700,0 | 70 | | | | | | |
| T10/ 720 | 720,0 | 72 | | | | | | |
| T10/ 750 | 750,0 | 75 | | | | | | |
| T10/ 780 | 780,0 | 78 | | | | | | |
| T10/ 800 | 800,0 | 80 | | | | | | |
| T10/ 810 | 810,0 | 81 | | | | | | |
| T10/ 840 | 840,0 | 84 | | | | | | |
| T10/ 850 | 850,0 | 85 | | | | | | |
| T10/ 880 | 880,0 | 88 | | | | | | |
| T10/ 890 | 890,0 | 89 | | | | | | |
| T10/ 900 | 900,0 | 90 | | | | | | |
| T10/ 910 | 910,0 | 91 | | | | | | |
| T10/ 920 | 920,0 | 92 | | | | | | |
| T10/ 950 | 950,0 | 95 | | | | | | |
| T10/ 960 | 960,0 | 96 | | | | | | |
| T10/ 970 | 970,0 | 97 | | | | | | |
| T10/ 980 | 980,0 | 98 | | | | | | |
| T10/1000 | 1000,0 | 100 | | | | | | |
| T10/1010 | 1010,0 | 101 | | | | | | |
| T10/1050 | 1050,0 | 105 | | | | | | |
| T10/1080 | 1080,0 | 108 | | | | | | |
| T10/1100 | 1100,0 | 110 | | | | | | |
| T10/1110 | 1110,0 | 111 | | | | | | |
| T10/1140 | 1140,0 | 114 | | | | | | |
| T10/1150 | 1150,0 | 115 | | | | | | |
| T10/1200 | 1200,0 | 120 | | | | | | |
| T10/1210 | 1210,0 | 121 | | | | | | |
| T10/1240 | 1240,0 | 124 | | | | | | |
| T10/1250 | 1250,0 | 125 | | | | | | |
| T10/1300 | 1300,0 | 130 | | | | | | |
| T10/1320 | 1320,0 | 132 | | | | | | |
| T10/1350 | 1350,0 | 135 | | | | | | |
| T10/1390 | 1390,0 | 139 | | | | | | |
| T10/1400 | 1400,0 | 140 | | | | | | |
| T10/1420 | 1420,0 | 142 | | | | | | |
| T10/1440 | 1440,0 | 144 | | | | | | |
| T10/1450 | 1450,0 | 145 | | | | | | |
| T10/1460 | 1460,0 | 146 | | | | | | |
| T10/1500 | 1500,0 | 150 | | | | | | |



| Type | t (mm) | h ₁ (mm) | h _s (mm) | s (mm) | β |
|------|--------|---------------------|---------------------|--------|-----|
| T 10 | 10,0 | 2,50 | 4,50 | 5,30 | 40° |

T 10
 10 T 10 / 260
 Pitch length (mm)
 Pitch (10 mm)
 Width (mm)

Construction: Polyurethane with steel tension cord

| Type T 10 - pitch 10 mm | | | | | | | | | | |
|-------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T10/1560 | 1560,0 | 156 | | | | | | | | |
| T10/1600 | 1600,0 | 160 | | | | | | | | |
| T10/1610 | 1610,0 | 161 | | | | | | | | |
| T10/1700 | 1700,0 | 170 | | | | | | | | |
| T10/1750 | 1750,0 | 175 | | | | | | | | |
| T10/1780 | 1780,0 | 178 | | | | | | | | |
| T10/1800 | 1800,0 | 180 | | | | | | | | |
| T10/1880 | 1880,0 | 188 | | | | | | | | |
| T10/1960 | 1960,0 | 196 | | | | | | | | |
| T10/2250 | 2250,0 | 225 | | | | | | | | |


Price for intermediate widths

Use the price for the next widest standard width.

Example: 40 T 10/1010

Use price for 50 T 10/1010 = Euro 64,40

Further sizes on request.



| Type | t (mm) | h _t (mm) | h _s (mm) | s (mm) | β |
|------|--------|---------------------|---------------------|--------|-----|
| T 10 | 10,0 | 2,50 | 4,50 | 5,30 | 40° |

Pitch length (mm)
 Pitch (10 mm)
 Width (mm)

Construction: Polyurethane with steel tension cord

Type T 10 - pitch 10 mm

| Belt No. | Pitch length (mm) | Number of teeth | 25 mm width Code No. 25 | | 32 mm width Code No. 32 | | 50 mm width Code No. 50 | |
|----------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T10/1560 | 1560,0 | 156 | | | | | | |
| T10/1600 | 1600,0 | 160 | | | | | | |
| T10/1610 | 1610,0 | 161 | | | | | | |
| T10/1700 | 1700,0 | 170 | | | | | | |
| T10/1750 | 1750,0 | 175 | | | | | | |
| T10/1780 | 1780,0 | 178 | | | | | | |
| T10/1800 | 1800,0 | 180 | | | | | | |
| T10/1880 | 1880,0 | 188 | | | | | | |
| T10/1960 | 1960,0 | 196 | | | | | | |
| T10/2250 | 2250,0 | 225 | | | | | | |

Price for over width belts


Take the price for the widest standard belt and extrapolate.

Example: 75 T 10/2250

Price is price for 50 T 10/2250 = Euro 137,00

Price for 75 T 10/2250 = Euro 137,00 : 50 x 75 = Euro 205,50


Further sizes on request.



| Type | t (mm) | h _r (mm) | h _s (mm) | b (mm) | β |
|------|--------|---------------------|---------------------|--------|-----|
| AT 5 | 5,0 | 1,20 | 2,70 | 2,50 | 50° |


Construction: Polyurethane with steel tension cord

| Type AT 5 - pitch 5 mm | | | | | | | | | | |
|------------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 8 mm width Code No. 8 | | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| AT5/ 225 | 225,0 | 45 | | | | | | | | |
| AT5/ 255 | 255,0 | 51 | | | | | | | | |
| AT5/ 280 | 280,0 | 56 | | | | | | | | |
| AT5/ 300 | 300,0 | 60 | | | | | | | | |
| AT5/ 340 | 340,0 | 68 | | | | | | | | |
| AT5/ 375 | 375,0 | 75 | | | | | | | | |
| AT5/ 390 | 390,0 | 78 | | | | | | | | |
| AT5/ 420 | 420,0 | 84 | | | | | | | | |
| AT5/ 450 | 450,0 | 90 | | | | | | | | |
| AT5/ 455 | 455,0 | 91 | | | | | | | | |
| AT5/ 500 | 500,0 | 100 | | | | | | | | |
| AT5/ 545 | 545,0 | 109 | | | | | | | | |
| AT5/ 600 | 600,0 | 120 | | | | | | | | |
| AT5/ 610 | 610,0 | 122 | | | | | | | | |
| AT5/ 660 | 660,0 | 132 | | | | | | | | |
| AT5/ 710 | 710,0 | 142 | | | | | | | | |
| AT5/ 720 | 720,0 | 144 | | | | | | | | |
| AT5/ 750 | 750,0 | 150 | | | | | | | | |
| AT5/ 780 | 780,0 | 156 | | | | | | | | |
| AT5/ 825 | 825,0 | 165 | | | | | | | | |
| AT5/ 860 | 860,0 | 172 | | | | | | | | |
| AT5/ 975 | 975,0 | 195 | | | | | | | | |
| AT5/1050 | 1050,0 | 210 | | | | | | | | |
| AT5/1125 | 1125,0 | 225 | | | | | | | | |
| AT5/1500 | 1500,0 | 300 | | | | | | | | |



Type AT 5 - pitch 5 mm

| Belt No. | Pitch length (mm) | Number of teeth | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | | 25 mm width Code No. 25 | |
|----------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| AT5/ 225 | 225,0 | 45 | | | | | | |
| AT5/ 255 | 255,0 | 51 | | | | | | |
| AT5/ 280 | 280,0 | 56 | | | | | | |
| AT5/ 300 | 300,0 | 60 | | | | | | |
| AT5/ 340 | 340,0 | 68 | | | | | | |
| AT5/ 375 | 375,0 | 75 | | | | | | |
| AT5/ 390 | 390,0 | 78 | | | | | | |
| AT5/ 420 | 420,0 | 84 | | | | | | |
| AT5/ 450 | 450,0 | 90 | | | | | | |
| AT5/ 455 | 455,0 | 91 | | | | | | |
| AT5/ 500 | 500,0 | 100 | | | | | | |
| AT5/ 545 | 545,0 | 109 | | | | | | |
| AT5/ 600 | 600,0 | 120 | | | | | | |
| AT5/ 610 | 610,0 | 122 | | | | | | |
| AT5/ 660 | 660,0 | 132 | | | | | | |
| AT5/ 710 | 710,0 | 142 | | | | | | |
| AT5/ 720 | 720,0 | 144 | | | | | | |
| AT5/ 750 | 750,0 | 150 | | | | | | |
| AT5/ 780 | 780,0 | 156 | | | | | | |
| AT5/ 825 | 825,0 | 165 | | | | | | |
| AT5/ 860 | 860,0 | 172 | | | | | | |
| AT5/ 975 | 975,0 | 195 | | | | | | |
| AT5/1050 | 1050,0 | 210 | | | | | | |
| AT5/1125 | 1125,0 | 225 | | | | | | |
| AT5/1500 | 1500,0 | 300 | | | | | | |




AT 10
16 AT 10/ 700

| Type | t (mm) | h _t (mm) | h _s (mm) | b (mm) | β |
|--------------|--------|---------------------|---------------------|--------|-----|
| AT 10 | 10,0 | 2,50 | 5,00 | 5,00 | 50° |

Pitch length (mm)
Pitch (10 mm)
Width (mm)

Construction: Polyurethane with steel tension cord

| Type AT 10 - pitch 10 mm | | | | | | | | | | |
|--------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| AT10/ 500 | 500,0 | 50 | | | | | | | | |
| AT10/ 560 | 560,0 | 56 | | | | | | | | |
| AT10/ 600 | 600,0 | 60 | | | | | | | | |
| AT10/ 610 | 610,0 | 61 | | | | | | | | |
| AT10/ 660 | 660,0 | 66 | | | | | | | | |
| AT10/ 700 | 700,0 | 70 | | | | | | | | |
| AT10/ 730 | 730,0 | 73 | | | | | | | | |
| AT10/ 780 | 780,0 | 78 | | | | | | | | |
| AT10/ 800 | 800,0 | 80 | | | | | | | | |
| AT10/ 840 | 840,0 | 84 | | | | | | | | |
| AT10/ 890 | 890,0 | 89 | | | | | | | | |
| AT10/ 920 | 920,0 | 92 | | | | | | | | |
| AT10/ 960 | 960,0 | 96 | | | | | | | | |
| AT10/ 980 | 980,0 | 98 | | | | | | | | |
| AT10/1000 | 1000,0 | 100 | | | | | | | | |
| AT10/1010 | 1010,0 | 101 | | | | | | | | |
| AT10/1050 | 1050,0 | 105 | | | | | | | | |
| AT10/1080 | 1080,0 | 108 | | | | | | | | |
| AT10/1100 | 1100,0 | 110 | | | | | | | | |
| AT10/1150 | 1150,0 | 115 | | | | | | | | |
| AT10/1200 | 1200,0 | 120 | | | | | | | | |
| AT10/1210 | 1210,0 | 121 | | | | | | | | |
| AT10/1250 | 1250,0 | 125 | | | | | | | | |
| AT10/1280 | 1280,0 | 128 | | | | | | | | |
| AT10/1300 | 1300,0 | 130 | | | | | | | | |
| AT10/1320 | 1320,0 | 132 | | | | | | | | |
| AT10/1350 | 1350,0 | 135 | | | | | | | | |
| AT10/1360 | 1360,0 | 136 | | | | | | | | |
| AT10/1400 | 1400,0 | 140 | | | | | | | | |
| AT10/1420 | 1420,0 | 142 | | | | | | | | |
| AT10/1480 | 1480,0 | 148 | | | | | | | | |
| AT10/1500 | 1500,0 | 150 | | | | | | | | |
| AT10/1600 | 1600,0 | 160 | | | | | | | | |
| AT10/1700 | 1700,0 | 170 | | | | | | | | |
| AT10/1720 | 1720,0 | 172 | | | | | | | | |
| AT10/1800 | 1800,0 | 180 | | | | | | | | |
| AT10/1860 | 1860,0 | 186 | | | | | | | | |
| AT10/1940 | 1940,0 | 194 | | | | | | | | |



Type AT 10 - pitch 10 mm

| Belt No. | Pitch length (mm) | Number of teeth | 25 mm width Code No. 25 | 32 mm width Code No. 32 | 50 mm width Code No. 50 |
|-----------|-------------------|-----------------|----------------------------|----------------------------|----------------------------|
| AT10/ 500 | 500,0 | 50 | | | |
| AT10/ 560 | 560,0 | 56 | | | |
| AT10/ 600 | 600,0 | 60 | | | |
| AT10/ 610 | 610,0 | 61 | | | |
| AT10/ 660 | 660,0 | 66 | | | |
| AT10/ 700 | 700,0 | 70 | | | |
| AT10/ 730 | 730,0 | 73 | | | |
| AT10/ 780 | 780,0 | 78 | | | |
| AT10/ 800 | 800,0 | 80 | | | |
| AT10/ 840 | 840,0 | 84 | | | |
| AT10/ 890 | 890,0 | 89 | | | |
| AT10/ 920 | 920,0 | 92 | | | |
| AT10/ 960 | 960,0 | 96 | | | |
| AT10/ 980 | 980,0 | 98 | | | |
| AT10/1000 | 1000,0 | 100 | | | |
| AT10/1010 | 1010,0 | 101 | | | |
| AT10/1050 | 1050,0 | 105 | | | |
| AT10/1080 | 1080,0 | 108 | | | |
| AT10/1100 | 1100,0 | 110 | | | |
| AT10/1150 | 1150,0 | 115 | | | |
| AT10/1200 | 1200,0 | 120 | | | |
| AT10/1210 | 1210,0 | 121 | | | |
| AT10/1250 | 1250,0 | 125 | | | |
| AT10/1280 | 1280,0 | 128 | | | |
| AT10/1300 | 1300,0 | 130 | | | |
| AT10/1320 | 1320,0 | 132 | | | |
| AT10/1350 | 1350,0 | 135 | | | |
| AT10/1360 | 1360,0 | 136 | | | |
| AT10/1400 | 1400,0 | 140 | | | |
| AT10/1420 | 1420,0 | 142 | | | |
| AT10/1480 | 1480,0 | 148 | | | |
| AT10/1500 | 1500,0 | 150 | | | |
| AT10/1600 | 1600,0 | 160 | | | |
| AT10/1700 | 1700,0 | 170 | | | |
| AT10/1720 | 1720,0 | 172 | | | |
| AT10/1800 | 1800,0 | 180 | | | |
| AT10/1860 | 1860,0 | 186 | | | |
| AT10/1940 | 1940,0 | 194 | | | |

| Type | t (mm) | h _t (mm) | h _{s1} (mm) | s (mm) | β |
|-------|--------|---------------------|----------------------|--------|-----|
| T 5 D | 5,0 | 1,20 | 3,40 | 2,65 | 40° |

Double Timing Belts
 Pitch length (mm)
 Pitch (5 mm)
 Width (mm)

Construction: Polyurethane with steel tension cord


| Type T 5 D - pitch 5 mm | | | | | | | | | | |
|-------------------------|-------------------|-----------------|--------------------------|--------|--------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 6 mm width Code No. 6 | | 8 mm width Code No. 8 | | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T5/ 300 D• | 300,0 | 60 | | | | | | | | |
| T5/ 350 D• | 350,0 | 70 | | | | | | | | |
| T5/ 400 D• | 400,0 | 80 | | | | | | | | |
| T5/ 410 D | 410,0 | 82 | | | | | | | | |
| T5/ 450 D• | 450,0 | 90 | | | | | | | | |
| T5/ 460 D | 460,0 | 92 | | | | | | | | |
| T5/ 480 D | 480,0 | 96 | | | | | | | | |
| T5/ 500 D | 500,0 | 100 | | | | | | | | |
| T5/ 515 D | 515,0 | 103 | | | | | | | | |
| T5/ 550 D | 550,0 | 110 | | | | | | | | |
| T5/ 590 D | 590,0 | 118 | | | | | | | | |
| T5/ 600 D• | 600,0 | 120 | | | | | | | | |
| T5/ 620 D | 620,0 | 124 | | | | | | | | |
| T5/ 650 D | 650,0 | 130 | | | | | | | | |
| T5/ 700 D | 700,0 | 140 | | | | | | | | |
| T5/ 750 D | 750,0 | 150 | | | | | | | | |
| T5/ 800 D | 800,0 | 160 | | | | | | | | |
| T5/ 815 D | 815,0 | 163 | | | | | | | | |
| T5/ 850 D• | 850,0 | 170 | | | | | | | | |
| T5/ 860 D | 860,0 | 172 | | | | | | | | |
| T5/ 900 D | 900,0 | 180 | | | | | | | | |
| T5/ 940 D | 940,0 | 188 | | | | | | | | |
| T5/1100 D | 1100,0 | 220 | | | | | | | | |

Price for intermediate widths

Use the price for the next widest standard width.

Example: 11 T 5/1100 D

Use price for 12 T 5/1100 D = Euro 23,30



| Type T 5 D - pitch 5 mm | | | | | | | | | | |
|-------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | | 25 mm width Code No. 25 | | 32 mm width Code No. 32 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T5/ 300D• | 300,0 | 60 | | | | | | | | |
| T5/ 350D• | 350,0 | 70 | | | | | | | | |
| T5/ 400D• | 400,0 | 80 | | | | | | | | |
| T5/ 410 D | 410,0 | 82 | | | | | | | | |
| T5/ 450D• | 450,0 | 90 | | | | | | | | |
| T5/ 460 D | 460,0 | 92 | | | | | | | | |
| T5/ 480 D | 480,0 | 96 | | | | | | | | |
| T5/ 500 D | 500,0 | 100 | | | | | | | | |
| T5/ 515 D | 515,0 | 103 | | | | | | | | |
| T5/ 550 D | 550,0 | 110 | | | | | | | | |
| T5/ 590 D | 590,0 | 118 | | | | | | | | |
| T5/ 600D• | 600,0 | 120 | | | | | | | | |
| T5/ 620 D | 620,0 | 124 | | | | | | | | |
| T5/ 650 D | 650,0 | 130 | | | | | | | | |
| T5/ 700 D | 700,0 | 140 | | | | | | | | |
| T5/ 750 D | 750,0 | 150 | | | | | | | | |
| T5/ 800 D | 800,0 | 160 | | | | | | | | |
| T5/ 815 D | 815,0 | 163 | | | | | | | | |
| T5/ 850D• | 850,0 | 170 | | | | | | | | |
| T5/ 860 D | 860,0 | 172 | | | | | | | | |
| T5/ 900 D | 900,0 | 180 | | | | | | | | |
| T5/ 940 D | 940,0 | 188 | | | | | | | | |
| T5/1100 D | 1100,0 | 220 | | | | | | | | |

Price for over-width belts


Take the price for the widest standard belt and extrapolate.

Example: 50 T 5/1100 D

Price is price for 32 T 5/1100 D = Euro 51,30

Price for 50 T 5/1100 D = Euro 51,30 : 32 x 50 = Euro 80,16

Further sizes and special constructions on request. • Non stock items.



T 10 D

| | | | | | |
|---------------|--------|---------------------|----------------------|--------|-----|
| Type | t (mm) | h _t (mm) | h _{s1} (mm) | s (mm) | β |
| T 10 D | 10,0 | 2,50 | 7,00 | 5,30 | 40° |

Double Timing Belts
Pitch length (mm)
Pitch (10 mm)
Width (mm)

Construction: Polyurethane with steel tension cord


| Type T 10 D - pitch 10 mm | | | | | | | | | | |
|---------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 10 mm width Code No. 10 | | 12 mm width Code No. 12 | | 16 mm width Code No. 16 | | 20 mm width Code No. 20 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T10/ 260 D | 260,0 | 26 | | | | | | | | |
| T10/ 530 D | 530,0 | 53 | | | | | | | | |
| T10/ 600 D | 600,0 | 60 | | | | | | | | |
| T10/ 630 D | 630,0 | 63 | | | | | | | | |
| T10/ 660 D | 660,0 | 66 | | | | | | | | |
| T10/ 700 D | 700,0 | 70 | | | | | | | | |
| T10/ 720 D | 720,0 | 72 | | | | | | | | |
| T10/ 750 D | 750,0 | 75 | | | | | | | | |
| T10/ 800 D | 800,0 | 80 | | | | | | | | |
| T10/ 840 D | 840,0 | 84 | | | | | | | | |
| T10/ 900 D | 900,0 | 90 | | | | | | | | |
| T10/ 980 D | 980,0 | 98 | | | | | | | | |
| T10/1000D• | 1000,0 | 100 | | | | | | | | |
| T10/1100 D | 1100,0 | 110 | | | | | | | | |
| T10/1200D• | 1200,0 | 120 | | | | | | | | |
| T10/1210 D | 1210,0 | 121 | | | | | | | | |
| T10/1240 D | 1240,0 | 124 | | | | | | | | |
| T10/1250 D | 1250,0 | 125 | | | | | | | | |
| T10/1300D• | 1300,0 | 130 | | | | | | | | |
| T10/1320 D | 1320,0 | 132 | | | | | | | | |
| T10/1350 D | 1350,0 | 135 | | | | | | | | |
| T10/1400 D | 1400,0 | 140 | | | | | | | | |
| T10/1420 D | 1420,0 | 142 | | | | | | | | |
| T10/1500 D | 1500,0 | 150 | | | | | | | | |
| T10/1600D• | 1600,0 | 160 | | | | | | | | |
| T10/1610 D | 1610,0 | 161 | | | | | | | | |
| T10/1700 D | 1700,0 | 170 | | | | | | | | |
| T10/1800 D | 1800,0 | 180 | | | | | | | | |
| T10/1880 D | 1880,0 | 188 | | | | | | | | |

Price for intermediate widths

Use the price for the next widest standard width.

Example: 18 T 10/1880 D

Use price for 20 T 10/1880 D = Euro 69,70



T 10 D

| Type | t (mm) | ht (mm) | hst (mm) | s (mm) | β |
|--------|--------|---------|----------|--------|---------|
| T 10 D | 10,0 | 2,50 | 7,00 | 5,30 | 40° |

Double Timing Belts
Pitch length (mm)
Pitch (10 mm)
Width (mm)

Construction: Polyurethane with steel tension cord

| Type T 10 D - pitch 10 mm | | | | | | | | |
|---------------------------|-------------------|-----------------|----------------------------|--------|----------------------------|--------|----------------------------|--------|
| Belt No. | Pitch length (mm) | Number of teeth | 25 mm width Code No. 25 | | 32 mm width Code No. 32 | | 50 mm width Code No. 50 | |
| | | | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| T10/ 260 D | 260,0 | 26 | | | | | | |
| T10/ 530 D | 530,0 | 53 | | | | | | |
| T10/ 600 D | 600,0 | 60 | | | | | | |
| T10/ 630 D | 630,0 | 63 | | | | | | |
| T10/ 660 D | 660,0 | 66 | | | | | | |
| T10/ 700 D | 700,0 | 70 | | | | | | |
| T10/ 720 D | 720,0 | 72 | | | | | | |
| T10/ 750 D | 750,0 | 75 | | | | | | |
| T10/ 800 D | 800,0 | 80 | | | | | | |
| T10/ 840 D | 840,0 | 84 | | | | | | |
| T10/ 900 D | 900,0 | 90 | | | | | | |
| T10/ 980 D | 980,0 | 98 | | | | | | |
| T10/1000D• | 1000,0 | 100 | | | | | | |
| T10/1100 D | 1100,0 | 110 | | | | | | |
| T10/1200D• | 1200,0 | 120 | | | | | | |
| T10/1210 D | 1210,0 | 121 | | | | | | |
| T10/1240 D | 1240,0 | 124 | | | | | | |
| T10/1250 D | 1250,0 | 125 | | | | | | |
| T10/1300D• | 1300,0 | 130 | | | | | | |
| T10/1320 D | 1320,0 | 132 | | | | | | |
| T10/1350 D | 1350,0 | 135 | | | | | | |
| T10/1400 D | 1400,0 | 140 | | | | | | |
| T10/1420 D | 1420,0 | 142 | | | | | | |
| T10/1500 D | 1500,0 | 150 | | | | | | |
| T10/1600D• | 1600,0 | 160 | | | | | | |
| T10/1610 D | 1610,0 | 161 | | | | | | |
| T10/1700 D | 1700,0 | 170 | | | | | | |
| T10/1800 D | 1800,0 | 180 | | | | | | |
| T10/1880 D | 1880,0 | 188 | | | | | | |

Price for over-width belts


Take the price for the widest standard belt and extrapolate.

Example: 80 T 10/1880 D

Price is price for 50 T 10/1880 D = Euro 164,00

Price for 80 T 10/1880 D = Euro 164,00 : 50 x 80 = Euro 262,40

Further sizes and special constructions on request. • Non stock items.




Construction:
Polyurethane with Aramid tension cord

Type MXL (nominal dimensions – mm)

Type MXL - pitch 2,032 mm (Non stock items)

| Belt No. | Pitch length | | Number of teeth | 1/8" width ≈ 3,175 mm Code No. 012 | | 3/16" width ≈ 4,763 mm Code No. 019 | | 1/4" width ≈ 6,35 mm Code No. 025 | | 5/16" width ≈ 7,94 mm Code No. 031 | |
|------------|--------------|--------|-----------------|--|------------|---|------------|---|------------|--|------------|
| | (inch) | (mm) | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| K 240 MXL | 2,40 | 60,96 | 30 | | | | | | | | |
| K 280 MXL | 2,80 | 71,12 | 35 | | | | | | | | |
| K 320 MXL | 3,20 | 81,28 | 40 | | | | | | | | |
| K 360 MXL | 3,60 | 91,44 | 45 | | | | | | | | |
| K 400 MXL | 4,00 | 101,60 | 50 | | | | | | | | |
| K 440 MXL | 4,40 | 111,76 | 55 | | | | | | | | |
| K 480 MXL | 4,80 | 121,92 | 60 | | | | | | | | |
| K 520 MXL | 5,20 | 132,08 | 65 | | | | | | | | |
| K 560 MXL | 5,60 | 142,24 | 70 | | | | | | | | |
| K 600 MXL | 6,00 | 152,40 | 75 | | | | | | | | |
| K 640 MXL | 6,40 | 162,56 | 80 | | | | | | | | |
| K 680 MXL | 6,80 | 172,72 | 85 | | | | | | | | |
| K 720 MXL | 7,20 | 182,88 | 90 | | | | | | | | |
| K 760 MXL | 7,60 | 193,04 | 95 | | | | | | | | |
| K 800 MXL | 8,00 | 203,20 | 100 | | | | | | | | |
| K 840 MXL | 8,40 | 213,36 | 105 | | | | | | | | |
| K 880 MXL | 8,80 | 223,52 | 110 | | | | | | | | |
| K 920 MXL | 9,20 | 233,68 | 115 | | | | | | | | |
| K 960 MXL | 9,60 | 243,84 | 120 | | | | | | | | |
| K 1000 MXL | 10,00 | 254,00 | 125 | | | | | | | | |
| K 1040 MXL | 10,40 | 264,16 | 130 | | | | | | | | |
| K 1080 MXL | 10,80 | 274,32 | 135 | | | | | | | | |
| K 1120 MXL | 11,20 | 284,48 | 140 | | | | | | | | |
| K 1160 MXL | 11,60 | 294,64 | 145 | | | | | | | | |
| K 1200 MXL | 12,00 | 304,80 | 150 | | | | | | | | |
| K 1240 MXL | 12,40 | 314,96 | 155 | | | | | | | | |
| K 1280 MXL | 12,80 | 325,12 | 160 | | | | | | | | |
| K 1320 MXL | 13,20 | 335,28 | 165 | | | | | | | | |
| K 1360 MXL | 13,60 | 345,44 | 170 | | | | | | | | |
| K 1400 MXL | 14,00 | 355,60 | 175 | | | | | | | | |
| K 1440 MXL | 14,40 | 365,76 | 180 | | | | | | | | |
| K 1480 MXL | 14,80 | 375,92 | 185 | | | | | | | | |
| K 1520 MXL | 15,20 | 386,08 | 190 | | | | | | | | |
| K 1560 MXL | 15,60 | 396,24 | 195 | | | | | | | | |
| K 1600 MXL | 16,00 | 406,40 | 200 | | | | | | | | |
| K 1640 MXL | 16,40 | 416,56 | 205 | | | | | | | | |
| K 1680 MXL | 16,80 | 426,72 | 210 | | | | | | | | |
| K 1720 MXL | 17,20 | 436,88 | 215 | | | | | | | | |
| K 1760 MXL | 17,60 | 447,04 | 220 | | | | | | | | |
| K 1800 MXL | 18,00 | 457,20 | 225 | | | | | | | | |
| K 1840 MXL | 18,40 | 467,36 | 230 | | | | | | | | |
| K 1880 MXL | 18,80 | 477,52 | 235 | | | | | | | | |
| K 1920 MXL | 19,20 | 487,68 | 240 | | | | | | | | |
| K 1960 MXL | 19,60 | 497,84 | 245 | | | | | | | | |
| K 2000 MXL | 20,00 | 508,00 | 250 | | | | | | | | |
| K 2040 MXL | 20,40 | 518,16 | 255 | | | | | | | | |
| K 2080 MXL | 20,80 | 528,32 | 260 | | | | | | | | |
| K 2120 MXL | 21,20 | 538,48 | 265 | | | | | | | | |
| K 2160 MXL | 21,60 | 548,64 | 270 | | | | | | | | |
| K 2200 MXL | 22,00 | 558,80 | 275 | | | | | | | | |
| K 2240 MXL | 22,40 | 568,96 | 280 | | | | | | | | |
| K 2280 MXL | 22,80 | 579,12 | 285 | | | | | | | | |
| K 2320 MXL | 23,20 | 589,28 | 290 | | | | | | | | |
| K 2360 MXL | 23,60 | 599,44 | 295 | | | | | | | | |
| K 2400 MXL | 24,00 | 609,60 | 300 | | | | | | | | |




Construction:
Polyurethane with Aramid tension cord

Type MXL (nominal dimensions – mm)

Type MXL - pitch 2,032 mm (Non stock items)


| Belt No. | Pitch length | | Number of teeth | 1/8" width ≈ 3,175 mm Code No. 012 | | 3/16" width ≈ 4,763 mm Code No. 019 | | 1/4" width ≈ 6,35 mm Code No. 025 | | 5/16" width ≈ 7,94 mm Code No. 031 | |
|------------|--------------|--------|-----------------|--|------------|---|------------|---|------------|--|------------|
| | (inch) | (mm) | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| K 2480 MXL | 24,80 | 629,92 | 310 | | | | | | | | |
| K 2560 MXL | 25,60 | 650,24 | 320 | | | | | | | | |
| K 2640 MXL | 26,40 | 670,56 | 330 | | | | | | | | |
| K 2720 MXL | 27,20 | 690,88 | 340 | | | | | | | | |
| K 2800 MXL | 28,00 | 711,20 | 350 | | | | | | | | |
| K 2880 MXL | 28,80 | 731,52 | 360 | | | | | | | | |
| K 2960 MXL | 29,60 | 751,84 | 370 | | | | | | | | |
| K 3040 MXL | 30,40 | 772,16 | 380 | | | | | | | | |
| K 3120 MXL | 31,20 | 792,48 | 390 | | | | | | | | |
| K 3200 MXL | 32,00 | 812,80 | 400 | | | | | | | | |



Construction:
Polyurethane with Steel tension cord

Type XL (nominal dimensions – mm)

| Type XL - pitch 5,08 mm | | | | | | | | | | | |
|-------------------------|--------------|---------|-----------------|---|------------|--|------------|---|------------|---|------------|
| Belt No. | Pitch length | | Number of teeth | 1/4" width ≈ 6,35 mm Code No. 025 | | 5/16" width ≈ 7,94 mm Code No. 031 | | 3/8" width ≈ 9,53 mm Code No. 037 | | 1/2" width ≈ 12,7 mm Code No. 050 | |
| | (inch) | (mm) | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| K 60 XL• | 6,00 | 152,40 | 30 | | | | | | | | |
| K 70 XL• | 7,00 | 177,80 | 35 | | | | | | | | |
| K 76 XL• | 7,60 | 193,04 | 38 | | | | | | | | |
| K 80 XL• | 8,00 | 203,20 | 40 | | | | | | | | |
| K 84 XL• | 8,40 | 213,36 | 42 | | | | | | | | |
| K 90 XL• | 9,00 | 228,60 | 45 | | | | | | | | |
| K 94 XL• | 9,40 | 238,76 | 47 | | | | | | | | |
| K 96 XL• | 9,60 | 243,84 | 48 | | | | | | | | |
| K 100 XL | 10,00 | 254,00 | 50 | | | | | | | | |
| K 102 XL• | 10,20 | 259,08 | 51 | | | | | | | | |
| K 104 XL• | 10,40 | 264,16 | 52 | | | | | | | | |
| K 106 XL• | 10,60 | 269,24 | 53 | | | | | | | | |
| K 110 XL | 11,00 | 279,40 | 55 | | | | | | | | |
| K 114 XL• | 11,40 | 289,56 | 57 | | | | | | | | |
| K 116 XL• | 11,60 | 294,64 | 58 | | | | | | | | |
| K 120 XL | 12,00 | 304,80 | 60 | | | | | | | | |
| K 124 XL• | 12,40 | 314,96 | 62 | | | | | | | | |
| K 126 XL• | 12,60 | 320,04 | 63 | | | | | | | | |
| K 128 XL• | 12,80 | 325,12 | 64 | | | | | | | | |
| K 130 XL | 13,00 | 330,20 | 65 | | | | | | | | |
| K 136 XL• | 13,60 | 345,44 | 68 | | | | | | | | |
| K 140 XL | 14,00 | 355,60 | 70 | | | | | | | | |
| K 150 XL | 15,00 | 381,00 | 75 | | | | | | | | |
| K 152 XL• | 15,20 | 386,08 | 76 | | | | | | | | |
| K 154 XL• | 15,40 | 391,16 | 77 | | | | | | | | |
| K 160 XL | 16,00 | 406,40 | 80 | | | | | | | | |
| K 166 XL• | 16,60 | 421,64 | 83 | | | | | | | | |
| K 170 XL | 17,00 | 431,80 | 85 | | | | | | | | |
| K 180 XL | 18,00 | 457,20 | 90 | | | | | | | | |
| K 186 XL• | 18,60 | 472,44 | 93 | | | | | | | | |
| K 190 XL | 19,00 | 482,60 | 95 | | | | | | | | |
| K 200 XL | 20,00 | 508,00 | 100 | | | | | | | | |
| K 210 XL | 21,00 | 533,40 | 105 | | | | | | | | |
| K 212 XL• | 21,20 | 538,48 | 106 | | | | | | | | |
| K 220 XL | 22,00 | 558,80 | 110 | | | | | | | | |
| K 230 XL | 23,00 | 584,20 | 115 | | | | | | | | |
| K 240 XL | 24,00 | 609,60 | 120 | | | | | | | | |
| K 250 XL | 25,00 | 635,00 | 125 | | | | | | | | |
| K 254 XL• | 25,40 | 645,16 | 127 | | | | | | | | |
| K 260 XL | 26,00 | 660,40 | 130 | | | | | | | | |
| K 270 XL | 27,00 | 685,80 | 135 | | | | | | | | |
| K 290 XL | 29,00 | 736,60 | 145 | | | | | | | | |
| K 300 XL | 30,00 | 762,00 | 150 | | | | | | | | |
| K 320 XL• | 32,00 | 812,80 | 160 | | | | | | | | |
| K 330 XL | 33,00 | 838,20 | 165 | | | | | | | | |
| K 360 XL• | 36,00 | 914,40 | 180 | | | | | | | | |
| K 376 XL• | 37,60 | 955,04 | 188 | | | | | | | | |
| K 384 XL• | 38,40 | 975,36 | 192 | | | | | | | | |
| K 390 XL | 39,00 | 990,60 | 195 | | | | | | | | |
| K 414 XL• | 41,40 | 1051,56 | 207 | | | | | | | | |
| K 460 XL• | 46,00 | 1168,40 | 230 | | | | | | | | |
| K 480 XL• | 48,00 | 1219,20 | 240 | | | | | | | | |
| K 512 XL• | 51,20 | 1300,48 | 256 | | | | | | | | |
| K 550 XL• | 55,00 | 1397,00 | 275 | | | | | | | | |
| K 564 XL• | 56,40 | 1432,56 | 282 | | | | | | | | |
| K 630 XL• | 63,00 | 1600,20 | 315 | | | | | | | | |
| K 670 XL• | 67,00 | 1701,80 | 335 | | | | | | | | |




Construction:
Polyurethane with Steel tension cord

Type L (nominal dimensions – mm)

Type L - pitch 9,525 mm

| Belt No. | Pitch length | | Number of teeth | 1/2" width ≈ 3,175 mm Code No. 050 | | 3/4" width ≈ 4,763 mm Code No. 075 | | 1" width ≈ 6,35 mm Code No. 100 | | 1 1/2" width ≈ 7,94 mm Code No. 150 | |
|----------|--------------|---------|-----------------|--|------------|--|------------|---------------------------------------|------------|---|------------|
| | (inch) | (mm) | | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each | Euro/ each | £/ each |
| K 124 L | 12,38 | 314,33 | 33 | | | | | | | | |
| K 150 L | 15,00 | 381,00 | 40 | | | | | | | | |
| K 165 L● | 16,50 | 419,10 | 44 | | | | | | | | |
| K 173 L● | 17,25 | 438,15 | 46 | | | | | | | | |
| K 187 L | 18,75 | 476,25 | 50 | | | | | | | | |
| K 210 L | 21,00 | 533,40 | 56 | | | | | | | | |
| K 225 L | 22,50 | 571,50 | 60 | | | | | | | | |
| K 240 L | 24,00 | 609,60 | 64 | | | | | | | | |
| K 255 L | 25,50 | 647,70 | 68 | | | | | | | | |
| K 270 L | 27,00 | 685,80 | 72 | | | | | | | | |
| K 285 L | 28,50 | 723,90 | 76 | | | | | | | | |
| K 300 L | 30,00 | 762,00 | 80 | | | | | | | | |
| K 322 L | 32,25 | 819,15 | 86 | | | | | | | | |
| K 345 L | 34,50 | 876,30 | 92 | | | | | | | | |
| K 367 L | 36,75 | 933,45 | 98 | | | | | | | | |
| K 375 L● | 37,50 | 952,50 | 100 | | | | | | | | |
| K 390 L | 39,00 | 990,60 | 104 | | | | | | | | |
| K 420 L | 42,00 | 1066,80 | 112 | | | | | | | | |
| K 427 L● | 42,75 | 1085,85 | 114 | | | | | | | | |
| K 450 L | 45,00 | 1143,00 | 120 | | | | | | | | |
| K 480 L | 48,00 | 1219,20 | 128 | | | | | | | | |
| K 510 L | 51,00 | 1295,40 | 136 | | | | | | | | |
| K 525 L● | 52,50 | 1333,50 | 140 | | | | | | | | |
| K 540 L | 54,00 | 1371,60 | 144 | | | | | | | | |
| K 600 L | 60,00 | 1524,00 | 160 | | | | | | | | |



| Type | XL | L | H | XH | 8M | 14M |
|----------------------------|------|-------|------|--------|------|-------|
| Pitch t | 5,08 | 9,525 | 12,7 | 22,225 | 8,00 | 14,00 |
| Tooth angle β | 50° | 40° | 40° | 40° | — | — |
| Height of tooth h_t | 1,27 | 1,91 | 2,29 | 6,35 | 3,38 | 6,10 |
| Width of tooth s | 2,57 | 4,65 | 6,12 | 12,57 | — | — |
| Total belt thickness h_s | 2,30 | 3,60 | 4,30 | 11,20 | 5,60 | 10,00 |

Construction: Polyurethane with Aramid or steel tension cord


| Aramid cord | | | | | | | | |
|-------------|------------|-----------------|------------|---------|---|--------|--|--------|
| Belt No. | Pitch (mm) | Belt width (mm) | Euro/metre | £/metre | Joining endless Belt length up to 7000 mm | | Joining endless Belt length over 7000 mm | |
| | | | | | Euro/each | £/each | Euro/each | £/each |
| XL 025 | 5,080 | 6,35 | | | | | | |
| XL 031 | 5,080 | 7,94 | | | | | | |
| XL 037 | 5,080 | 9,53 | | | | | | |
| XL 050 | 5,080 | 12,70 | | | | | | |
| XL 075 | 5,080 | 19,05 | | | | | | |
| XL 100• | 5,080 | 25,40 | | | | | | |
| L 037 | 9,525 | 9,53 | | | | | | |
| L 050 | 9,525 | 12,70 | | | | | | |
| L 075 | 9,525 | 19,05 | | | | | | |
| L 100 | 9,525 | 25,40 | | | | | | |
| L 150 | 9,525 | 38,10 | | | | | | |
| L 200 | 9,525 | 50,80 | | | | | | |
| H 050 | 12,700 | 12,70 | | | | | | |
| H 075 | 12,700 | 19,05 | | | | | | |
| H 100 | 12,700 | 25,40 | | | | | | |
| H 150 | 12,700 | 38,10 | | | | | | |
| H 200 | 12,700 | 50,80 | | | | | | |
| H 300 | 12,700 | 76,20 | | | | | | |
| H 400• | 12,700 | 101,60 | | | | | | |
| XH 100• | 22,225 | 25,40 | | | | | | |
| XH 200• | 22,225 | 50,80 | | | | | | |
| XH 300• | 22,225 | 76,20 | | | | | | |
| XH 400• | 22,225 | 101,60 | | | | | | |
| 8M 20• | 8,000 | 20,00 | | | | | | |
| 8M 25• | 8,000 | 25,00 | | | | | | |
| 8M 30• | 8,000 | 30,00 | | | | | | |
| 8M 50• | 8,000 | 50,00 | | | | | | |
| 8M 85• | 8,000 | 85,00 | | | | | | |
| 14M 25• | 14,000 | 25,00 | | | | | | |
| 14M 40• | 14,000 | 40,00 | | | | | | |
| 14M 55• | 14,000 | 55,00 | | | | | | |
| 14M 85• | 14,000 | 85,00 | | | | | | |

Minimum lengths for splicing Timing Belts endless:

Aramid cord

- XL = 500 mm
- L = 500 mm
- H = 500 mm

- Non stock items, delivery times on request.
- Further widths on request.
- Length of roll: 50 metres.
- Surcharge for shorter lengths: 20%
- Minimum quantities for splicing belts endless with Aramid tension cord: 2 for each size

| | | | | | | | |
|--|-------------|-----------|----------|----------|-----------|-----------|------------|
|  | Type | XL | L | H | XH | 8M | 14M |
| | Pitch t | 5,08 | 9,525 | 12,7 | 22,225 | 8,00 | 14,00 |
| Tooth angle β | 50° | 40° | 40° | 40° | — | — | — |
| Height of tooth ht | 1,27 | 1,91 | 2,29 | 6,35 | 3,38 | 6,10 | — |
| Width of tooth s | 2,57 | 4,65 | 6,12 | 12,57 | — | — | — |
| Total belt thickness hs | 2,30 | 3,60 | 4,30 | 11,20 | 5,60 | 10,00 | — |

Construction: Polyurethane with Aramid or steel tension cord

| Steel cord | | | | | | | | |
|--------------|------------|-----------------|------------|---------|---|--------|--|--------|
| Belt No. | Pitch (mm) | Belt width (mm) | Euro/metre | £/metre | Joining endless Belt length up to 7000 mm | | Joining endless Belt length over 7000 mm | |
| | | | | | Euro/each | £/each | Euro/each | £/each |
| XL 025 - St● | 5,080 | 6,35 | | | | | | |
| XL 031 - St● | 5,080 | 7,94 | | | | | | |
| XL 037 - St● | 5,080 | 9,53 | | | | | | |
| XL 050 - St● | 5,080 | 12,70 | | | | | | |
| XL 075 - St● | 5,080 | 19,05 | | | | | | |
| XL 100 - St● | 5,080 | 25,40 | | | | | | |
| L 037 - St | 9,525 | 9,53 | | | | | | |
| L 050 - St | 9,525 | 12,70 | | | | | | |
| L 075 - St | 9,525 | 19,05 | | | | | | |
| L 100 - St | 9,525 | 25,40 | | | | | | |
| L 150 - St● | 9,525 | 38,10 | | | | | | |
| L 200 - St● | 9,525 | 50,80 | | | | | | |
| H 050 - St● | 12,700 | 12,70 | | | | | | |
| H 075 - St | 12,700 | 19,05 | | | | | | |
| H 100 - St | 12,700 | 25,40 | | | | | | |
| H 150 - St | 12,700 | 38,10 | | | | | | |
| H 200 - St | 12,700 | 50,80 | | | | | | |
| H 300 - St | 12,700 | 76,20 | | | | | | |
| H 400 - St● | 12,700 | 101,60 | | | | | | |
| XH 100 - St▲ | 22,225 | 25,40 | | | | | | |
| XH 200 - St▲ | 22,225 | 50,80 | | | | | | |
| XH 300 - St▲ | 22,225 | 76,20 | | | | | | |
| XH 400 - St▲ | 22,225 | 101,60 | | | | | | |
| 8M 20 - St | 8,000 | 20,00 | | | | | | |
| 8M 25 - St | 8,000 | 25,00 | | | | | | |
| 8M 30 - St | 8,000 | 30,00 | | | | | | |
| 8M 50 - St | 8,000 | 50,00 | | | | | | |
| 8M 85 - St | 8,000 | 85,00 | | | | | | |
| 14M 25 - St | 14,000 | 25,00 | | | | | | |
| 14M 40 - St | 14,000 | 40,00 | | | | | | |
| 14M 55 - St | 14,000 | 55,00 | | | | | | |
| 14M 85 - St | 14,000 | 85,00 | | | | | | |

Minimum lengths for splicing Timing Belts endless:

Steel wire cord

- L = 1000 mm
- H = 1000 mm
- XH = 1000 mm
- 8M = 1000 mm
- 14M = 1000 mm


- Non stock items, delivery times on request.
- ▲ = with PAZ fabric on tooth face

Further widths on request.

Length of roll: 50 metres.

Surcharge for shorter lengths: 20%.

Minimum quantities for splicing belts endless with steel tension cord: 2 for each size



| Type | T 5 | T 10 | T 20 | AT 5 | AT 10 | AT 20 |
|-------------------------|------|------|-------|------|-------|-------|
| Pitch t | 5,0 | 10,0 | 20,0 | 5,0 | 10,0 | 20,0 |
| Tooth angle β | 40° | 40° | 40° | 50° | 50° | 50° |
| Height of tooth ht | 1,20 | 2,50 | 5,00 | 1,20 | 2,50 | 5,00 |
| Width of tooth s/b | 2,65 | 5,30 | 10,15 | 2,50 | 5,00 | 10,00 |
| Total belt thickness hs | 2,20 | 4,50 | 8,00 | 2,70 | 4,50 | 8,00 |

Construction: Polyurethane with Aramid or steel tension cord

| Aramid cord | | | | | | | | |
|-------------|------------|-----------------|------------|---------|---|--------|--|--------|
| Belt No. | Pitch (mm) | Belt width (mm) | Euro/metre | £/metre | Joining endless Belt length up to 7000 mm | | Joining endless Belt length over 7000 mm | |
| | | | | | Euro/each | £/each | Euro/each | £/each |
| 6 T 5 | 5,0 | 6,0 | | | | | | |
| 8 T 5 | 5,0 | 8,0 | | | | | | |
| 10 T 5 | 5,0 | 10,0 | | | | | | |
| 12 T 5 | 5,0 | 12,0 | | | | | | |
| 16 T 5 | 5,0 | 16,0 | | | | | | |
| 20 T 5 | 5,0 | 20,0 | | | | | | |
| 25 T 5 | 5,0 | 25,0 | | | | | | |
| 32 T 5 | 5,0 | 32,0 | | | | | | |
| 50 T 5• | 5,0 | 50,0 | | | | | | |
| 10 T 10 | 10,0 | 10,0 | | | | | | |
| 12 T 10 | 10,0 | 12,0 | | | | | | |
| 16 T 10 | 10,0 | 16,0 | | | | | | |
| 20 T 10 | 10,0 | 20,0 | | | | | | |
| 25 T 10 | 10,0 | 25,0 | | | | | | |
| 32 T 10 | 10,0 | 32,0 | | | | | | |
| 40 T 10 | 10,0 | 40,0 | | | | | | |
| 50 T 10 | 10,0 | 50,0 | | | | | | |
| 75 T 10 | 10,0 | 75,0 | | | | | | |
| 100 T 10 | 10,0 | 100,0 | | | | | | |
| 25 T 20 | 20,0 | 25,0 | | | | | | |
| 32 T 20 | 20,0 | 32,0 | | | | | | |
| 50 T 20 | 20,0 | 50,0 | | | | | | |
| 75 T 20 | 20,0 | 75,0 | | | | | | |
| 100 T 20 | 20,0 | 100,0 | | | | | | |
| 6 AT 5• | 5,0 | 6,0 | | | | | | |
| 10 AT 5• | 5,0 | 10,0 | | | | | | |
| 16 AT 5• | 5,0 | 16,0 | | | | | | |
| 25 AT 5• | 5,0 | 25,0 | | | | | | |
| 32 AT 5• | 5,0 | 32,0 | | | | | | |
| 50 AT 5• | 5,0 | 50,0 | | | | | | |
| 16 AT 10• | 10,0 | 16,0 | | | | | | |
| 25 AT 10• | 10,0 | 25,0 | | | | | | |
| 32 AT 10• | 10,0 | 32,0 | | | | | | |
| 50 AT 10• | 10,0 | 50,0 | | | | | | |
| 75 AT 10• | 10,0 | 75,0 | | | | | | |
| 100 AT 10• | 10,0 | 100,0 | | | | | | |
| 25 AT 20• | 20,0 | 25,0 | | | | | | |
| 32 AT 20• | 20,0 | 32,0 | | | | | | |
| 50 AT 20• | 20,0 | 50,0 | | | | | | |
| 75 AT 20• | 20,0 | 75,0 | | | | | | |
| 100 AT 20• | 20,0 | 100,0 | | | | | | |

Minimum lengths for splicing Timing Belts endless:

Aramid cord


- T 5 = 500 mm
- T 10 = 500 mm
- T 20 = 900 mm

• Non stock items, delivery times on request.

Further widths on request.

Length of roll: 50 metres.

Surcharge for shorter lengths: 20%



| Type | T 5 | T 10 | T 20 | AT 5 | AT 10 | AT 20 |
|----------------------------|------|------|-------|------|-------|-------|
| Pitch t | 5,0 | 10,0 | 20,0 | 5,0 | 10,0 | 20,0 |
| Tooth angle β | 40° | 40° | 40° | 50° | 50° | 50° |
| Height of tooth h_t | 1,20 | 2,50 | 5,00 | 1,20 | 2,50 | 5,00 |
| Width of tooth s/b | 2,65 | 5,30 | 10,15 | 2,50 | 5,00 | 10,00 |
| Total belt thickness h_s | 2,20 | 4,50 | 8,00 | 2,70 | 5,00 | 9,00 |

Construction: Polyurethane with Aramid or steel tension cord

Steel wire cord

| Belt No. | Pitch (mm) | Belt width (mm) | Euro/metre | £/metre | Joining endless Belt length up to 7000 mm | | Joining endless Belt length over 7000 mm | |
|----------------|------------|-----------------|------------|---------|--|--------|---|--------|
| | | | | | Euro/each | £/each | Euro/each | £/each |
| 6 T 5 - St | 5,0 | 6,0 | | | | | | |
| 8 T 5 - St | 5,0 | 8,0 | | | | | | |
| 10 T 5 - St | 5,0 | 10,0 | | | | | | |
| 12 T 5 - St | 5,0 | 12,0 | | | | | | |
| 16 T 5 - St | 5,0 | 16,0 | | | | | | |
| 20 T 5 - St | 5,0 | 20,0 | | | | | | |
| 25 T 5 - St | 5,0 | 25,0 | | | | | | |
| 32 T 5 - St• | 5,0 | 32,0 | | | | | | |
| 50 T 5 - St | 5,0 | 50,0 | | | | | | |
| 10 T 10 - St• | 10,0 | 10,0 | | | | | | |
| 12 T 10 - St | 10,0 | 12,0 | | | | | | |
| 16 T 10 - St | 10,0 | 16,0 | | | | | | |
| 20 T 10 - St | 10,0 | 20,0 | | | | | | |
| 25 T 10 - St | 10,0 | 25,0 | | | | | | |
| 32 T 10 - St | 10,0 | 32,0 | | | | | | |
| 40 T 10 - St | 10,0 | 40,0 | | | | | | |
| 50 T 10 - St | 10,0 | 50,0 | | | | | | |
| 75 T 10 - St | 10,0 | 75,0 | | | | | | |
| 100 T 10 - St | 10,0 | 100,0 | | | | | | |
| 25 T 20 - St | 20,0 | 25,0 | | | | | | |
| 32 T 20 - St | 20,0 | 32,0 | | | | | | |
| 50 T 20 - St | 20,0 | 50,0 | | | | | | |
| 75 T 20 - St• | 20,0 | 75,0 | | | | | | |
| 100 T 20 - St | 20,0 | 100,0 | | | | | | |
| 6 AT 5 - St | 5,0 | 6,0 | | | | | | |
| 10 AT 5 - St | 5,0 | 10,0 | | | | | | |
| 16 AT 5 - St | 5,0 | 16,0 | | | | | | |
| 25 AT 5 - St | 5,0 | 25,0 | | | | | | |
| 32 AT 5 - St | 5,0 | 32,0 | | | | | | |
| 50 AT 5 - St | 5,0 | 50,0 | | | | | | |
| 16 AT 10 - St | 10,0 | 16,0 | | | | | | |
| 25 AT 10 - St | 10,0 | 25,0 | | | | | | |
| 32 AT 10 - St | 10,0 | 32,0 | | | | | | |
| 50 AT 10 - St | 10,0 | 50,0 | | | | | | |
| 75 AT 10 - St• | 10,0 | 75,0 | | | | | | |
| 100 AT 10 - St | 10,0 | 100,0 | | | | | | |
| 25 AT 20 - St | 20,0 | 25,0 | | | | | | |
| 32 AT 20 - St | 20,0 | 32,0 | | | | | | |
| 50 AT 20 - St | 20,0 | 50,0 | | | | | | |
| 75 AT 20 - St | 20,0 | 75,0 | | | | | | |
| 100 AT 20 - St | 20,0 | 100,0 | | | | | | |

Minimum lengths for splicing Timing Belts endless:

Steel wire cord

| | | |
|-------|---|---------|
| T 5 | = | 600 mm |
| T 10 | = | 600 mm |
| T 20 | = | 1000 mm |
| AT 5 | = | 1000 mm |
| AT 10 | = | 1000 mm |
| AT 20 | = | 1000 mm |


• Non stock items, delivery times on request.

Further widths on request.


Length of roll: 50 metres.

Surcharge for shorter lengths: 20%


Minimum quantities for splicing belts endless with steel tension cord: 2 for each size



| Designation | Pitch t (mm) | Belt width b (mm) | Material | B (mm) | b_1 (mm) | L (mm) | e (mm) | H (mm) | d (mm) | Weight \approx (kg) | Euro/ each | £/ each |
|-------------|----------------------|------------------------------|----------|-----------|---------------|-----------|-------------|-----------|-------------|--------------------------|---------------|------------|
| CP-XL 025 | 5,080 | 6,35 | Al | 25,5 | 6,0 | 42,5 | 3,5 | 8,0 | 5,5 | 0,020 | | |
| CP-XL 037 | 5,080 | 9,53 | Al | 28,5 | 6,0 | 42,5 | 3,5 | 8,0 | 5,5 | 0,025 | | |
| CP-XL 050 | 5,080 | 12,70 | Al | 32,0 | 6,0 | 42,5 | 3,5 | 8,0 | 5,5 | 0,027 | | |
| CP-XL 075 | 5,080 | 19,05 | Al | 38,0 | 6,0 | 42,5 | 3,5 | 8,0 | 5,5 | 0,032 | | |
| CP-XL 100• | 5,080 | 25,40 | Al | 45,0 | 6,0 | 42,5 | 3,5 | 8,0 | 5,5 | 0,038 | | |
| CP-L 037 | 9,525 | 9,53 | Al | 36,0 | 8,0 | 76,6 | 5,0 | 15,0 | 9,0 | 0,095 | | |
| CP-L 050 | 9,525 | 12,70 | Al | 39,0 | 8,0 | 76,6 | 5,0 | 15,0 | 9,0 | 0,104 | | |
| CP-L 075 | 9,525 | 19,05 | Al | 45,0 | 8,0 | 76,6 | 5,0 | 15,0 | 9,0 | 0,121 | | |
| CP-L 100 | 9,525 | 25,40 | Al | 51,5 | 8,0 | 76,6 | 5,0 | 15,0 | 9,0 | 0,140 | | |
| CP-L 150 | 9,525 | 38,10 | Al | 64,0 | 8,0 | 76,6 | 5,0 | 15,0 | 9,0 | 0,177 | | |
| CP-L 200 | 9,525 | 50,80 | Al | 77,0 | 8,0 | 76,6 | 5,0 | 15,0 | 9,0 | 0,215 | | |
| CP-H 050 | 12,700 | 12,70 | Al | 45,0 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,050 | | |
| CP-H 075 | 12,700 | 19,05 | Al | 51,0 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,075 | | |
| CP-H 100 | 12,700 | 25,40 | Al | 57,5 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,100 | | |
| CP-H 150 | 12,700 | 38,10 | Al | 70,0 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,150 | | |
| CP-H 200 | 12,700 | 50,80 | Al | 83,0 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,200 | | |
| CP-H 300 | 12,700 | 76,20 | Al | 108,0 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,300 | | |
| CP-H 400• | 12,700 | 101,60 | Al | 134,0 | 10,0 | 106,9 | 9,0 | 22,0 | 11,0 | 0,400 | | |
| CP-5M 06 | 5,000 | 6,00 | Al | 25,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,015 | | |
| CP-5M 09 | 5,000 | 9,00 | Al | 28,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,018 | | |
| CP-5M 15 | 5,000 | 15,00 | Al | 34,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,022 | | |
| CP-5M 25 | 5,000 | 25,00 | Al | 44,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,030 | | |
| CP-8M 10 | 8,000 | 10,00 | Al | 35,0 | 8,0 | 66,0 | 5,0 | 15,0 | 9,0 | 0,075 | | |
| CP-8M 15 | 8,000 | 15,00 | Al | 40,0 | 8,0 | 66,0 | 5,0 | 15,0 | 9,0 | 0,085 | | |
| CP-8M 20 | 8,000 | 20,00 | Al | 45,0 | 8,0 | 66,0 | 5,0 | 15,0 | 9,0 | 0,100 | | |
| CP-8M 30 | 8,000 | 30,00 | Al | 55,0 | 8,0 | 66,0 | 5,0 | 15,0 | 9,0 | 0,120 | | |
| CP-8M 50 | 8,000 | 50,00 | Al | 75,0 | 8,0 | 66,0 | 5,0 | 15,0 | 9,0 | 0,170 | | |
| CP-8M 85 | 8,000 | 85,00 | Al | 110,0 | 8,0 | 66,0 | 5,0 | 15,0 | 9,0 | 0,250 | | |
| CP-14M 25 | 14,000 | 25,00 | Al | 56,0 | 10,0 | 116,0 | 9,0 | 22,0 | 11,0 | 0,315 | | |
| CP-14M 40 | 14,000 | 40,00 | Al | 71,0 | 10,0 | 116,0 | 9,0 | 22,0 | 11,0 | 0,405 | | |
| CP-14M 55 | 14,000 | 55,00 | Al | 86,0 | 10,0 | 116,0 | 9,0 | 22,0 | 11,0 | 0,495 | | |
| CP-14M 85 | 14,000 | 85,00 | Al | 116,0 | 10,0 | 116,0 | 9,0 | 22,0 | 11,0 | 0,860 | | |
| CP-14M 115• | 14,000 | 115,00 | Al | 146,0 | 10,0 | 116,0 | 9,0 | 22,0 | 11,0 | 1,195 | | |



| Designation | Pitch t (mm) | Belt width b (mm) | Material | B (mm) | b ₁ (mm) | L (mm) | e (mm) | H (mm) | d (mm) | Weight ≈ (kg) | Euro/ each | £/ each |
|--------------|--------------------|----------------------------|----------|-----------|------------------------|-----------|-----------|-----------|-----------|------------------|---------------|------------|
| CP- 6 T5 | 5,000 | 6,00 | Al | 25,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,020 | | |
| CP- 10 T5 | 5,000 | 10,00 | Al | 29,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,025 | | |
| CP- 16 T5 | 5,000 | 16,00 | Al | 35,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,030 | | |
| CP- 25 T5 | 5,000 | 25,00 | Al | 44,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,036 | | |
| CP- 32 T5 | 5,000 | 32,00 | Al | 51,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,042 | | |
| CP- 50 T5• | 5,000 | 50,00 | Al | 69,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,051 | | |
| CP- 16 T10 | 10,000 | 16,00 | Al | 41,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,115 | | |
| CP- 25 T10 | 10,000 | 25,00 | Al | 50,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,140 | | |
| CP- 32 T10 | 10,000 | 32,00 | Al | 57,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,160 | | |
| CP- 50 T10 | 10,000 | 50,00 | Al | 75,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,215 | | |
| CP- 75 T10• | 10,000 | 75,00 | Al | 100,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,290 | | |
| CP-100 T10• | 10,000 | 100,00 | Al | 125,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,370 | | |
| CP- 25 T20 | 20,000 | 25,00 | Al | 56,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,385 | | |
| CP- 32 T20 | 20,000 | 32,00 | Al | 65,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,450 | | |
| CP- 50 T20 | 20,000 | 50,00 | Al | 81,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,570 | | |
| CP- 75 T20 | 20,000 | 75,00 | Al | 106,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,755 | | |
| CP-100 T20• | 20,000 | 100,00 | Al | 132,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,940 | | |
| CP- 6 AT5 | 5,000 | 6,00 | Al | 25,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,016 | | |
| CP- 10 AT5 | 5,000 | 10,00 | Al | 29,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,019 | | |
| CP- 16 AT5 | 5,000 | 16,00 | Al | 35,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,024 | | |
| CP- 25 AT5 | 5,000 | 25,00 | Al | 44,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,031 | | |
| CP- 32 AT5 | 5,000 | 32,00 | Al | 51,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,036 | | |
| CP- 50 AT5• | 5,000 | 50,00 | Al | 61,0 | 6,0 | 41,8 | 3,2 | 8,0 | 5,5 | 0,043 | | |
| CP- 16 AT10 | 10,000 | 16,00 | Al | 41,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,110 | | |
| CP- 25 AT10 | 10,000 | 25,00 | Al | 50,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,135 | | |
| CP- 32 AT10 | 10,000 | 32,00 | Al | 57,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,155 | | |
| CP- 50 AT10 | 10,000 | 50,00 | Al | 75,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,205 | | |
| CP- 75 AT10 | 10,000 | 75,00 | Al | 100,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,280 | | |
| CP-100 AT10• | 10,000 | 100,00 | Al | 125,0 | 8,0 | 80,0 | 5,0 | 15,0 | 9,0 | 0,350 | | |
| CP- 25 AT20 | 20,000 | 25,00 | Al | 56,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,385 | | |
| CP- 32 AT20 | 20,000 | 32,00 | Al | 65,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,450 | | |
| CP- 50 AT20 | 20,000 | 50,00 | Al | 81,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,570 | | |
| CP- 75 AT20 | 20,000 | 75,00 | Al | 106,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,755 | | |
| CP-100 AT20• | 20,000 | 100,00 | Al | 132,0 | 10,0 | 160,0 | 10,0 | 20,0 | 11,0 | 0,940 | | |




| Section PH (Nonstock items) | | | | | |
|-----------------------------|--------|------------------|--------|------------------|--------|
| Effective length | | Effective length | | Effective length | |
| (mm) | (inch) | (mm) | (inch) | (mm) | (inch) |
| 559 | 22,0 | 1092 | 43,0 | 1333 | 52,5 |
| 698 | 27,5 | 1096 | 43,1 | 1371 | 54,0 |
| 735 | 28,9 | 1168 | 46,0 | 1397 | 55,0 |
| 762 | 30,0 | 1194 | 47,0 | 1439 | 56,7 |
| 813 | 32,0 | 1200 | 47,2 | 1475 | 58,1 |
| 858 | 33,8 | 1222 | 48,1 | 1600 | 63,0 |
| 864 | 34,0 | 1230 | 48,4 | 1854 | 73,0 |
| 886 | 34,9 | 1262 | 49,7 | 1895 | 74,6 |
| 914 | 36,0 | 1270 | 50,0 | 1915 | 75,4 |
| 955 | 37,6 | 1285 | 50,6 | 1930 | 76,0 |
| 965 | 38,0 | 1290 | 50,8 | 1956 | 77,0 |
| 975 | 38,4 | 1301 | 51,2 | 1992 | 78,4 |
| 990 | 39,0 | 1309 | 51,5 | 2083 | 82,0 |
| 1016 | 40,0 | 1316 | 51,8 | 2155 | 84,8 |
| 1080 | 42,5 | 1321 | 52,0 | | |

Prices and minimum quantities on request. Belt weight: 1 rib = 0,005 kg/m

| Section PJ | | | | | | | |
|------------------|--------|--------------|-----------|------------------|--------|--------------|-----------|
| Effective length | | Cut belts | | Effective length | | Cut belts | |
| (mm) | (inch) | Euro per rib | £ per rib | (mm) | (inch) | Euro per rib | £ per rib |
| 280 | 11,0 | | | 1262 | 49,7 | | |
| 330 | 13,0 | | | 1270 | 50,0 | | |
| 356 | 14,0 | | | 1285 | 50,6 | | |
| 362 | 14,3 | | | 1301 | 51,2 | | |
| 381 | 15,0 | | | 1309 | 51,5 | | |
| 406 | 16,0 | | | 1316 | 51,8 | | |
| 414 | 16,3 | | | 1321 | 52,0 | | |
| 432 | 17,0 | | | 1333 | 52,5 | | |
| 457 | 18,0 | | | 1355 | 53,4 | | |
| 483 | 19,0 | | | 1371 | 54,0 | | |
| 508 | 20,0 | | | 1397 | 55,0 | | |
| 559 | 22,0 | | | 1428 | 56,2 | | |
| 584 | 23,0 | | | 1439 | 56,7 | | |
| 610 | 24,0 | | | 1475 | 58,1 | | |
| 660 | 26,0 | | | 1549 | 61,0 | | |
| 711 | 28,0 | | | 1600 | 63,0 | | |
| 723 | 28,5 | | | 1651 | 65,0 | | |
| 762 | 30,0 | | | 1663 | 65,5 | | |
| 813 | 32,0 | | | 1752 | 69,0 | | |
| 836 | 32,9 | | | 1780 | 70,0 | | |
| 864 | 34,0 | | | 1854 | 73,0 | | |
| 914 | 36,0 | | | 1895 | 74,6 | | |
| 955 | 37,6 | | | 1910 | 75,2 | | |
| 965 | 38,0 | | | 1915 | 75,4 | | |
| 1016 | 40,0 | | | 1930 | 76,0 | | |
| 1092 | 43,0 | | | 1956 | 77,0 | | |
| 1105 | 43,5 | | | 1965 | 77,4 | | |
| 1110 | 43,7 | | | 1981 | 78,0 | | |
| 1123 | 44,2 | | | 1992 | 78,4 | | |
| 1130 | 44,5 | | | 2083 | 82,0 | | |
| 1150 | 45,3 | | | 2155 | 84,8 | | |
| 1168 | 46,0 | | | 2210 | 87,0 | | |
| 1194 | 47,0 | | | 2337 | 92,0 | | |
| 1200 | 47,3 | | | 2489 | 98,0 | | |
| 1222 | 48,1 | | | | | | |
| 1244 | 49,0 | | | | | | |

Belt weight: 1 rib = 0,009 kg/m




| Section | PK |
|---------|------|
| s = | 3,56 |
| H ≈ | 5,50 |

Section PK

| Effective length | | Euro per rib | £ per rib | Effective length | | Euro per rib | £ per rib |
|------------------|--------|--------------|-----------|------------------|--------|--------------|-----------|
| (mm) | (inch) | | | (mm) | (inch) | | |
| 559 | 22,0 | | | 1371 | 54,0 | | |
| 630 | 24,8 | | | 1397 | 55,0 | | |
| 648 | 25,5 | | | 1439 | 56,7 | | |
| 698 | 27,5 | | | 1460 | 57,5 | | |
| 730 | 28,7 | | | 1520 | 59,8 | | |
| 775 | 30,5 | | | 1560 | 61,4 | | |
| 800 | 31,5 | | | 1570 | 61,8 | | |
| 812 | 32,0 | | | 1600 | 63,0 | | |
| 830 | 32,7 | | | 1655 | 65,2 | | |
| 865 | 34,0 | | | 1690 | 66,5 | | |
| 875 | 34,5 | | | 1755 | 69,1 | | |
| 890 | 35,0 | | | 1854 | 73,0 | | |
| 913 | 36,0 | | | 1885 | 74,2 | | |
| 920 | 36,2 | | | 1930 | 76,0 | | |
| 940 | 37,0 | | | 1956 | 77,0 | | |
| 954 | 37,6 | | | 1980 | 78,0 | | |
| 962 | 37,8 | | | 2030 | 79,9 | | |
| 990 | 39,0 | | | 2050 | 80,7 | | |
| 1015 | 40,0 | | | 2080 | 82,0 | | |
| 1080 | 42,5 | | | 2120 | 83,5 | | |
| 1090 | 43,0 | | | 2145 | 84,4 | | |
| 1125 | 44,3 | | | 2170 | 85,4 | | |
| 1150 | 45,3 | | | 2235 | 88,0 | | |
| 1165 | 45,9 | | | 2255 | 88,8 | | |
| 1190 | 46,8 | | | 2362 | 93,0 | | |
| 1200 | 47,2 | | | 2460 | 96,9 | | |
| 1222 | 48,1 | | | 2515 | 99,0 | | |
| 1230 | 48,4 | | | 2743 | 108,0 | | |
| 1245 | 49,0 | | | 2845 | 112,0 | | |
| 1270 | 50,0 | | | | | | |
| 1285 | 50,6 | | | | | | |
| 1290 | 50,8 | | | | | | |
| 1321 | 52,0 | | | | | | |
| 1330 | 52,4 | | | | | | |
| 1345 | 53,0 | | | | | | |

Belt weight: 1 rib = 0,020 kg/m



| Section | PL | PM |
|---------|-----|------|
| s = | 4,7 | 9,4 |
| H ≈ | 7,0 | 13,0 |

Section PL


| Effective length | | Cut belts | | Effective length | | Cut belts | |
|------------------|--------|--------------|-----------|------------------|--------|--------------|-----------|
| (mm) | (inch) | Euro per rib | £ per rib | (mm) | (inch) | Euro per rib | £ per rib |
| 954 | 37,5 | | | 2362 | 93,0 | | |
| 991 | 39,0 | | | 2476 | 97,5 | | |
| 1075 | 42,3 | | | 2515 | 99,0 | | |
| 1194 | 47,0 | | | 2705 | 106,5 | | |
| 1270 | 50,0 | | | 2743 | 108,0 | | |
| 1333 | 52,5 | | | 2845 | 112,0 | | |
| 1371 | 54,0 | | | 2895 | 114,0 | | |
| 1397 | 55,0 | | | 2921 | 115,0 | | |
| 1422 | 56,0 | | | 2997 | 118,0 | | |
| 1562 | 61,5 | | | 3086 | 121,5 | | |
| 1613 | 63,5 | | | 3124 | 123,0 | | |
| 1664 | 65,5 | | | 3289 | 129,5 | | |
| 1715 | 67,5 | | | 3327 | 131,0 | | |
| 1764 | 69,5 | | | 3492 | 137,5 | | |
| 1803 | 71,0 | | | 3696 | 145,5 | | |
| 1841 | 72,5 | | | 4051 | 159,5 | | |
| 1943 | 76,5 | | | 4191 | 165,0 | | |
| 1981 | 78,0 | | | 4470 | 176,0 | | |
| 2020 | 79,5 | | | 4622 | 182,0 | | |
| 2070 | 81,5 | | | 5029 | 198,0 | | |
| 2096 | 82,5 | | | 5385 | 212,0 | | |
| 2134 | 84,0 | | | 6096 | 240,0 | | |
| 2197 | 86,5 | | | | | | |
| 2235 | 88,0 | | | | | | |
| 2324 | 91,5 | | | | | | |

Belt weight: 1 rib = 0,036 kg/m


Section PM

| Effective length | | Cut Belts | | Effective length | | Cut Belts | |
|------------------|--------|--------------|-----------|------------------|--------|--------------|-----------|
| (mm) | (inch) | Euro per rib | £ per rib | (mm) | (inch) | Euro per rib | £ per rib |
| 2286 | 90,0 | | | 5029 | 198,0 | | |
| 2388 | 94,0 | | | 5410 | 213,0 | | |
| 2515 | 99,0 | | | 6121 | 241,0 | | |
| 2693 | 106,0 | | | 6883 | 271,0 | | |
| 2832 | 111,5 | | | 7646 | 301,0 | | |
| 2921 | 115,0 | | | 8408 | 331,0 | | |
| 3010 | 118,5 | | | 9169 | 361,0 | | |
| 3124 | 123,0 | | | 9931 | 391,0 | | |
| 3327 | 131,0 | | | 10693 | 421,0 | | |
| 3531 | 139,0 | | | 12217 | 481,0 | | |
| 3734 | 147,0 | | | 13741 | 541,0 | | |
| 4089 | 161,0 | | | 15266 | 601,0 | | |
| 4191 | 165,0 | | | | | | |
| 4470 | 176,0 | | | | | | |
| 4648 | 183,0 | | | | | | |

Belt weight: 1 rib ≈ 0,123 kg/m



Section AA/HAA



Section BB/HBB

| Section AA/HAA | | | | Section BB/HBB | | | |
|---------------------------|-----------------------|----------|--------|---------------------------|-----------------------|----------|--------|
| Euro/each | Reference length (mm) | Belt No. | £/each | Euro/each | Reference length (mm) | Belt No. | £/each |
| | 2000 | 77 | | | 1980 | 75 | |
| | 2032 | 78 | | | 2180 | 83 | |
| | 2370 | 91 | | | 2300 | 88 | |
| | 2500 | 96 | | | 2370 | 90 | |
| | 2650 | 102 | | | 2500 | 95 | |
| | 2667 | 103 | | | 2540 | 97 | |
| | 2800 | 108 | | | 2600 | 99 | |
| | 3300 | 128 | | | 2650 | 101 | |
| | 3920 | 152 | | | 2740 | 105 | |
| | | | | | 2800 | 107 | |
| | | | | | 2850 | 109 | |
| | | | | | 2900 | 111 | |
| | | | | | 2920 | 112 | |
| | | | | | 3000 | 115 | |
| | | | | | 3030 | 116 | |
| | | | | | 3150 | 121 | |
| | | | | | 3250 | 125 | |
| | | | | | 3280 | 126 | |
| | | | | | 3325 | 128 | |
| | | | | | 3390 | 131 | |
| | | | | | 3450 | 133 | |
| | | | | | 3500 | 135 | |
| | | | | | 3550 | 137 | |
| | | | | | 3658 | 141 | |
| | | | | | 3730 | 144 | |
| | | | | | 3750 | 145 | |
| | | | | | 4010 | 155 | |
| | | | | | 4040 | 156 | |
| | | | | | 4200 | 162 | |
| | | | | | 4470 | 173 | |
| | | | | | 4500 | 174 | |
| | | | | | 4750 | 184 | |
| | | | | | 5000 | 194 | |
| | | | | | 5639 | 221 | |
| | | | | | 6900 | 270 | |
| Belt weight: ≈ 0,150 kg/m | | | | Belt weight: ≈ 0,250 kg/m | | | |

Non standard lengths available:


Section AA/HAA 1350 up to 28 000 mm
 Section BB/HBB 1350 up to 28 000 mm

Prices, delivery times and minimum production quantities for special lengths on request.

To convert from Belt No. to Reference length

Section AA/HAA – Belt No. x 25,4 = mm + 53 mm

Section BB/HBB – (up to Belt Nr. 210)
 Belt No. x 25,4 = mm + 74 mm
 (over Belt No. 210)
 Belt No. x 25,4 = mm + 36 mm



| Section CC/HCC | | | | Section DD/HDD | | | |
|---------------------------|--------------------------------------|---------------------------------|--------|---------------------------|-----------------------|----------|--------|
| Euro/each | Reference length (mm) | Belt No. | £/each | Euro/each | Reference length (mm) | Belt No. | £/each |
| | 2280 2500 2800 3200 3310 | 86 94 106 122 126 | | on request | | | |
| | 3765 4000 4216 4300 4500 | 144 153 162 165 173 | | | | | |
| | 5000 5300 5340 5750 | 193 204 206 224 | | | | | |
| Belt weight: ≈ 0,440 kg/m | | | | Belt weight: ≈ 0,935 kg/m | | | |
| Section 22 x 22 | | | | Section 25 x 22 | | | |
| | 5180 5220 5850 6270 | | | on request | | | |
| Belt weight: ≈ 0,511 kg/m | | | | Belt weight: ≈ 0,625 kg/m | | | |

Non standard lengths available:

Section CC/HCC 1600 up to 28 000 mm
 Section 22 x 22 3000 up to 10 000 mm

Prices, delivery times and minimum production quantities for special lengths on request.

To convert from Belt No. to Reference length

Section CC/HCC – (up to Belt No. 210)
 Belt No. x 25,4 = mm + 107 mm (over Belt No. 210)
 Belt No. x 25,4 = mm + 56 mm

Section DD/HDD – (up to Belt-No. 210)
 Belt No. x 25,4 = mm + 132 mm (over Belt No. 210)
 Belt No. x 25,4 = mm + 69 mm

optibelt-KK Polyurethane V-Belting
optibelt-RR Polyurethane Round Section Belting



| Section | Width x Height (mm) | Roll length (m) | Weight (≈ kg/m) | orange 87 Shore A | | white 92 Shore A | | white 98 Shore A | | Dia-meter (mm) | Roll length (m) | Weight (≈ kg/m) | green 87 Shore A | |
|---------|---------------------|-----------------|-----------------|-------------------|----------|------------------|----------|------------------|----------|----------------|-----------------|-----------------|------------------|----------|
| | | | | Euro/ metre | £/ metre | Euro/ metre | £/ metre | Euro/ metre | £/ metre | | | | Euro/ metre | £/ metre |
| 8 | 8 x 5 | 50 | 0,041 | | | | | | | 2 | 200 | 0,004 | | |
| Z/10 | 10 x 6 | 50 | 0,055 | | | | | | | 3 | 200 | 0,009 | | |
| A/13 | 13 x 8 | 50 | 0,098 | | | | | | | 4 | 200 | 0,016 | | |
| B/17 | 17 x 11 | 50 | 0,173 | | | | | | | 5 | 200 | 0,024 | | |
| C/22 | 22 x 14 | 25 | 0,275 | | | | | | | 6 | 100 | 0,035 | | |
| | | | | | | | | | | 7 | 100 | 0,048 | | |
| | | | | | | | | | | 8 | 100 | 0,064 | | |
| | | | | | | | | | | 10 | 100 | 0,096 | | |
| | | | | | | | | | | 12 | 50 | 0,132 | | |
| | | | | | | | | | | 15 | 50 | 0,211 | | |

Minimum lengths for endless connection:
 Round Section Belting: 200 mm
 V-Belting: Section Z/10 up to A/13: 300 mm
 Section B/17: 500 mm
 Section C/22: 700 mm

Surcharge for welding:
 2 up to 8 mm Diameter: Euro/each 8,50
 10 up to 15 mm Diameter: Euro/each 10,20

optibelt-KK Polyurethane V-Belting with Special Top Surfaces (white, 92 Shore A)
 Polyurethane V-Belting with Profiled Carrying Surfaces



| Section | Width x Height (mm) | Roll length (m) | Supergrip | | Linatex | | HV 2-Laminate | | Form | Section | Roll length (m) | Profiled carrying surface | |
|---------|---------------------|-----------------|-------------|----------|-------------|----------|---------------|----------|------|---------|-----------------|---------------------------|----------|
| | | | Euro/ metre | £/ metre | Euro/ metre | £/ metre | Euro/ metre | £/ metre | | | | Euro/ metre | £/ metre |
| 8 | 8 x 5 | 50 | | | | | | | 1 | A/13 | 25 | | |
| Z/10 | 10 x 6 | 50 | | | | | | | 2 | A/13 | 25 | | |
| A/13 | 13 x 8 | 50 | | | | | | | 1 | B/17 | 25 | | |
| B/17 | 17 x 11 | 50 | | | | | | | 2 | B/17 | 25 | | |
| C/22 | 22 x 14 | 25 | | | | | | | 1 | C/22 | 25 | | |
| | | | | | | | | | 2 | C/22 | 25 | | |

• Non stock items
 Optibelt-KK and Optibelt-RR are supplied in lengths of approx. 50 metres.
 Surcharge – short lengths: below 10 metres: 70 %
 from 10 up to 50 metres: 25 %
 Surcharge for welding: Section 8 up to B/17: Euro/each 8,50
 Section C/22: Euro/each 10,20
 Form 1 and 2: Euro/each 22,50

optibelt-KK Polyurethane V-Belting with Supergrip Surface

Product description:

Optibelt-KK Polyurethane V-Belting, white, approx. 92 Shore A.

Surface:

Supergrip, green, PVC = oil and grease resistant, solvent resistant.

Application:

Suitable for the wood and ceramic industries.

optibelt-KK Polyurethane V-Belting with Linatex Surface

Product description:

Optibelt-KK Polyurethane V-Belting, white, approx. 92 Shore A.

Surface:

Linatex, red, high quality natural rubber, approx. 35 up to 40 Shore A, wear resistant, adhesive and cut resistant, not oil or grease resistant.

Application:

For applications where sharp edged products are involved. For example in the glass and metal industries

optibelt-KK Polyurethane V-Belting with HV 2 – Laminate, transparent

Product description:

Optibelt-KK Polyurethane V-Belting, white, approx. 92 Shore A.

Surface:

HV 2-Laminate, transparent, H-Vulkolan, extra-abrasion protection and solvent resistant.

Application:

Particularly suitable for the transport of unpacked food stuffs, food products and other materials.

optibelt-KK Polyurethane V-Belting with Profiled Carrying Surfaces, Form 1 and 2

Product description:

Optibelt-KK Polyurethane V-Belting, white, approx. 92 Shore A.

Surface:

The pointed surface is made from the same material as the basic belt.


Application:

Particularly suitable in the ceramic and woodworking industries, for example on transport systems for painting processes.

Splicing tools


(up to section C/22)

For V-Belting and Round Section Belting from \varnothing 8 mm



Guiding tong B 2

For Round Section Belting and V-Belting up to Section Z/10



Guiding tong B 3







Table attachment for guiding tong



Welding tool incl. welding plate




Welding plate



Shear

optimat-OE Open Ended V-Belting DIN 2216, Punched



| Section | Width x Height (mm) | Weight (= kg/m) | Standard green top surface | | Polyester red top surface | | Plate connectors | | | Link connectors | | | Minimum pulley pitch diameter (mm) |
|---------|---------------------|-----------------|----------------------------|---------|---------------------------|---------|------------------------|-----------|--------|------------------------|-----------|--------|------------------------------------|
| | | | Euro/metre | £/metre | Euro/metre | £/metre | Weight (= kg/100 pcs.) | Euro/each | £/each | Weight (= kg/100 pcs.) | Euro/each | £/each | |
| Y/6 | 6 x 4 | 0,030 | | | | | 0,1 | | | — | | | 50 |
| 8 | 8 x 5 | 0,050 | | | | | 0,2 | | | — | | | 63 |
| Z/10 | 10 x 6 | 0,070 | | | | | 0,3 | | | 0,7 | | | 80 |
| A/13 | 13 x 8 | 0,120 | | | | | 0,5 | | | 1,8 | | | 100 |
| B/17 | 17 x 11 | 0,200 | | | | | 0,8 | | | 2,9 | | | 140 |
| 20 | 20 x 12,5 | 0,270 | | | | | 1,4 | | | 4,6 | | | 180 |
| C/22 | 22 x 14 | 0,340 | | | | | 1,7 | | | 5,7 | | | 224 |
| 25 | 25 x 16 | 0,440 | | | | | 2,1 | | | 5,7 | | | 250 |
| D/32 | 32 x 20 | 0,680 | | | | | 5,0 | | | 16,0 | | | 355 |
| E/40 | 40 x 25 | 1,000 | | | | | 10,0 | | | — | | | 500 |

Special Constructions


Construction "S" with black chloroprene top surface: 10 % surcharge.

Unpunched: no surcharge.

• Non stock items.

◦ These items will be discontinued when present stock is depleted.

optimat-DK Open Ended Double V-Belting, Punched



| Section | Weight x Height (mm) | Weight (= kg/m) | Standard green top surface | | Plate connectors | | | Link connectors | | | Minimum pulley pitch diameter (mm) |
|---------|----------------------|-----------------|----------------------------|---------|------------------------|-----------|--------|------------------------|-----------|--------|------------------------------------|
| | | | Euro/metre | £/metre | Weight (= kg/100 each) | Euro/each | £/each | Weight (= kg/100 pcs.) | Euro/each | £/each | |
| AA/13 | 13 x 10,5 | 0,140 | | | 0,6 | | | 1,7 | | | 140 |
| BB/17 | 17 x 14 | 0,250 | | | 1,2 | | | 2,6 | | | 160 |
| 20 | 20 x 16 | 0,320 | | | 1,6 | | | 3,7 | | | 200 |
| CC/22 | 22 x 18 | 0,410 | | | 2,2 | | | 4,4 | | | 224 |


Special Constructions

Construction "S" with black chloroprene top surface: 10 % surcharge.

Unpunched: no surcharge.

• Non stock items.

◦ These items will be discontinued when present stock is depleted.



| Section | Width x Height (= kg/m) | Weight (≈ kg/m) | Standard | | | | | | Polyester | | | | |
|---------|-------------------------------|--------------------|----------------|-------------|--------------------------------------|-------------|------------------------------|-------------|--------------------------------------|-------------|------------------------------|-------------|--|
| | | | green | | brown, abrasion and oil resistant | | white, abrasion resistant | | brown, abrasion and oil resistant | | white, abrasion resistant | | |
| | | | Euro/ metre | £/ metre | Euro/ metre | £/ metre | Euro/ metre | £/ metre | Euro/ metre | £/ metre | Euro/ metre | £/ metre | |
| 13 x 20 | 20 x 16,5 | 0,320 | | | | | | | | | | | |
| 17 x 30 | 30 x 20 | 0,460 | | | | | | | | | | | |
| 22 x 40 | 40 x 24 | 0,740 | | | | | | | | | | | |
| 32 x 60 | 60 x 33 | 1,300 | | | | | | | | | | | |

| Section | Width x Height (≈ kg/m) | Plate connectors | | | Link connectors | | | Minimum Pulley Diameter (mm) |
|---------|-------------------------------|---------------------------|---------------|------------|---------------------------|---------------|------------|---------------------------------------|
| | | Weight (≈ kg/100 pcs.) | Euro/ each | £/ each | Weight (≈ kg/100 pcs.) | Euro/ each | £/ each | |
| 13 x 20 | 20 x 16,5 | 0,6 | | | 2,6 | | | 140 |
| 17 x 30 | 30 x 20 | 0,9 | | | 3,7 | | | 160 |
| 22 x 40 | 40 x 24 | 1,8 | | | 5,4 | | | 250 |
| 32 x 60 | 60 x 33 | 5,6 | | | 5,7 | | | 450 |


Optimat Belting OE, SK, DK and FK are supplied in lengths of approx. 50 metres.

Surcharge for short lengths

below 10 metres: 70 %
from 10 up to 49 metres: 25 %

- Non stock items, Minimum order quantity: 1 roll.

optimat-PKR Open Ended V-Belting DIN 2216 with Special Top Surfaces



| Section | PKR 0 | | | | PKR 1 | | | | PKR 2 | | | | |
|---------|------------|---|---------|---|------------|---|---------|---|------------|---|---------|---|--|
| | Euro/metre | | £/metre | | Euro/metre | | £/metre | | Euro/metre | | £/metre | | |
| | S | P | S | P | S | P | S | P | S | P | S | P | |
| Z/10 | | | | | | | | | | | | | |
| A/13 | | | | | | | | | | | | | |
| B/17 | | | | | | | | | | | | | |
| C/22 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| D/32 | | | | | | | | | | | | | |

S = Standard; P = Polyester


- Special constructions are **only** available in lengths of approx. 50 metres.

| Quality/Colour | Temperature resistance (°C) | Hardness (Shore A) | Oil resistant | Staining |
|------------------------|-----------------------------|--------------------|---------------|----------|
| PKR 0 | | | | |
| CR/red brown | - 25 to + 100 | ≈ 50 | limited | no |
| SBR-NR/light | - 40 to + 70 | ≈ 45 | no | no |
| PKR 1 and PKR 2 | | | | |
| NR/red brown | - 40 to + 70 | ≈ 48 | no | no |
| SBR-NR/light | - 40 to + 70 | ≈ 45 | no | no |
| CR/red brown | - 25 to + 100 | ≈ 50 | limited | no |
| CR/black | - 25 to + 100 | ≈ 68 | limited | yes |

| Patterns | Height of patterns | | Pitch (mm) |
|----------|--------------------|-----------|------------|
| | Standard (mm) | max. (mm) | |
| PKR 0 | 2 | 3 | — |
| PKR 1♦ | 3 | 3 | 10 |
| PKR 2 | 3 | — | — |

♦ Sections 25 and D/32 height of patterns only 5 mm possible.

optibelt-LB Link Belting Polyurethane with polyester laminations



| Section (Standard) | Weight ≈ (kg/m) | Euro/metre | £/metre | Section (Type T) | Weight ≈ (kg/m) | Euro/metre | £/metre |
|--------------------|-----------------|------------|---------|------------------|-----------------|------------|---------|
| 8 | 0,120 | | | 8 T | 0,116 | | |
| Z/10 | 0,135 | | | 10 T | 0,131 | | |
| A/13 | 0,163 | | | 13 T | 0,158 | | |
| B/17 | 0,230 | | | 17 T | 0,223 | | |
| C/22 ^o | 0,370 | | | 22 T | 0,359 | | |


Further sections and constructions on request.

Optibelt-LB is supplied in boxes containing rolls of 20 metres.

Each box is delivered with a free splicing tool. Separate splicing tool: Euro 6.00 net/each.

Surcharge for Optibelt-LB below 20 metres: 30 %.

◦ These items will be discontinued when present stock is depleted.




| Width (mm) | 3 Plies | | 4 Plies | | 5 Plies | |
|-------------------------------|-------------|----------|-------------|----------|-------------|----------|
| | Euro/metres | £/metres | Euro/metres | £/metres | Euro/metres | £/metres |
| 20 | | | | | | |
| 25 | | | | | | |
| 30 | | | | | | |
| 35 | | | | | | |
| 40 | | | | | | |
| 50 | | | | | | |
| 60 | | | | | | |
| 70 | | | | | | |
| 80 | | | | | | |
| 90 | | | | | | |
| 100 | | | | | | |
| 110 | | | | | | |
| 115 | | | | | | |
| 120 | | | | | | |
| 130 | | | | | | |
| 140 | | | | | | |
| 150 | | | | | | |
| 160 | | | | | | |
| 170 | | | | | | |
| 180 | | | | | | |
| 190 | | | | | | |
| 200 | | | | | | |
| 220 | | | | | | |
| 230 | | | | | | |
| 240 | | | | | | |
| 250 | | | | | | |
| 280 | | | | | | |
| 300 | | | | | | |
| 400 | | | | | | |
| 500 | | | | | | |
| 1000 | | | | | | |
| Thickness ≈ (mm) | 3,6 | | 4,8 | | 6,0 | |
| Weight ≈ (kg/m ²) | 3,8 | | 5,1 | | 6,4 | |
| Minimum pulley diameter (mm) | 89 | | 120 | | 160 | |

Further widths and endless connectors on request.
Length of roll: 50 metres

Surcharges for short lengths

1 to 25 metres: 30 % surcharge
over 25 up to 50 metres: 15 % surcharge

Minimum length for vulcanising endless: 1450 mm.
Shorter lengths are possible using adhesives or fasteners.
Cost for making the belt endless = Price for 3 metres of belting.
Minimum price Euro/piece = 45,00 net.




| Width (mm) | Weight ≈ (kg/m) | 1 to 4 pcs. | | 5 to 99 pcs. | |
|---------------|--------------------|-------------|---------|--------------|---------|
| | | Euro/metre | £/metre | Euro/metre | £/metre |
| 60 | 0,360 | | | | |
| 70 | 0,420 | | | | |
| 80 | 0,480 | | | | |
| 90 | 0,540 | | | | |
| 100 | 0,600 | | | | |
| 110 | 0,660 | | | | |
| 120 | 0,720 | | | | |
| 130 | 0,780 | | | | |
| 140 | 0,840 | | | | |
| 150 | 0,900 | | | | |
| 160 | 0,960 | | | | |
| 170 | 1,080 | | | | |

Minimum width: 30 mm

Maximum width: 550 mm

Minimum length: 1000 mm


Maximum length: 23000 mm



| Optimax-HF Type 075, Type 150 | | | | | | | | | | | | | | | |
|-------------------------------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|-----------|--------|--|
| Li (mm) \ W (mm) | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | |
| | 10 | | 15 | | 20 | | 25 | | 30 | | 35 | | 40 | | |
| 200– 600 | | | | | | | | | | | | | | | |
| 601– 700 | | | | | | | | | | | | | | | |
| 701– 800 | | | | | | | | | | | | | | | |
| 801– 900 | | | | | | | | | | | | | | | |
| 901–1000 | | | | | | | | | | | | | | | |
| 1001–1200 | | | | | | | | | | | | | | | |
| 1201–1400 | | | | | | | | | | | | | | | |
| 1401–1600 | | | | | | | | | | | | | | | |
| 1601–1800 | | | | | | | | | | | | | | | |
| 1801–2000 | | | | | | | | | | | | | | | |
| 2001–2200 | | | | | | | | | | | | | | | |
| 2201–2400 | | | | | | | | | | | | | | | |
| 2401–2600 | | | | | | | | | | | | | | | |
| 2601–2800 | | | | | | | | | | | | | | | |
| 2801–3000 | | | | | | | | | | | | | | | |
| 3001–3200 | | | | | | | | | | | | | | | |
| 3201–3400 | | | | | | | | | | | | | | | |
| 3401–3600 | | | | | | | | | | | | | | | |
| 3601–3800 | | | | | | | | | | | | | | | |

Type 150: ex stock; Type 075: Non stock items.

| Standard range Optimax-HF Type 150 (Li mm) | | | | | | | | | |
|--|-----|------|------|------|------|------|------|------|--|
| 400 | 650 | 890 | 1130 | 1380 | 1630 | 1890 | 2210 | 2700 | |
| 410 | 660 | 900 | 1140 | 1390 | 1640 | 1900 | 2220 | 2750 | |
| 420 | 670 | 910 | 1150 | 1400 | 1650 | 1920 | 2240 | 2780 | |
| 430 | 680 | 920 | 1160 | 1410 | 1660 | 1930 | 2250 | 2800 | |
| 440 | 690 | 930 | 1170 | 1420 | 1670 | 1940 | 2270 | 2850 | |
| 450 | 695 | 935 | 1180 | 1430 | 1680 | 1950 | 2280 | 2900 | |
| 460 | 700 | 940 | 1190 | 1440 | 1700 | 1960 | 2290 | 2950 | |
| 470 | 710 | 950 | 1200 | 1450 | 1710 | 1970 | 2300 | 3000 | |
| 480 | 720 | 960 | 1210 | 1460 | 1720 | 1980 | 2320 | 3050 | |
| 490 | 730 | 970 | 1220 | 1470 | 1730 | 2000 | 2340 | 3100 | |
| 500 | 740 | 980 | 1230 | 1480 | 1740 | 2020 | 2350 | 3150 | |
| 510 | 750 | 990 | 1240 | 1490 | 1750 | 2030 | 2370 | 3200 | |
| 520 | 760 | 1000 | 1250 | 1500 | 1760 | 2040 | 2380 | 3250 | |
| 530 | 770 | 1010 | 1260 | 1510 | 1770 | 2050 | 2400 | 3300 | |
| 540 | 780 | 1020 | 1270 | 1520 | 1780 | 2060 | 2430 | 3400 | |
| 550 | 790 | 1030 | 1280 | 1530 | 1790 | 2070 | 2440 | 3500 | |
| 560 | 800 | 1040 | 1290 | 1540 | 1800 | 2090 | 2450 | 3600 | |
| 570 | 810 | 1050 | 1300 | 1550 | 1810 | 2100 | 2480 | | |
| 580 | 820 | 1060 | 1310 | 1560 | 1820 | 2110 | 2500 | | |
| 590 | 830 | 1070 | 1320 | 1570 | 1830 | 2120 | 2520 | | |
| 600 | 840 | 1080 | 1330 | 1580 | 1840 | 2130 | 2550 | | |
| 610 | 850 | 1090 | 1340 | 1590 | 1850 | 2140 | 2570 | | |
| 620 | 860 | 1100 | 1350 | 1600 | 1860 | 2150 | 2600 | | |
| 630 | 870 | 1110 | 1360 | 1610 | 1870 | 2190 | 2650 | | |
| 640 | 880 | 1120 | 1370 | 1620 | 1880 | 2200 | 2660 | | |



Optimax-HF Type 075, Type 150

| W (mm) \ Li (mm) | Euro/each | | £/each | | Euro/each | | £/each | | Euro/each | | £/each | | Euro/each | | £/each | |
|------------------|-----------|--|--------|--|-----------|--|--------|--|-----------|--|--------|--|-----------|--|--------|--|
| | 50 | | 60 | | 70 | | 80 | | 90 | | 100 | | 330 | | | |
| 200– 600 | | | | | | | | | | | | | | | | |
| 601– 700 | | | | | | | | | | | | | | | | |
| 701– 800 | | | | | | | | | | | | | | | | |
| 801– 900 | | | | | | | | | | | | | | | | |
| 901–1000 | | | | | | | | | | | | | | | | |
| 1001–1200 | | | | | | | | | | | | | | | | |
| 1201–1400 | | | | | | | | | | | | | | | | |
| 1401–1600 | | | | | | | | | | | | | | | | |
| 1601–1800 | | | | | | | | | | | | | | | | |
| 1801–2000 | | | | | | | | | | | | | | | | |
| 2001–2200 | | | | | | | | | | | | | | | | |
| 2201–2400 | | | | | | | | | | | | | | | | |
| 2401–2600 | | | | | | | | | | | | | | | | |
| 2601–2800 | | | | | | | | | | | | | | | | |
| 2801–3000 | | | | | | | | | | | | | | | | |
| 3001–3200 | | | | | | | | | | | | | | | | |
| 3201–3400 | | | | | | | | | | | | | | | | |
| 3401–3600 | | | | | | | | | | | | | | | | |
| 3601–3800 | | | | | | | | | | | | | | | | |

Type 150: ex stock; Type 075: Non stock item

Widths

Above length range can be supplied in every width up to max. 330 mm.

Intermediate lengths

As well as standard lengths, intermediate lengths between 150 and 4 500 mm can be supplied on request.

Further qualities and special constructions on request.

Minimum order quantity surcharge:

1 up to 5 pieces = 25 %

Tolerances

a) Length tolerance: ± 1% minimum ± 3mm

b) Width tolerance: ± 0.5 mm, reducible down to ± 0.2 mm.


Minimum order quantity

Type 075: 1 sleeve = 330 mm / Type 150: 6 pieces each size

Weight


Type 075 ≈ 0,620 kg/m²

Type 150 ≈ 1,210 kg/m²



| Outside length (mm) | Section 3M | | Section 5M | | Section 7M | | Section 11M | |
|---------------------|--|--------|------------|--------|------------|--------|-------------|--------|
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 180 | | | | | | | | |
| 185 | | | | | | | | |
| 190 | | | | | | | | |
| 195 | | | | | | | | |
| 200 | | | | | | | | |
| 206 | | | | | | | | |
| 212 | | | | | | | | |
| 218 | | | | | | | | |
| 224 | | | | | | | | |
| 230 | | | | | | | | |
| 236 | | | | | | | | |
| 243 | | | | | | | | |
| 250 | | | | | | | | |
| 258 | | | | | | | | |
| 265 | | | | | | | | |
| 272 | | | | | | | | |
| 280 | | | | | | | | |
| 290 | | | | | | | | |
| 300 | | | | | | | | |
| 307 | | | | | | | | |
| 315 | | | | | | | | |
| 325 | | | | | | | | |
| 335 | | | | | | | | |
| 345 | | | | | | | | |
| 355 | | | | | | | | |
| 365 | | | | | | | | |
| 375 | | | | | | | | |
| 387 | | | | | | | | |
| 400 | | | | | | | | |
| 412 | | | | | | | | |
| 425 | | | | | | | | |
| 437 | | | | | | | | |
| 450 | | | | | | | | |
| 462 | | | | | | | | |
| 475 | | | | | | | | |
| 487 | | | | | | | | |
| 500 | | | | | | | | |
| 515 | | | | | | | | |
| 530 | | | | | | | | |
| 545 | | | | | | | | |
| 560 | | | | | | | | |
| 580 | | | | | | | | |
| 600 | | | | | | | | |
| 615 | | | | | | | | |
| 630 | | | | | | | | |
| | Section 3M: Non stock items | | | | | | | |

3M = 3 x 2 mm
 5M = 5 x 3 mm
 7M = 7 x 5 mm
 11M = 11 x 7 mm



| Outside length (mm) | Section 3M | | Section 5M | | Section 7M | | Section 11M | |
|---------------------|--|--------|------------|--------|------------|--------|-------------|--------|
| | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each | Euro/each | £/each |
| 650 | | | | | | | | |
| 670 | | | | | | | | |
| 690 | | | | | | | | |
| 710 | | | | | | | | |
| 730 | | | | | | | | |
| 750 | | | | | | | | |
| 775 | | | | | | | | |
| 800 | | | | | | | | |
| 825 | | | | | | | | |
| 850 | | | | | | | | |
| 875 | | | | | | | | |
| 900 | | | | | | | | |
| 925 | | | | | | | | |
| 950 | | | | | | | | |
| 975 | | | | | | | | |
| 1000 | | | | | | | | |
| 1030 | | | | | | | | |
| 1060 | | | | | | | | |
| 1090 | | | | | | | | |
| 1120 | | | | | | | | |
| 1150 | | | | | | | | |
| 1180 | | | | | | | | |
| 1220 | | | | | | | | |
| 1250 | | | | | | | | |
| 1280 | | | | | | | | |
| 1320 | | | | | | | | |
| 1360 | | | | | | | | |
| 1400 | | | | | | | | |
| 1450 | | | | | | | | |
| 1500 | | | | | | | | |
| 1550 | | | | | | | | |
| 1600 | | | | | | | | |
| 1650 | | | | | | | | |
| 1700 | | | | | | | | |
| 1750 | | | | | | | | |
| 1800 | | | | | | | | |
| 1850 | | | | | | | | |
| 1900 | | | | | | | | |
| 1950 | | | | | | | | |
| 2000 | | | | | | | | |
| 2060 | | | | | | | | |
| 2120 | | | | | | | | |
| 2180 | | | | | | | | |
| 2240 | | | | | | | | |
| 2300 | | | | | | | | |
| | Section 3M: Non stock items | | | | | | | |

Technical Information

Optibelt-SK and Optibelt Red Power Wedge Belts to BS 3790 and DIN 7753 Part 1/ISO 4184

| Section | Dimension W x H ≈ | Section base width W ₀ ≈ | Pitch width l _d | Belt length | | | | Recommended minimum pulley diameter (mm) | Belt weight (≈ kg/m) |
|---------|----------------------|--|----------------------------------|-----------------------------------|---|--------------------------------|---|---|----------------------------|
| | | | | Nominal length | Outside length L _a | Datum length L _d | Inside length L _i | | |
| SPZ | 9,7 x 8 | 4,2 | 8,5 | Datum length L _d | L _a ≈ L _d + 13 L _a ≈ L _i + 51 | — | L _i ≈ L _d - 38 L _i ≈ L _a - 51 | 63 | 0,074 |
| SPA | 12,7 x 10 | 5,8 | 11,0 | | L _a ≈ L _d + 18 L _a ≈ L _i + 63 | — | L _i ≈ L _d - 45 L _i ≈ L _a - 63 | 90 | 0,123 |
| SPB | 16,3 x 13 | 7,3 | 14,0 | | L _a ≈ L _d + 22 L _a ≈ L _i + 82 | — | L _i ≈ L _d - 60 L _i ≈ L _a - 82 | 140 | 0,195 |
| SPC | 22,0 x 18 | 9,6 | 19,0 | | L _a ≈ L _d + 30 L _a ≈ L _i + 113 | — | L _i ≈ L _d - 83 L _i ≈ L _a - 113 | 224 | 0,377 |

Optibelt-SK and Optibelt Red Power Wedge Belts to USA-Standard RMA/MPTA

| Section | Dimension W x H ≈ | Section base width W ₀ ≈ | Pitch width l _d | Outside length L _a | L _d ≈ L _a - 4* | L _i ≈ L _a - 42 | Outside diameter d _a | Belt weight (≈ kg/m) | | | | | |
|---------|----------------------|--|----------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|----------------------------|---|---------------------------------------|---------------------------------------|-----|-------|
| 3V/9N | 9,0 x 8 | 4,2 | — | | | | | | — | L _d ≈ L _a - 11* | L _i ≈ L _a - 71 | 63 | 0,074 |
| 5V/15N | 15,0 x 13 | 7,3 | — | | | | | | — | — | L _i ≈ L _a - 120 | 140 | 0,195 |
| 8V/25N | 25,0 x 23 | 9,6 | — | — | — | — | 315 | 0,575 | | | | | |

* The value for the difference between L_d and L_a is necessary if it is required to substitute a belt section to BS 3790 : 1991 or DIN 7753 Part 1 for a belt section to RMA/MPTA.

Optibelt Super TX M=S Moulded Cogged Raw Edge Wedge Belts – DIN 7753 Part 1

| Section | Dimension W x H ≈ | Section base width W ₀ ≈ | Pitch width l _d | Datum length L _d | L _a ≈ L _d + 13 L _a ≈ L _i + 51 | — | L _i ≈ L _d - 38 L _i ≈ L _a - 51 | Datum diameter d _d | Belt weight (≈ kg/m) | | |
|---------|----------------------|--|----------------------------------|-----------------------------------|---|---|---|-------------------------------------|----------------------------|-----|-------|
| XPZ | 9,7 x 8 | 4,2 | 8,5 | | L _a ≈ L _d + 18 L _a ≈ L _i + 63 | — | L _i ≈ L _d - 45 L _i ≈ L _a - 63 | | | 56 | 0,065 |
| XPA | 12,7 x 10 | 5,8 | 11,0 | | L _a ≈ L _d + 22 L _a ≈ L _i + 82 | — | L _i ≈ L _d - 60 L _i ≈ L _a - 82 | | | 71 | 0,111 |
| XPB | 16,3 x 13 | 7,3 | 14,0 | | L _a ≈ L _d + 30 L _a ≈ L _i + 113 | — | L _i ≈ L _d - 83 L _i ≈ L _a - 113 | | | 112 | 0,183 |
| XPC | 22,0 x 18 | 9,6 | 19,0 | — | — | — | 180 | 0,340 | | | |

Optibelt Super TX M=S Moulded Cogged Raw Edge Wedge Belts – USA-Standard RMA/MPTA

| Section | Dimension W x H ≈ | Section base width W ₀ ≈ | Pitch width l _d | Outside length L _a | L _d ≈ L _a - 4* | L _i ≈ L _a - 42 | Outside diameter d _a | Belt weight (≈ kg/m) |
|----------|----------------------|--|----------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|----------------------------|
| 3VX/9NX | 9,0 x 8 | 4,2 | — | | | | | |
| 5VX/15NX | 15,0 x 13 | 7,3 | — | — | — | — | 112 | 0,183 |

* The value for the difference between L_d and L_a is necessary if it is required to substitute a belt section to BS 3790 : 1991 or DIN 7753 Part 1 for a belt section to RMA/MPTA.

Optibelt Super TX M=S Moulded Cogged Raw Edge Wedge Belts

| Section | Dimension W x H ≈ | Section base width W ₀ ≈ | Pitch width l _d | Datum length L _d | L _a ≈ L _i + 38 L _a ≈ L _d + 16 | — | L _i ≈ L _d - 22 L _i ≈ L _a - 38 | Datum diameter d _d | Belt weight (≈ kg/m) | | |
|---------|----------------------|--|----------------------------------|-----------------------------------|--|---|--|-------------------------------------|----------------------------|----|-------|
| ZX/X10 | 10,0 x 6 | 5,9 | 8,5 | | L _a ≈ L _i + 50 L _a ≈ L _d + 20 | — | L _i ≈ L _d - 30 L _i ≈ L _a - 50 | | | 40 | 0,062 |
| AX/X13 | 13,0 x 8 | 7,5 | 11,0 | | L _a ≈ L _i + 69 L _a ≈ L _d + 29 | — | L _i ≈ L _d - 40 L _i ≈ L _a - 69 | | | 63 | 0,099 |
| BX/X17 | 17,0 x 11 | 9,4 | 14,0 | | L _a ≈ L _i + 88 L _a ≈ L _d + 30 | — | L _i ≈ L _d - 58 L _i ≈ L _a - 88 | | | 90 | 0,165 |
| CX/X22 | 22,0 x 14 | 12,3 | 19,0 | — | — | — | 140 | 0,276 | | | |

Optibelt-VB V-Belts to BS 3790 and DIN 2215 / ISO 4184

| Section | Dimension W x H ≈ | Section base width W ₀ ≈ | Pitch width l _d | Datum length L _d | L _a ≈ L _i + 19 L _a ≈ L _d + 8 | L _d ≈ L _i + 11 L _d ≈ L _a - 8 | — | Datum diameter d _d | Belt weight (≈ kg/m) | | |
|---------|----------------------|--|----------------------------------|-----------------------------------|---|--|-----|-------------------------------------|----------------------------|-----|-------|
| 5 | 5,0 x 3 | 2,8 | 4,2 | | L _a ≈ L _i + 25 L _a ≈ L _d + 10 | L _d ≈ L _i + 15 L _d ≈ L _a - 10 | — | | | 20 | 0,018 |
| Y/6 | 6,0 x 4 | 3,3 | 5,3 | | L _a ≈ L _i + 31 L _a ≈ L _d + 12 | L _d ≈ L _i + 19 L _d ≈ L _a - 12 | — | | | 28 | 0,026 |
| 8 | 8,0 x 5 | 4,5 | 6,7 | | L _a ≈ L _i + 38 L _a ≈ L _d + 16 | L _d ≈ L _i + 22 L _d ≈ L _a - 16 | — | | | 40 | 0,042 |
| Z/10 | 10,0 x 6 | 5,9 | 8,5 | | L _a ≈ L _i + 50 L _a ≈ L _d + 20 | L _d ≈ L _i + 30 L _d ≈ L _a - 20 | — | | | 50 | 0,064 |
| A/13 | 13,0 x 8 | 7,5 | 11,0 | | L _a ≈ L _i + 69 L _a ≈ L _d + 29 | L _d ≈ L _i + 40 L _d ≈ L _a - 29 | — | | | 71 | 0,109 |
| B/17 | 17,0 x 11 | 9,4 | 14,0 | | L _a ≈ L _i + 79 L _a ≈ L _d + 31 | L _d ≈ L _i + 48 L _d ≈ L _a - 31 | — | | | 112 | 0,196 |
| 20 | 20,0 x 12,5 | 11,4 | 17,0 | | L _a ≈ L _i + 88 L _a ≈ L _d + 30 | L _d ≈ L _i + 58 L _d ≈ L _a - 30 | — | | | 160 | 0,266 |
| C/22 | 22,0 x 14 | 12,3 | 19,0 | | L _a ≈ L _i + 100 L _a ≈ L _d + 39 | L _d ≈ L _i + 61 L _d ≈ L _a - 39 | — | | | 180 | 0,324 |
| 25 | 25,0 x 16 | 14,0 | 21,0 | | L _a ≈ L _i + 126 L _a ≈ L _d + 51 | L _d ≈ L _i + 75 L _d ≈ L _a - 51 | — | | | 250 | 0,420 |
| D/32 | 32,0 x 20 | 18,2 | 27,0 | | L _a ≈ L _i + 157 L _a ≈ L _d + 77 | L _d ≈ L _i + 80 L _d ≈ L _a - 77 | — | | | 355 | 0,668 |
| E/40 | 40,0 x 25 | 22,8 | 32,0 | — | — | — | 500 | 0,958 | | | |

Datum length L_d = Pitch length L_w/L_p

Technical Information

Optibelt-KB and Optibelt Red Power Kraftbands with Wedge Belts to ISO 5290 USA-Standard RMA/MPTA

| Section | Height $h \approx$ | Section base width $W_u \approx$ | Belt length | | | | Recommended minimum pulley diameter (mm) | | Belt weight per rib (\approx kg/m) |
|------------------|-----------------------|---|----------------------------|-------------------------|-----------------------|-------------------------|---|-----|--|
| | | | Nominal length | Outside length L_a | Datum length L_d | Inside length L_i | | | |
| 3V/9J; 3VX/9JX | 9,9 | 4,2 | Outside length L_a | — | — | $L_i \approx L_a - 42$ | Outside diameter d_a | 67 | 0,122 |
| 5V/15J; 5VX/15JX | 15,1 | 7,3 | | — | — | $L_i \approx L_a - 71$ | | 160 | 0,252 |
| 8V/25J | 25,5 | 9,6 | | — | — | $L_i \approx L_a - 120$ | | 315 | 0,693 |

Optibelt-KB and Optibelt Red Power Kraftbands with Wedge Belts

| | | | | | | | | | |
|-----|------|-----|--------------------------|------------------------|---|---|----------------------------|-----|-------|
| SPZ | 10,5 | 5,4 | Datum length L_d | $L_a \approx L_d + 13$ | — | — | Datum diameter d_d | 80 | 0,120 |
| SPA | 12,5 | 7,0 | | $L_a \approx L_d + 18$ | — | — | | 112 | 0,166 |
| SPB | 15,6 | 8,8 | | $L_a \approx L_d + 22$ | — | — | | 180 | 0,261 |
| SPC | 22,6 | 9,3 | | $L_a \approx L_d + 24$ | — | — | | 250 | 0,555 |

Optibelt-KB Kraftbands with V-Belts to USA-Standard RMA/MPTA

| | | | | | | | | | |
|---|------|------|---------------------------|-------------------------|------------------------|---|------------------------------|-----|-------|
| A | 9,9 | 7,5 | Inside length L_i | $L_a \approx L_i + 36$ | $L_d \approx L_i + 30$ | — | Outside diameter d_a | 80 | 0,163 |
| B | 13,0 | 9,4 | | $L_a \approx L_i + 62$ | $L_d \approx L_i + 40$ | — | | 125 | 0,266 |
| C | 16,2 | 12,3 | | $L_a \approx L_i + 75$ | $L_d \approx L_i + 58$ | — | | 200 | 0,447 |
| D | 22,4 | 18,2 | | $L_a \approx L_i + 111$ | $L_d \approx L_i + 75$ | — | | 355 | 0,798 |

Optibelt-KB Kraftbands with V-Belts to USA-Standard ASAE S 211.4

| | | | | | | | | | |
|----|------|------|----------------------------|---|---|-------------------------|------------------------------|-----|-------|
| HA | 9,9 | 7,5 | Outside length L_a | — | — | $L_i \approx L_a - 36$ | Outside diameter d_a | 80 | 0,163 |
| HB | 13,0 | 9,4 | | — | — | $L_i \approx L_a - 62$ | | 125 | 0,266 |
| HC | 16,2 | 12,3 | | — | — | $L_i \approx L_a - 75$ | | 200 | 0,447 |
| HD | 22,4 | 18,2 | | — | — | $L_i \approx L_a - 111$ | | 355 | 0,798 |


The belt width of a Kraftband depends on the number of belts incorporated.

Optibelt-DK Double V-Belts to ISO 5289

| Section | Dimension $W \times H \approx$ | Section base width $b_u \approx$ | Nominal length | Belt length | Recommended minimum pulley diameter (mm) | Belt weight (\approx kg/m) |
|---------|-----------------------------------|---|---------------------|--------------------------------------|---|-------------------------------------|
| AA/HAA | 13 x 10 | — | Reference length | Reference length = middle length - 4 | Outside diameter d_a | 80 |
| BB/HBB | 17 x 13 | — | | Reference length = middle length - 8 | | 125 |
| CC/HCC | 22 x 17 | — | | Reference length = middle length + 3 | | 224 |
| DD/HDD | 32 x 25 | — | | Reference length = middle length | | 355 |

Optibelt-DK Double V-Belts – Special Sections


| | | | | | | |
|---------|---------|---|---------------------|----------------------------------|------------------------------|-----|
| 22 x 22 | 22 x 22 | — | Reference length | Reference length = middle length | Outside diameter d_a | 280 |
| 25 x 22 | 25 x 22 | — | | Reference length = middle length | | 280 |



optibelt-KS V-Belt Pulleys

optibelt-KS V-Belt Pulleys bored for Taper Bushes

optibelt-KS Aluminium and Special Pulleys



optibelt-ZRS Timing Belt Pulleys

optibelt-ZRS Timing Belt Pulleys bored for Taper Bushes



optichain-RK Roller Chain

optichain-KTR Chain Sprockets

optichain-KTR Chain Sprockets with Hub on one Side


optichain-KTR Chain Sprockets bored for Taper Bushes

Technical Accessories

Tension Gauges




| | |
|--------------|--------------------------------|
| Optikrik 0 | Measuring Range: 70 – 150 N |
| Optikrik I | Measuring Range: 150 – 600 N |
| Optikrik II | Measuring Range: 500 – 1400 N |
| Optikrik III | Measuring Range: 1300 – 3100 N |




Measuring Range: 10 – 600 Hz

Measuring Gauge



Measuring Range: 500 – 2500 mm inside length (L_i)

V-Belt and Pulley Groove Templates



Prices on request.

Lined area for notes, consisting of multiple horizontal lines.


This Price List invalidates all previous lists.

Design changes and errors reserved.


Refer to our "Standard Conditions of Business" for any matter concerning delivery or liability.




Power Transmission




optibelt-SK
High performance wedge belts to BS 3790, DIN 7753 Part 1 and RMA/MPTA




optibelt RED POWER
High performance wedge belts to BS 3790, DIN 7753 Part 1 and RMA/MPTA - service free




optibelt SUPER TX M-5
Moulded cogged raw edge belts to BS 3790 and DIN 7753 Part 1




optibelt-VB
Classical V-Belts to BS 3790 and DIN 2215




optibelt MARATHON 1
Automotive fan belts – raw edge, moulded cogged, maintenance free




optibelt MARATHON 2 M-5
Automotive fan belts – raw edge, moulded cogged, maintenance free, heavy duty, may be used in sets without restrictions




optibelt-KB
Kraftbands




optibelt-KB RED POWER
Kraftbands




optibelt-PKR
Endless V-belts with patterned top surface DIN 2215




optibelt SUPER V/X
Variable speed belts – moulded cogged raw edge




optibelt-DK
Double section V-belts DIN 7722




optibelt-ZR/HTD®/ZRK
Timing belts




optibelt OMEGA
Timing belts




optibelt-ZRM/ZRP/ZRL
Polyurethane timing belts and open ended timing belting




optibelt-RB/RBK
Ribbed belts




optimax-HF
Endless flat belts




optimat-OE
Open ended V-belt, punched DIN 2216




optibelt-LB
Link belting




optibelt-RR
Round plastic belting




optibelt-KK
Plastic V-belt



optibelt-KS
V-grooved pulleys



optibelt-ZRS
Timing belt pulleys



optichain-RK/KTR
Roller chain
Chain sprockets



optibelt-CE
Clamping bushes